

SPRING

2026

—
Product Catalog

Goodlite



CONTACT INFO

369 Essex Rd
Tinton Falls NJ 07753

 sales@gllite.com

 www.gllite.com

 718 697 7502

 718 697 7503

 718 697 7502

INDEX

Silent Series	Silent	4	Accretion Series	Slim surface mount	171
Aster Series	Mini interchangeable module	8	Spica Series	Disk surface mount	173
	1" interchangeable module	10	Glawre' Series	Surface mount	174
	2" interchangeable module	17	Rectangular Slim Series	Rectangular flushed slim	178
	3" interchangeable module	24	Nebula Series	Linkable linear	180
	3.5" interchangeable module	36	Orion Series	Linear	183
	4" interchangeable module	44	Troffers	Butterfly fixture	185
	5" interchangeable module	53		Bevel fixture	186
6" interchangeable module	56	Focused fixture		187	
Venus Series	Venus	59		Vault fixture	188
Saturn Series	Trimless regress	59		Center net basket fixture	191
	Trimless regress multiple	61		Center square basket fixture	192
	Trimmed flushed	69		Center basket fixture	193
	Trimmed regress	73		Square	194
	Trimmed regress multiple	81		Center line fixture	194
Ellipse Series	3" Ellipse	87		Center indirect line	195
	3.5" Ellipse	90	Regress panel fixture	196	
Pura Series	Pura	94	Backlit flat panel fixture	197	
Altair Series	Trimmed regress	96	Frame panel fixture	199	
	Trimless regress	98	Stellar	Mini puck light	200
Flarion Series	Round floating gimbal	100		1" Puck light	201
	Multiple floating gimbal	101	Step light	Eclipse	202
Pulsar Series	Trimmed pulsar	107		Trimmed	203
	Trimless pulsar	109		Trimless	204
Dipper Series	Fixed	112	Tape light	Tape light	205
	Combo	114		Profile	213
	Retractable	115		Power supply	218
Jupiter Series	Cylinder	117	Retrofit's	Astrofit	220
	Beam adjustable	125		Space	224
Moon Series	Moon	133	Tube Series	T5	227
Horizon Series	Horizon	135		T8	228
Regulus Series	Trimmed	136		U-bend	231
	Trimless	139	A Series	A series	232
Star Series	Round	141	MR Series	MR series	235
Fabulon Series	Round	146	PAR Series	Par series	237
Star Series	Square	147	BR Series	BR series	239
Fabulon Series	Square	150	Miniature Series	Miniature	240
Star Series	Trimless	151	Candelabra Series	Candelabra	244
	Fire rated	153	Decorative Series	Decorative	247
Commercial Series	Commercial	158	G Series	G series	251
Downlight accessories	Accessories	161	Alphabetical Index		255
	Plates	164	Contact Information		259
Glimmer Series	Edgeless surface mount	169			


Silent
1" Aperture Module

1"



Cut Out: 5.85"

G-11120

ST/1/M/15W/LED/5CCCT



Installation View



Lumens	1200
Wattage	15W
Voltage	120/277V
CRI	90+
Beam Angle	50° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire Length	30FT
Pack	6

15W Driver's (Sold separately)

1 Channel

5 Channel (5 X 15W)

10 Channel (5 X 15W)



G-48302
15W/277V/Driver



G-11105
15W/277V/5CH/Driver



G-11110
15W/277V/10CH/Driver

Frosted Lens



G-11722
ST/L/FR/80-DEGREE

Flushed Lens

Frosted



G-11820
ST/L/FL/FR/60°

Clear



G-11822
ST/L/FL/CLR/60°

Extractor



G-11724
ST/EXTRAC

Silent Led Diode's

5 CCT Included



G-11723
ST/DIODE/5CCCT

DTW



G-11118
ST/DIODE/DTW

27k



G-11127
ST/DIODE/27K

30k



G-11130
ST/DIODE/30K

35k



G-11135
ST/DIODE/35K

41k




G-11140
ST/DIODE/41K

50k



G-11150
ST/DIODE/50k


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Changing Lens
- Dimmable
- IC Rated



Accessories



NC Plate G-98800 (9)

Silent 1" Round Trimmed Kits




Pack 100

Silent 1" Square Trimmed Kits




Pack 100



Pack 100

Silent 1" Square Trimless Kits




Pack 100

Silent 1" Round Drop Trim Kits




Pack 100

Silent 1" Square Drop Trim Kits




Pack 100




Silent
1" Multi Head Interchangeable Trimless Kits


1"




G-11102
1/SLT/2H/TL/MK
Double Kit





G-11103
1/SLT/3H/TL/MK
Triple Kit



G-11104
1/SLT/4H/TL/MK
Quadruple Kit






G-11100
1/SLT/SQ-4H/TL/MK
Square Kit



Style	Cut out	Plate	Pack
2 Heads	5.75" X 11.26"	G-98824 (0)	36
3 Heads	5.75" X 16.77"	G-98824 (1)	36
4 Heads	5.75" X 22.28"	G-98824 (2)	36
4 Heads Square	11.26" X 11.26"	G-98818 (6)	12



Aster Series



Aster Mini Interchangeable Module New Item

Mini



G-15005

MM/4W/LED/5CCT

Lumens	320
Wattage	4W
Voltage	120V
CRI	90+
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Clear Lens



G-15091
L/MINI/24-DEGREE

Diffuser



G-15099
M/HEX/HC/DIFFUSER

Lens Cover





G-15097
M/SOLITE LENS



G-15098
M/PRISMATIC LENS


Mini

Aster Mini Interchangeable Trims New Item




Style	Cut out	Plate	Pack
Trimmed	1.38"	G-98800 (0)	64

Aster Mini Interchangeable Trimless Round New Item



Style	Cut out	Plate	Pack
Trimless Round	1.65"	G-98800 (1)	36

Aster Mini Interchangeable Trimless Square New Item



Style	Cut out	Plate	Pack
Trimless Square	2.95"	G-98800 (4)	36

Aster
1" Interchangeable Shallow Module New Item

G-48170

M1/5W/LED/5CCT



Lumens	350	Beam Angle	40° Clear (Default)
Wattage	5W	CCT	27, 30, 35, 41, 50k
Voltage	120V	Dimmable	Yes
CRI	90>	Pack	18

Clear Lens



G-10951
L1/24-DEGREE G2

Frosted Lens



G-10950
L1/FROSTED G2

Diffuser



G-21751
1/HEX/HC/DIFFUSER

Lens Cover



G-10942
1/SOLITE LENS



G-10943
1/PRISMETAC LENS



G-10938
1/BEAMSPLIT LENS

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

Multi Light G-95823 5W

Aster
1" Interchangeable Module

G-48470

M1/7W/LED/5CCT



G-48171

New Item

M1/7W/TLU/LED/5CCT

Trimless Use

Lumens	600	Beam Angle	40° Clear (Default)
Wattage	7W	CCT	27, 30, 35, 41, 50k
Voltage	120/277V	Dimmable	Yes
CRI	90>	Pack	18

Clear Lens



G-10951
L1/24-DEGREE G2

Frosted Lens



G-10950
L1/FROSTED G2

Diffuser



G-21751
1/HEX/HC/DIFFUSER

Lens Cover



G-10942
1/SOLITE LENS



G-10943
1/PRISMETAC LENS



G-10938
1/BEAMSPLIT LENS

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

Multi Light G-95823 7W

Aster
1" Interchangeable HO Module

G-48468

M1/15W/LED/5CCT



G-48172

New Item

M1/15W/TLU/LED/5CCT

Trimless Use

Lumens	1100	CCT	27, 30, 35, 41, 50k
Wattage	15W	Dimmable	Triac or 0-10V
Voltage	120/277V	Pack	18
CRI	90>	NOT IC RATED	
Beam Angle	60° Clear (Default)		

Clear Lens



G-10951
L1/24-DEGREE G2

Frosted Lens



G-10950
L1/FROSTED G2

Diffuser



G-21751
1/HEX/HC/DIFFUSER

Lens Cover



G-10942
1/SOLITE LENS



G-10943
1/PRISMETAC LENS



G-10938
1/BEAMSPLIT LENS


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Accessories

Multi Light G-95825 14W


Aster
1" Interchangeable Trims



Style	Cut out	Plate	Pack
Trimmed	1.90"	G-98800 (2)	8/128




Aster
1" Interchangeable Shallow Trims New Item



Style	Cut out	Plate	Pack
Shallow	1.90"	G-98800 (2)	64


Aster
1" Interchangeable Wave Trims New Item



Style	Cut out	Plate	Pack
Wave	2.08"	G-98800 (2)	128

Aster 1" Interchangeable Adjustable Trims New Item



1"



Style	Cut out	Plate	Pack
Adjustable	2.95"	G-19969 (0)	36

Aster 1" Interchangeable Trimless Round


1"



Style	Cut out	Plate	Pack
Trimless Round	2.30"	G-98800 (3)	36

Aster 1" Interchangeable Trimless Square

1"



Style	Cut out	Plate	Pack
Trimless Square	Sq 2.72" / Rd 3.82"	G-98800 (6)	36

Aster 1" Interchangeable Round Millwork Trimless Kits



G-21710
TL/MLW1/RD/WT
White



G-21711
TL/MLW1/RD/BK
Black




G-21712
TL/MLW1/RD/BZ
Bronze



G-21713
TL/MLW1/RD/BN
Brushed Nickel




G-21714
TL/MLW1/RD/BB
Brushed Brass



Style	Cut out	Pack
Millwork	2.32"	64

Aster 1" Interchangeable Square Millwork Trimless Kits New Item




G-21810
TL/MLW1/SQ/WT
White



G-21811
TL/MLW1/SQ/BK
Black




G-21812
TL/MLW1/SQ/BZ
Bronze




G-21813
TL/MLW1/SQ/BN
Brushed Nickel



G-21814
TL/MLW1/SQ/BB
Brushed Brass





Style	Cut out	Pack
Millwork	2.60"	64




Aster 1" Multi Head Interchangeable Trimless Kits

1"

Round options






Style	Cut out	Plate	Pack
1 Head	2.30"	G-98800 (3)	36
2 Heads	2.28" X 5.75"	G-98821 (1)	36
3 Heads	2.28" X 9.21"	G-48449 (0)	36
4 Heads	2.28" X 12.68"	G-98821 (5)	36
4 Heads Square	5.75" X 5.75"	G-98818 (0)	12



Aster 1" Multi Head Interchangeable Trimless Kits

1"

Square options



Style	Cut out	Plate	Pack
1 Head	SQ 2.57" X 2.57" RD 3.64"	G-98800 (5)	36
2 Heads	2.58" X 6.30"	G-98821 (1)	12
3 Heads	2.58" X 10.00"	G-98822 (2)	12
4 Heads	2.58" X 13.72"	G-98822 (4)	12
4 Heads Square	6.30" X 6.30"	G-98818 (1)	12


Aster 1" Ultra Narrow Trimless Multiple Kit

1"

G-22801

R1/TL/1H/MLT/KIT




White



G-22811

R1/TL/1H/MLT/KIT-BK

Black




Style	Cut out	Plate	Pack
1 Head	Rd 3.52" Sq 2.24" X 2.95"	G-98800 (5)	24

G-22802

R1/TL/2H/MLT/KIT



White



G-22812

R1/TL/2H/MLT/KIT-BK

Black




Style	Cut out	Plate	Pack
2 Heads	2.24" X 4.92"	G-98821 (0)	24

G-22803

R1/TL/3H/MLT/KIT




White



G-22813

R1/TL/3H/MLT/KIT-BK

Black




Style	Cut out	Plate	Pack
3 Heads	2.24" X 6.89"	G-98821 (2)	24

G-22804

R1/TL/4H/MLT/KIT




White



G-22814

R1/TL/4H/MLT/KIT-BK

Black



Style	Cut out	Plate	Pack
4 Heads	2.24" X 9.88"	G-98821 (4)	24

Aster
2" Interchangeable Shallow Module New Item



G-48240
M2/7W/LED/5CCT

Lumens	700	Beam Angle	40° Clear (Default)
Wattage	7W	CCT	27, 30, 35, 41, 50k + DTW
Voltage	120V	Dimmable	Yes
CRI	90>	Pack	18
		DTW	Multi Select

Clear Lens	Frosted Lens	Diffuser	Lens Cover
G-10946 L2/24-DEGREE	G-10947 L2/40-DEGREE	G-10948 L2/60-DEGREE	G-10944 L2/FROSTED/80°
		G-21752 2/HEX/HC/DIFFUSER	G-10918 2/SOLITE LENS
			G-10919 2/PRISMETAC LENS
			G-10920 2/BEAMSPLIT LENS

- SCCT+DTW Dim to Warm
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories
Multi Light G-95823 7W

Aster
2" Interchangeable Module



G-48340
M2/8W/LED/5CCT

G-48241 New Item
M2/8W/TLU/LED/5CCT
Trimless Use

Lumens	800	Beam Angle	40° Clear (Default)
Wattage	8W	CCT	27, 30, 35, 41, 50k + DTW
Voltage	120-277V	Dimmable	Triac or 0-10V
CRI	90>	Pack	18
		DTW	Multi Select

Clear Lens	Frosted Lens	Diffuser	Lens Cover
G-10946 L2/24-DEGREE	G-10947 L2/40-DEGREE	G-10948 L2/60-DEGREE	G-10944 L2/FROSTED/80°
		G-21752 2/HEX/HC/DIFFUSER	G-10918 2/SOLITE LENS
			G-10919 2/PRISMETAC LENS
			G-10920 2/BEAMSPLIT LENS

- SCCT+DTW Dim to Warm
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories
Multi Light G-95823 8W

Aster
2" Interchangeable Module



G-20215
M2/14W/WS2/LED/5CCT

G-48242 New Item
M2/14W/TLU/LED/5CCT
Trimless Use

Lumens	1200/750	Beam Angle	60° Clear (Default)
Wattage	14W/8W	CCT	27, 30, 35, 41, 50k + DTW
Voltage	120/277V	Dimmable	Triac or 0-10V
CRI	90>	Pack	18

Clear Lens	Frosted Lens	Diffuser	Lens Cover
G-10946 L2/24-DEGREE	G-10947 L2/40-DEGREE	G-10948 L2/60-DEGREE	G-10944 L2/FROSTED/80°
		G-21752 2/HEX/HC/DIFFUSER	G-10918 2/SOLITE LENS
			G-10919 2/PRISMETAC LENS
			G-10920 2/BEAMSPLIT LENS

- SCCT+DTW Dim to Warm
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories
Multi Light G-95823 8W
G-95825 14W

Aster 2" Interchangeable HO Module

2"



G-20213
M2/20W/WS2/LED/5CCT

Lumens	1700/1200
Wattage	20W/14W
Voltage	120/277V
CRI	90+
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 14W	

Clear Lens	Frosted Lens	Diffuser	Lens Cover
G-10946 L2/24-DEGREE	G-10947 L2/40-DEGREE	G-10948 L2/60-DEGREE	G-10944 L2/FROSTED/80°
		G-21752 2/HEX/HC/DIFFUSER	G-10918 2/SOLITE LENS
			G-10919 2/PRISMETAC LENS
			G-10920 2/BEAMSPLIT LENS

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable




Accessories

Multi Light	G-95825 14W
	G-95826 20W

Aster 2" Interchangeable Trims

2"


	G-48341 T2/R/W White		G-48342 T2/SQ/W White		G-48343 T2/R/B Black
	G-48344 T2/SQ/B Black		G-48345 T2/R/BW Two-tone		G-48346 T2/SQ/BW Two-tone
	G-48347 T2/R/BZ Bronze		G-48348 T2/SQ/BZ Bronze		G-48354 T2/R/BN Brushed Nickel
	G-48355 T2/SQ/BN Brushed Nickel		G-48349 T2/R/BB Brushed Brass		G-48356 T2/SQ/BB Brushed Brass



Style	Cut out	Plate	Pack
Trimmed	2.50"	G-98800 (3)	8/64



	G-22220 T2/R/W/BF White Baffle		G-23792 T2/R/CSTM Ready to paint New Item
--	---	--	---

Aster
2" Interchangeable Narrow Trims New Item




Style	Cut out	Plate	Pack
Narrow	2.55"	G-98800 (3)	64

Aster
2" Interchangeable Shallow Trims New Item



Style	Cut out	Plate	Pack
Shallow	2.50"	G-98800 (3)	64


Aster
2" Interchangeable Ultra Shallow Trims New Item



Style	Cut out	Plate	Pack
Ultra Shallow	2.50"	G-98800 (3)	64

Aster
2" Interchangeable Wave Trims New Item


2"



Style	Cut out	Plate	Pack
Wave	2.55"	G-98800 (3)	64

Aster
2" Interchangeable Adjustable Trims New Item


2"



Style	Cut out	Plate	Pack
Adjustable	3.15"	G-98800 (4)	36

Aster
2" Interchangeable Round Millwork Trimless Kits

2"





Style	Cut out	Pack
Millwork	2.76"	64

Aster

2" Interchangeable Square Millwork Trimless Kits



New Item



Style	Cut out	Pack
Millwork	3.07"	36

Aster



2" Interchangeable Trimless Round



Style	Cut out	Plate	Pack
Trimless Round	2.80"	G-98800 (4)	36


Aster

2" Interchangeable Trimless Square



Style	Cut out	Plate	Pack
Trimless Square	Sq 3.10" Rd 4.32"	G-19969 (1)	36



* White trimless square option have diferent values. Check product specifications sheet.



Aster 2" Multi Head Interchangeable Trimless Kits

2"

Round options



G-48242
G-20213

G-48240


2.36"

G-48241

2.89"

5.47"



Style	Cut out	Plate	Pack
1 Head	2.80"	G-98800 (4)	36
2 Heads	2.72" X 6.61"	G-48318 (2)	36
3 Heads	2.72" X 10.51"	G-98821 (4)	36
4 Heads	2.72" X 14.41"	G-98822 (4)	36
4 Heads Square	6.61" X 6.61"	G-98818 (1)	12



Aster
2" Multi Head Interchangeable Trimless Kits

2"

Square options



Style	Cut out	Plate	Pack
1 Head	SQ 3.04" X 3.04" RD 4.30"	G-98800 (7)	36
2 Heads	3.05" X 7.24"	G-48318 (2)	12
3 Heads	3.03" X 11.38"	G-98822 (3)	12
4 Heads	3.03" X 15.55"	G-98822 (5)	12
4 Heads Square	7.20" X 7.20"	G-98818 (2)	12

Aster Pro 3" 12W 98CRI Architectural Spec Downlight New Item

3"



Lens* + Engine** sold separately

- G-27327** 27k Soft White Lumens: 1066
AP/M3/12W/LED/98CRI/27K
- G-27330** 30k Warm White Lumens: 1042
AP/M3/12W/LED/98CRI/30K
- G-27335** 35k Neutral White Lumens: 1144
AP/M3/12W/LED/98CRI/35K
- G-27318** 30K-1800K DTW Lumens: 1027
AP/M3/12W/LED/95CRI/DTW

Wattage	12W
Voltage	120/277V
CRI	98
Dimmable	Triac or 0-10V

Engine**



Clear Lens*



- G-98922 L3/24-DEGREE
- G-98923 L3/40-DEGREE
- G-98924 L3/60-DEGREE

Reflector Lens*



- G-98925 L3/REFLECTOR/30°
- G-98926 L3/REFLECTOR/60°

Frosted Lens*



- G-98920 L3/FROSTED/80°

Diffuser



- G-21753 3/HEX/HC/DIFFUSER

Lens Cover



- G-98927 3/SOLITE LENS
- G-98928 3/PRISMETAC LENS
- G-98929 3/BEAMSPLIT LENS

- CRI 98* True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Aster Pro 3" 15/28W 98CRI Architectural Spec Downlight New Item

3"



Lens* + Engine** sold separately

- G-28327** 27k Soft White Lumens: 1347 / 2449
AP/M3/15-28W/LED/98CRI/27K
- G-28330** 30k Warm White Lumens: 1390 / 2540
AP/M3/15-28W/LED/98CRI/30K
- G-28335** 35k Neutral White Lumens: 1474 / 2666
AP/M3/15-28W/LED/98CRI/35K
- G-28318** 26K-1800K DTW Lumens: 1243
AP/M3/15W/LED/98CRI/DTW

Wattage	15/28W
Voltage	120/277V
CRI	98
Dimmable	Triac or 0-10V
IC rated-at	15W

Engine**



Clear Lens*



- G-98922 L3/24-DEGREE
- G-98923 L3/40-DEGREE
- G-98924 L3/60-DEGREE

Reflector Lens*



- G-98925 L3/REFLECTOR/30°
- G-98926 L3/REFLECTOR/60°

Frosted Lens*



- G-98920 L3/FROSTED/80°

Diffuser



- G-21753 3/HEX/HC/DIFFUSER

Lens Cover



- G-98927 3/SOLITE LENS
- G-98928 3/PRISMETAC LENS
- G-98929 3/BEAMSPLIT LENS

- CRI 98* True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Aster 3" Interchangeable Shallow Module



G-96012

M3/8W/LED/5CCT

8W

Clear Lens



G-98922
L3/24-DEGREE

G-98923
L3/40-DEGREE

G-98924
L3/60-DEGREE

Reflector Lens



G-98925
L3/REFLECTOR/30°

G-98926
L3/REFLECTOR/60°

Frosted Lens



G-98920
L3/FROSTED/80°

Diffuser



G-21753
3/HEX/HC/DIFFUSER

Lens Cover



G-98927
3/SOLITE LENS



G-98928
3/PRISMETAC LENS



G-98929
3/BEAMSPLIT LENS

Lumens	800
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	18

- 5 SCCT+DTW Dim to Warm
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

Multi Light G-95823 8W

Aster 3" Interchangeable Module



G-96022

M3/9W/LED/5CCT

9W

Clear Lens



G-98922
L3/24-DEGREE

G-98923
L3/40-DEGREE

G-98924
L3/60-DEGREE

Reflector Lens



G-98925
L3/REFLECTOR/30°

G-98926
L3/REFLECTOR/60°

Frosted Lens



G-98920
L3/FROSTED/80°

Diffuser



G-21753
3/HEX/HC/DIFFUSER

Lens Cover



G-98927
3/SOLITE LENS



G-98928
3/PRISMETAC LENS



G-98929
3/BEAMSPLIT LENS

Lumens	850
Wattage	9W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	18

- 5 SCCT+DTW Dim to Warm
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

Multi Light G-95824 9W

Aster 3" Interchangeable HO Module



G-96023

M3/15W/LED/5CCT

15W

Clear Lens



G-98922
L3/24-DEGREE

G-98923
L3/40-DEGREE

G-98924
L3/60-DEGREE

Reflector Lens



G-98925
L3/REFLECTOR/30°

G-98926
L3/REFLECTOR/60°

Frosted Lens



G-98920
L3/FROSTED/80°

Diffuser



G-21753
3/HEX/HC/DIFFUSER

Lens Cover



G-98927
3/SOLITE LENS



G-98928
3/PRISMETAC LENS



G-98929
3/BEAMSPLIT LENS

Lumens	1400
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	18

- 5 SCCT+DTW Dim to Warm
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

Multi Light G-95825 14W

Aster 3" Interchangeable HO Module

3"



G-96024
M3/24W/LED/
5CCT NON-IC
24W

Clear Lens



G-98922
L3/24-DEGREE

G-98923
L3/40-DEGREE

G-98924
L3/60-DEGREE

Reflector Lens



G-98925
L3/REFLECTOR/30°

G-98926
L3/REFLECTOR/60°

Frosted Lens



G-98920
L3/FROSTED/80°

Diffuser



G-21753
3/HEX/HC/DIFFUSER

Lens Cover



G-98927
3/SOLITE LENS



G-98928
3/PRISMETAC LENS



G-98929
3/BEAMSPLIT LENS

Lumens	2100
Wattage	24W
Voltage	120/277V
CRI	90>
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
NOT IC RATED	

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Aster 3" Interchangeable RGBWW Module

3"



G-30330
M3/15W/LED/RGBWW
15W



G-99719
Remote

Clear Lens



G-98922
L3/24-DEGREE

G-98923
L3/40-DEGREE

G-98924
L3/60-DEGREE

Reflector Lens



G-98925
L3/REFLECTOR/30°

G-98926
L3/REFLECTOR/60°

Frosted Lens



G-98920
L3/FROSTED/80°

Diffuser



G-21753
3/HEX/HC/DIFFUSER

Lens Cover



G-98927
3/SOLITE LENS



G-98928
3/PRISMETAC LENS



G-98929
3/BEAMSPLIT LENS

Lumens	1400 AT CCT
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	60° Clear (Default)
CCT	RGBWW
Dimmable	Yes
App	Tuya
Pack	18

- RGBWW
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated
- App Compatible



Aster 3" Beam Adjustable Module New Item

3"



G-96013
M3/9W/ADJ/LED/5CCT
9W

Lumens	600/750
Wattage	9W
Voltage	120/277V
CRI	90
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated





Accessories	
Multi Light	G-95824 9W

Aster
3" Interchangeable Trims




Aster
3" Interchangeable Pinhole Trims



Style	Cut out	Plate	Pack
Trimmed	2.95"	G-98800 (4)	8/64

Aster 3" Interchangeable Narrow Trims


3"




G-21530
NT3/R/W
White




G-21531
NT3/R/BK
Black




G-96012



**Pro 12W
G-96022**



**Pro 15/18W
G-96023
G-96024
G-30330**



G-96013

Style	Cut out	Plate	Pack
Narrow	2.95"	G-19969 (0)	8/64

Aster 3" Interchangeable Shallow Trims


3"




G-23030
T3/R/SHLW/W
White




G-23031
T3/R/SHLW/BK
Black




G-96012



**Pro 12W
G-96022**



**Pro 15/18W
G-96023
G-96024
G-30330**



G-96013

Style	Cut out	Plate	Pack
Shallow	2.95"	G-98800 (4)	8/64

Aster 3" Interchangeable Ultra Shallow Trims


3"




G-23130
T3/R/ULTR-SHLW/W
White




G-23131
T3/R/ULTR-SHLW/BK
Black




G-96012



**Pro 12W
G-96022**



**Pro 15/18W
G-96023
G-96024
G-30330**



G-96013

Style	Cut out	Plate	Pack
Ultra shallow	2.95"	G-98800 (4)	8/64

Aster 3" Interchangeable Wave Round


3"



G-20730
T3/R/W/WA/G2
White




G-20731
T3/R/BL/WA
Black




G-96012



**Pro 12W
G-96022**



**Pro 15/18W
G-96023
G-96024
G-30330**




G-96013

Style	Cut out	Plate	Pack
Wave	2.95"	G-98800 (4)	64

3"

Aster
3" Interchangeable Bevel Square Trims New Item

Pro 15/18W
 G-96023
 G-96024
 G-30330




Style	Cut out	Plate	Pack
Square bevel	3.15"	G-98814 (0)	64

Aster
3" Interchangeable Wall Wash Trims

Pro 15/18W
 G-96023
 G-96024
 G-30330

3"




Style	Cut out	Plate	Pack
Wall wash trims	2.95"	G-98800 (4)	8/64

Aster
3" Round Trimless Wall Wash Kit

Pro 15/18W
 G-96023
 G-96024
 G-30330

3"





Style	Cut out	Plate	Pack
Wall wash trimless round	3.15"	G-98800 (4)	36

Aster
3" Square Trimless Wall Wash Kit


Pro 15/18W
 G-96023
 G-96024
 G-30330

3"




Style	Cut out	Plate	Pack
Wall wash trimless square	RD 4.72" SQ 3.36"	G-98800 (8)	36

Aster
3" Interchangeable 3/4" Drop Trims




Style	Cut out	Plate	Pack
Drop trim 3/4"	2.95"	G-98800 (4)	36

Aster
3" Interchangeable 2" Drop Trims



Style	Cut out	Plate	Pack
Drop trim 2"	2.95"	G-98800 (4)	36

Aster
3" Interchangeable Drop Lens Trim New Item



Style	Cut out	Plate	Pack
Drop lens	2.95"	G-98800 (4)	36

Aster 3" Interchangeable Architectural Drop Lens

New Item

3"

Pro 15/18W
G-96023
G-96024
G-30330



G-98931

DL/ARC/3/R/CR


Clear




G-98932

DL/ARC/3/R/FR


Frosted



G-96012



Pro 12W
G-96022



Style	Cut out	Plate	Pack
Drop lens	2.95"	G-98800 (4)	36

Aster 3" Interchangeable Adjustable Trims

New Item

3"

Pro 15/18W
G-96023
G-96024
G-30330



G-29730

T/GL/RTBL/3/RD/WT


White




G-29731

T/GL/RTBL/3/RD/BK


Black



G-96012



Pro 12W
G-96022



G-96013

Style	Cut out	Plate	Pack
Rotatable	3.35"	G-98800 (5)	36

Aster 3" Interchangeable Adjustable Trimless Kits

New Item

3"

Pro 15/18W
G-96023
G-96024
G-30330



G-29630

TL/ADJ/3/RD/WT

White




G-29631

TL/ADJ/3/RD/BK


Black



G-96012




Pro 12W
G-96022



G-96013


Style	Cut out	Plate	Pack
Rotatable	3.65"	G-98800 (5)	24

Aster 3" Interchangeable Gimbal Trims




Style	Cut out	Plate	Pack
Gimbal	3.62"	G-98800 (5)	36

Aster 3" Interchangeable Gimbal Trimless Kits New Item



Style	Cut out	Plate	Pack
Gimbal trimless	3.70"	G-98800 (5)	24

Aster 3" Interchangeable Round Millwork Trimless Kits




Style	Cut out	Pack
Millwork	3.09"	36

Aster

3" Interchangeable Square Millwork Trimless Kits


New Item



Style	Cut out	Pack
Millwork	3.39"	36

Aster



3" Interchangeable Trimless Round



Style	Cut out	Plate	Pack
Trimless round	3.10"	G-98800 (4)	36

Aster

3" Interchangeable Trimless Square





Style	Cut out	Plate	Pack
Trimless square	Sq 3.46" Rd 4.90"	G-98800 (8)	36




Aster 3" Multi Head Interchangeable Trimless Kits

3"

Round options






Style	Cut out	Plate	Pack
1 Head	3.10"	G-98800 (4)	36
2 Heads	3.05" X 7.28"	G-48318 (2)	36
3 Heads	3.05" X 11.52"	G-48449 (1)	36
4 Heads	3.05" X 15.75"	G-98822 (5)	36
4 Heads Square	7.28" X 7.28"	G-98818 (2)	12



Aster 3" Multi Head Interchangeable Trimless Kits

3"

Square options



Style	Cut out	Plate	Pack
1 Head	SQ 3.35" X 3.35" RD 4.73"	G-98800 (8)	36
2 Heads	3.36" X 7.86"	G-98817 (0)	12
3 Heads	3.35" X 12.32"	G-48449 (1)	12
4 Heads	3.35" X 16.81"	G-98817 (3)	12
4 Heads Square	7.83" X 7.83"	G-98818 (3)	12

Aster 3.5" Shallow Interchangeable Module

New Item

3.5"



G-23501

M3.5/10W/LED/5CCT

10W

Lumens	900	DTW	Multi select
Wattage	10W	Dimmable	Triac or 0-10V
Voltage	120/277V	Beam Angle	40° Clear (Default)
CRI	90>	Pack	18
CCT	27, 30, 35, 41, 50k + DTW		

Clear Lens			Frosted Lens	Reflector Lens		Diffuser	Lens Cover		
G-23632 L3.5/24-DEGREE	G-23633 L3.5/40-DEGREE	G-23634 L3.5/60-DEGREE	G-23630 L3.5/FROSTED	G-23636 L3.5/REFLECTOR/38"	G-23637 L3.5/REFLECTOR/60"	G-21750 3.5/HEX/HC/DIFFUSER	G-23641 SOLITE/COVER	G-23642 PRISMETAC/COVER	G-23643 BEAMSPLIT/COVER

- 5 SCCT+DTW Dim to Warm
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

Multi Light G-95824 10W

Aster 3.5" Interchangeable Module

3.5"



G-23500

M3.5/9/15W/WS2/LED/5CCT

9/15W

Lumens	900/1400	DTW	2600k To 1800k
Wattage	9/15W	Dimmable	Triac or 0-10V
Voltage	120/277V	Beam Angle	40° Clear (Default)
CRI	90>	Pack	18
CCT	27, 30, 35, 41, 50k + DTW		

Clear Lens			Frosted Lens	Reflector Lens		Diffuser	Lens Cover		
G-23632 L3.5/24-DEGREE	G-23633 L3.5/40-DEGREE	G-23634 L3.5/60-DEGREE	G-23630 L3.5/FROSTED	G-23636 L3.5/REFLECTOR/38"	G-23637 L3.5/REFLECTOR/60"	G-21750 3.5/HEX/HC/DIFFUSER	G-23641 SOLITE/COVER	G-23642 PRISMETAC/COVER	G-23643 BEAMSPLIT/COVER

- 5 SCCT+DTW Dim to Warm
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

Multi Light G-95824 9W
G-95825 14W

Aster 3.5" Interchangeable HO Module

3.5"



G-23505

M3.5/18/30W/WS2/LED/5CCT

18/30W

Lumens	1700/2700	DTW	2600k To 1800k
Wattage	18/30W	Dimmable	Triac or 0-10V
Voltage	120/277V	Beam Angle	60° Clear (Default)
CRI	90>	Pack	18
CCT	27, 30, 35, 41, 50k + DTW		
		IC Rated-at	18W

Clear Lens			Frosted Lens	Reflector Lens		Diffuser	Lens Cover		
G-23632 L3.5/24-DEGREE	G-23633 L3.5/40-DEGREE	G-23634 L3.5/60-DEGREE	G-23630 L3.5/FROSTED	G-23639 L3.5/HO/REFLECT/38"	G-23640 L3.5/HO/REFLECT/60"	G-21750 3.5/HEX/HC/DIFFUSER	G-23641 SOLITE/COVER	G-23642 PRISMETAC/COVER	G-23643 BEAMSPLIT/COVER

- 5 SCCT+DTW Dim to Warm
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Accessories

Multi Light G-95825 18W

Aster
3.5" Beam Adjustable Module New Item



G-23502
M3.5/12W/ADJ/LED/5CCT
12W

Lumens	1000-1150	CCT	27,30, 35, 41, 50k
Wattage	12W	Dimmable	Triac or 0-10V
Voltage	120/277V	Beam Angle	20-55°
CRI	90	Pack	18

- Selectable Color
- CRI 90 True Colors
- Wet Location
- Adjustable Beam Angle
- Dimmable
- IC Rated



Accessories
Multi Light G-95824 12W

Aster
3.5" Interchangeable Trims



G-23510
T3.5/R/W/G2
White




G-23520
T3.5/SQ/W/G2
White



G-23511
T3.5/R/BL/G2
Black



G-23521
T3.5/SQ/B/G2
Black



Style	Cut out	Plate	Pack
Trimmed	3.75"	G-98800 (5)	36



G-23512
T3.5/R/BW/G2
Two-tone




G-23522
T3.5/SQ/BW/G2
Two-tone




G-23513
T3.5/R/BZ/G2
Bronze



G-23523
T3.5/SQ/BZ/G2
Bronze




G-23514
T3.5/R/BN/G2
Brushed Nickel



G-23524
T3.5/SQ/BN/G2
Brushed Nickel




G-23515
T3.5/R/BB/G2
Brushed Brass




G-23525
T3.5/SQ/BB/G2
Brushed Brass




G-23516
T3.5/R/BC/G2
Brushed Copper



G-23526
T3.5/SQ/BC/G2
Brushed Copper





G-22200
T3.5/R/W/BF
White Baffle



G-23790
T3.5/R/CSTM
Ready to paint
New Item

Aster 3.5" Interchangeable Narrow Trims



3.5"



Style	Cut out	Plate	Pack
Narrow	3.75"	G-98800 (5)	36

Aster 3.5" Interchangeable Shallow Trims New Item




3.5"



Style	Cut out	Plate	Pack
Shallow	3.75"	G-98800 (5)	36

Aster 3.5" Interchangeable Ultra Shallow Trims New Item


3.5"



Style	Cut out	Plate	Pack
Ultra shallow	3.75"	G-98800 (5)	36

Aster 3.5" Interchangeable Wave Round New Item

3.5"



Style	Cut out	Plate	Pack
Wave	3.75"	G-98800 (5)	36

3.5"


Aster
3.5" Interchangeable Round Wall Wash Trims



G-23550
T3.5/R/WW/W/G2
White



G-23551
T3.5/R/WW/BL/G2
Black



Style	Cut out	Plate	Pack
Wall Wash Round	3.75"	G-98800 (5)	36

Aster
3.5" Interchangeable Square Wall Wash Trims


3.5"



G-23560
T3.5/SQ/WW/W/G2
White




G-23561
T3.5/SQ/WW/BL/G2
Black



Style	Cut out	Plate	Pack
Wall Wash Square	3.75"	G-98800 (5)	36

Aster
3.5" Round Trimless Wall Wash Kit New Item


3.5"



G-23610
K3.5/R/WW/W/TL
White




G-23611
K3.5/R/WW/BL/TL
Black




Style	Cut out	Plate	Pack
Wall Wash Round	4.25"	G-98800 (6)	24

Aster
3.5" Square Trimless Wall Wash Kit New Item


3.5"



G-23620
K3.5/SQ/WW/W/TL
White




G-23621
K3.5/SQ/WW/BL/TL
Black



Style	Cut out	Plate	Pack
Wall Wash Square	SQ 4.55" X 3.8" - RD 5.63"	G-98800 (9)	24

Aster
3.5" Interchangeable Adjustable Trims New Item


3.5"



Style	Cut out	Plate	Pack
Adjustable	4.15"	G-98800 (6)	36

Aster
3.5" Interchangeable Round Millwork Trimless Kits


3.5"



Style	Cut out	Pack
Round Millwork	3.78"	36



Aster
3.5" Interchangeable Square Millwork Trimless Kits New Item

3.5"





Style	Cut out	Pack
Square Millwork	3.80"	36

Aster
3.5" Interchangeable Trimless Round




Style	Cut out	Plate	Pack
Trimless Round	3.85"	G-98800 (6)	24

Aster
3.5" Interchangeable Trimless Square




Style	Cut out	Plate	Pack
Trimless Square	Sq 3.77" / Rd 5.35"	G-98800 (8)	24




Aster
3.5" Multi Head Interchangeable Trimless Kits

3.5"


Round options




G-23530
 K3.5/RD/W/TL
 Single Kit




G-90002
 3.5/RD/2H/W/TL/MK
 Double Kit





G-90003
 3.5/RD/3H/W/TL/MK
 Triple Kit




G-90004
 3.5/RD/4H/W/TL/MK
 Quadruple Kit



G-90000
 3.5/RD/4H-SQ/W/TL/MK
 Square Kit






Style	Cut out	Plate	Pack
1 Head	3.85"	G-98800 (6)	24
2 Heads	3.74" X 9.45"	G-98817 (1)	36
3 Heads	3.74" X 15.16"	G-98817 (2)	36
4 Heads	3.74" X 20.87"	G-98817 (4)	24
4 Heads Square	9.45" X 9.45"	G-98818 (4)	12



Aster 3.5" Multi Head Interchangeable Trimless Kits

3.5"

Square options



Style	Cut out	Plate	Pack
1 Head	Sq 3.77" / Rd 5.35"	G-98800 (8)	24
2 Heads	3.72" X 9.37"	G-48448 (1)	12
3 Heads	3.72" X 15.02"	G-98817 (2)	12
4 Heads	3.74" X 20.69"	G-98817 (4)	6
4 Heads Square	9.39" X 9.39"	G-98818 (4)	6

Aster
4" Interchangeable Shallow Module New Item

4"



G-10010

M4/12W/LED/5CCT

12W

Lumens	1100
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	18

Clear Lens			Reflector Lens		Frosted Lens	Diffuser	Lens Cover		
G-11022 L4/24-DEGREE	G-11023 L4/40-DEGREE	G-11024 L4/60-DEGREE	G-11025 L4/REFLECTOR/30°	G-11026 L4/REFLECTOR/60°	G-11020 L4/FROSTED/80°	G-21440 4/HEX/HC/DIFFUSER	G-21427 4/SOLITE LENS	G-21428 4/PRISMETAC LENS	G-21429 4/BEAMSPLIT LENS

- SCCT+DTW Dim to Warm
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

Multi Light G-95824 12W

Aster
4" Interchangeable Module

4"



G-10020

M4/15W/WS2/LED/5CCT

9/15W

Lumens	950/1550
Wattage	9/15W
Voltage	120/277V
CRI	90+
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	12

Clear Lens			Reflector Lens		Frosted Lens	Diffuser	Lens Cover		
G-11022 L4/24-DEGREE	G-11023 L4/40-DEGREE	G-11024 L4/60-DEGREE	G-11025 L4/REFLECTOR/30°	G-11026 L4/REFLECTOR/60°	G-11020 L4/FROSTED/80°	G-21440 4/HEX/HC/DIFFUSER	G-21427 4/SOLITE LENS	G-21428 4/PRISMETAC LENS	G-21429 4/BEAMSPLIT LENS

- SCCT+DTW Dim to Warm
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

Multi Light G-95824 9W
 G-95825 14W

Aster
4" Interchangeable HO Module



G-10025

M4/32W/WS2/LED/5CCCT

20/32W

Lumens	2000/3000
Wattage	20/32W
Voltage	120/277V
CRI	90>
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at 20W	

Clear Lens



G-11022
L4/24-DEGREE

G-11023
L4/40-DEGREE

G-11024
L4/60-DEGREE

Reflector Lens



G-11027
L4/REFLECTOR/30°

G-11028
L4/REFLECTOR/60°

Frosted Lens



G-11020
L4/FROSTED/80°

Diffuser



G-21440
4/HEX/HC/DIFFUSER

Lens Cover



G-21427
4/SOLITE LENS

G-21428
4/PRISMETAC LENS

G-21429
4/BEAMSPLIT LENS

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Accessories

Multi Light G-95826 20W

Aster
4" Beam Adjustable Module New Item



G-10011

M4/14W/ADJ/LED/5CCCT

14W

Lumens	1200-1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated




Accessories




Multi Light G-95825 14W

Aster 4" Interchangeable Trims

4"




Style	Cut out	Plate	Pack
Trimmed	4.25"	G-98800 (6)	36



Aster 4" Interchangeable Narrow Trims



4"



Style	Cut out	Plate	Pack
Narrow	4.25"	G-98800 (6)	36

Aster



4" Interchangeable Shallow Trims New Item



Style	Cut out	Plate	Pack
Shallow	4.25"	G-98800 (6)	36

Aster


4" Interchangeable Ultra Shallow Trims New Item



Style	Cut out	Plate	Pack
Ultra Shallow	4.25"	G-98800 (6)	36

Aster


4" Interchangeable Wave Trims New Item



Style	Cut out	Plate	Pack
Wave	4.25"	G-98800 (6)	36

Aster 4" Interchangeable Wall Wash Trims



4"



Style	Cut out	Plate	Pack
Wall Wash	4.25"	G-98800 (6)	36

Aster 4" Round Trimless Wall Wash Kit New Item



4"



Style	Cut out	Plate	Pack
Wall Wash Trimless Round	4.70"	G-98800 (8)	24

Aster 4" Square Trimless Wall Wash Kit New Item


4"



Style	Cut out	Plate	Pack
Wall Wash Trimless Square	Sq 4.95" x 4.25" - Rd 6.50"	G-19982 (7)	24

Aster


4" Interchangeable Adjustable Trims New Item



Style	Cut out	Plate	Pack
Adjustable	4.65"	G-98800 (7)	36

Aster


4" Interchangeable Round Millwork Trimless Kits



Style	Cut out	Pack
Round Millwork	4.23"	36

Aster







4" Interchangeable Square Millwork Trimless Kits New Item



Style	Cut out	Pack
Square Millwork	4.13"	36

Aster 4" Interchangeable Trimless Round






4"




Style	Cut out	Plate	Pack
Trimless Round	4.25"	G-98800 (6)	36

Aster 4" Interchangeable Trimless Square

4"






Style	Cut out	Plate	Pack
Trimless Square	Sq 4.80" / Rd 6.75"	G-98800 (8)	36




Aster 4" Multi Head Interchangeable Trimless Kits

4"

Round options




Style	Cut out	Plate	Pack
1 Head	4.25"	G-98800 (6)	36
2 Heads	4.19" X 10.75"	G-98817 (1)	36
3 Heads	4.19" X 17.30"	G-98817 (3)	36
4 Heads	4.19" X 23.86"	G-98817 (5)	24
4 Heads Square	10.75" X 10.75"	G-98818 (4)	12




Aster 4" Multi Head Interchangeable Trimless Kits

4"


Square options




G-91401
4/SQ/1H/W/TL/MK
Single Kit




G-91402
4/SQ/2H/W/TL/MK
Double Kit





G-91403
4/SQ/3H/W/TL/MK
Triple Kit



G-91404
4/SQ/4H/W/TL/MK
Quadruple Kit



G-91400
4/SQ/4H-SQ/W/TL/MK
Square Kit



Style	Cut out	Plate	Pack
1 Head	SQ 4.09x 4.09 RD 5.79"	G-98800 (9)	12
2 Heads	4.13" X 10.55"	G-98817 (1)	12
3 Heads	4.09" X 16.93"	G-98817 (3)	12
4 Heads	4.09" X 23.35"	G-98817 (5)	6
4 Heads Square	10.51" X 10.51"	G-98818 (5)	6

Aster

5" Interchangeable Shallow Module New Item



G-22505
M5/18W/LED/5CCT
18W

Lumens	1800
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	60° (Default)
CCT	27, 30, 35, 41, 50k+DTW
DTW	Multi Select
Dimmable	Triac or 0-10V
IC Rated	Yes
Pack	18

Clear Lens	Frosted Lens	Diffuser	Lens Cover
G-21630 L5/15-DEGREE	G-21631 L5/24-DEGREE	G-21632 L5/40-DEGREE	G-22570 5/FROSTED LENS/50°
G-21630	G-21631	G-21632	G-22570
L5/15-DEGREE	L5/24-DEGREE	L5/40-DEGREE	5/FROSTED LENS/50°
			G-22579 5/HC/HEX/LOUVR
			G-22579
			5/HC/HEX/LOUVR
			G-22580 5/PRISMATIC COVER
			G-22580
			5/PRISMATIC COVER
			G-22581 5/SOLITE COVER
			G-22581
			5/SOLITE COVER
			G-22582 5/BEAMSPLIT LENS
			G-22582
			5/BEAMSPLIT LENS

- 5 S CCT+DTW Dim to Warm
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Aster

5" Interchangeable Module



G-22500
M5/50W/WS2/LED/5CCT

Lumens	2200/5000
Wattage	23/50W
Voltage	120/277V
CRI	90>
Beam Angle	50° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC Rated-at	32W



Reflector Lens	Frosted Lens	Diffuser	Lens Cover
G-22572 5/24-DGREE	G-22573 5/38-DGREE	G-22570 5/FROSTED LENS/50°	G-22580 5/PRISMATIC COVER
G-22572	G-22573	G-22570	G-22580
5/24-DGREE	5/38-DGREE	5/FROSTED LENS/50°	5/PRISMATIC COVER
			G-22581 5/SOLITE COVER
			G-22581
			5/SOLITE COVER
			G-22582 5/BEAMSPLIT LENS
			G-22582
			5/BEAMSPLIT LENS

- 5 Selectable Color
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Aster 5" Interchangeable Trims Round



5"



Style	Cut out	Plate	Pack
Trimmed Round	5.10"	G-98800 (8)	12

Aster 5" Interchangeable Trims Square


5"



Style	Cut out	Plate	Pack
Trimmed Square	5.10"	G-98800 (8)	24

Aster 5" Interchangeable Shallow Trims **New Item**


5"



Style	Cut out	Plate	Pack
Shallow	5.10"	G-98800 (8)	36

5"


Aster
5" Interchangeable Ultra Shallow Trims New Item



Style	Cut out	Plate	Pack
Ultra Shallow	5.10"	G-98800 (8)	36

Aster
5" Interchangeable Trimless Round



5"



Style	Cut out	Plate	Pack
Trimless Round	5.15"	G-98800 (8)	12

Aster
5" Interchangeable Trimless Square

5"



Style	Cut out	Plate	Pack
Trimless Square	Sq 5.10"/ Rd 7.20"	G-19982 (8)	12

Aster
6" Interchangeable Shallow Module New Item

6"



G-22605

M6/25W/LED/5CCT

25W

Lumens	2400
Wattage	25W
Voltage	120/277V
CRI	90+
Beam Angle	60° (Default)
CCT	27, 30, 35, 41, 50k+DTW
DTW	Multi Select
Dimmable	Triac or 0-10V
IC Rated	Yes
Pack	18

Frosted Lens	Diffuser	Lens Cover		
G-22670 L6/FROSTED	G-22679 6/HEX/HC/DIFFUSER	G-22680 6/PRISMETAC LENS	G-22681 6/SOLITE LENS	G-22682 6/BEAMSPLIT LENS

- 5 5CCT+DTW Dim to Warm
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Aster
6" Interchangeable Module

6"



G-22600

M6/82W/WS2/LED/5CCT

40/82W



Lumens	3800/7200
Wattage	40/82W
Voltage	120/277V
CRI	90+
Beam Angle	60° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC Rated-at	40W

Reflector Lens	Frosted Lens	Diffuser	Lens Cover		
G-22676 L6/24-DEGREE	G-22670 L6/FROSTED	G-22679 6/HEX/HC/DIFFUSER	G-22680 6/PRISMETAC LENS	G-22681 6/SOLITE LENS	G-22682 6/BEAMSPLIT LENS

- 5 Selectable Color
- 90 CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable





Aster
6" Interchangeable Trims Round




Style	Cut out	Plate	Pack
Trimmed Round	6.35"	G-98800 (9)	12

Aster
6" Interchangeable Trims Square



Style	Cut out	Plate	Pack
Trimmed Square	6.35"	G-98800 (9)	12


Aster
6" Shallow Round Trims **New Item**



Style	Cut out	Plate	Pack
Shallow	6.35"	G-98800 (9)	36

Aster
6" Ultra Shallow Round Trims New Item



6"



Style	Cut out	Plate	Pack
Ultra Shallow	6.35"	G-98800 (9)	36

Aster
6" Interchangeable Trimless Round




6"



Style	Cut out	Plate	Pack
Trimless Round	6.77"	G-19982 (7)	12

Aster
6" Interchangeable Trimless Square

6"



Style	Cut out	Plate	Pack
Trimless Square	SQ 6.45" - RD 9.06"	G-19982 (9)	12

Venus 5" Regress Luminaire

5"

Cut Out: 5.00"



Lumens	2000/2600/3500
Wattage	23/30/40W
Voltage	120/277V
CRI	90>
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	23W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable



Accessories

- NC Plate G-98800 (8)
- Multi Light G-95826 22W

Venus 5" Regress Luminaire

5"

Cut Out: 5.00"



Lumens	2000/2600/3500
Wattage	23/30/40W
Voltage	120/277V
CRI	90>
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	23W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable



Accessories

- NC Plate G-98800 (8)
- Multi Light G-95826 22W

Saturn 1.5" Trimless Gimbal

1.5"

Cut Out: 2.56"



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

- NC Plate G-98800 (3)

Saturn 2" Trimless Gimbal White


2"

Cut Out: 3.10"

G-24020

R2/8W/GR/LED/TL/5CCT-G2

White



Lumens	800
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac Or 0-10V
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated

JA8
TITLE 24



Accessories

NC Plate G-98800 (4)

Saturn 2" Trimless Gimbal Black


2"

Cut Out: 2.94"

G-48403

R2/8W/GR/LED/TL/5CCT/BK

Black



Lumens	600
Wattage	8W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated

JA8
TITLE 24



Accessories

NC Plate G-98800 (4)

Saturn 2" Round HO Trimless Gimbal-WH



2"

Cut Out: 2.95"

G-24120

R2/12W/GR/LED/TL/5CCT G2

White



Lumens	1000
Wattage	11W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac / 0-10V
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable
- IC Rated

JA8
TITLE 24



Accessories

NC Plate G-98800 (4)

Saturn
2" HO Trimless Gimbal

2"


Cut Out: 2.94"



G-48431

R2/12W/GR/LED/TL/5CCT/BK

Black



Lumens	1000
Wattage	12W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-98800 (4)

Saturn
3.5" Trimless Gimbal

3.5"

Cut Out: 3.65"



G-95626

R3.5/14W/GR/LED/TL/5CCT


White



G-95726

R3.5/14W/GR/LED/TL/5CCT BK

Black



Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-98800 (5)

Multi Light G-95825 14W

Saturn 4" Trimless Gimbal

4"

Cut Out: 4.50"

G-48404

R4/13W/GR/LED/TL/5CCT


White



G-48405

R4/13W/GR/LED/TL/5CCT BK

Black



Lumens	1000
Wattage	13W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated

JA8
TITLE 24

ETL
c US

FC

Accessories

NC Plate G-98800 (7)

Saturn 4" HO Trimless Gimbal

4"

Cut Out: 4.50"

G-95820

R4/17W/GR/LED/TL/5CCT


White



G-95821

R4/17W/GR/LED/TL/5CCT

Black



Lumens	1500
Wattage	17W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated

JA8
TITLE 24

ETL
c US

FC

Accessories

NC Plate G-98800 (7)

Cut Out: SQ 3.50" - RD 5"

Saturn
3" Single Head Trimless Regress Multiple

G-95620

R3/8W/GRS/LED/TL/5CCT



White



G-95720

R3/8W/GRS/LED/TL/5CCT B

Black



Lumens	700
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated




Saturn
3" Double Head Trimless Regress Multiple

G-95621

R3/15W/GR/LED/M2/TL/5CCT

White





G-95721

R3/15W/GR/LED/M2/TL/5CCT B

Black



Cut Out: 3.35" X 6.30"



Lumens	1400 (700 each head)
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-48318 (1)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 3" Triple Head Trimless Regress Multiple


3"

Cut Out: 3.35" X 9.45"

G-95622

R3/23W/GR/LED/M3/TL/5CCT


White



G-95722

R3/23W/GR/LED/M3/TL/5CCT B

Black



Lumens	1800 (600 each head)
Wattage	23W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate G-48318 (3)

Lens G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 3" Four Head Trimless Regress Multiple


3"

Cut Out: 3.35" X 12.50"

G-97126

R3/30W/GR/M4/LED/TL/5CCT


White



G-97127

R3/30W/GR/M4/LED/TL/5CCT BK

Black



Lumens	2800 (700 each head)
Wattage	30W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate G-48449 (1)

Lens G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn
3.5" Single Head Trimless Regress Multiple

3.5"

Cut Out: Sq 3.95" - Rd 5.70"

G-95623


R3.5/14W/GRS/LED/TL/5CCT

White

G-95723

R3.5/14W/GRS/LED/TL/5CCT B

Black



Lumens	1200
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate G-98800 (9)

Multi Light G-95825 14W

Lens G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn
3.5" Double Head Trimless Regress Multiple

3.5"

Cut Out: 3.95"X 7.68"

G-95624


RR3.5/28W/GR/LED/M2/TL/5CCT

White

G-95724

R3.5/28W/GR/LED/M2/TL/5CCT B

Black



Lumens	2800 (1400 each head)
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate G-48448 (0)

Lens G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn
3.5" Triple Head Trimless Regress Multiple



3.5"

Cut Out: 3.95" X 11.85"

G-95625

R3.5/42W/GR/LED/M3/TL/5CCT

White



G-95725

R3.5/42W/GR/LED/M3/TL/5CCT B

Black



Lumens	3300 (1100 each head)
Wattage	42W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	12

Accessories

NC Plate G-48448 (1)

Lens G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn
3.5" Four Head Trimless Regress Multiple


3.5"

Cut Out: 3.95" X 15.30"

G-97220

R3.5/52W/GR/M4/LED/TL/5CCT

White



G-97221

R3.5/52W/GR/M4/LED/TL/5CCT BK

Black



Lumens	4800 (1200 each head)
Wattage	52W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate G-48449 (2)

Lens G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 4" Single Head Trimless Regress Multiple

4"

Cut Out: Sq 4.56" - Rd 6.46"




G-99221

SN28W/GR/M1/5CCT/TL/WH
White

G-99321

SN28W/GR/M1/5CCT/TL/BK
Black



Lumens	1800/2700
Wattage	20/28W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC rated-at	20W

Accessories

NC Plate	G-19982 (7)
Multi Light	G-95826 20W
Lens	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Saturn 4" Double Head Trimless Regress Multiple

4"

Cut Out: 4.56"X 9.60"




G-99222

SN56W/GR/M2/5CCT/TL/WH
White

G-99322

SN56W/GR/M2/5CCT/TL/BK
Black



Lumens	3200/5200
Wattage	36/56W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at	36W

Accessories

NC Plate	G-98823 (1)
Lens	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Saturn 4" Triple Head Trimless Regress Multiple

4"

Cut Out: 4.56" X 14.65"

G-99223

SN84W/GR/M3/5CCT/TL/WH



White



G-99323

SN84W/GR/M3/5CCT/TL/BK

Black



Lumens	4800/7800
Wattage	54/84W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at	54W

Accessories

NC Plate	G-98823 (3)
Lens	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Saturn 4" Four Head Trimless Regress Multiple


4"

Cut Out: 4.56" X 19.70"

G-99224

SN112W/GR/M4/5CCT/TL/WH



White



G-99324

SN112W/GR/M4/5CCT/TL/BK

Black



Lumens	6400/10400
Wattage	72/112W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	2
IC rated-at	72W

Accessories

NC Plate	G-98823 (5)
Lens	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



2"

Cut Out: 2.00"

Saturn
2" Flushed Gimbal

G-19833

R2/5W/GR/LED/5CCT

White



G-19834

R2/5W/GR/LED/BB/5CCT


120/277V Triac/0-10
Black



G-19835

R2/5W/GR/LED/BN/5CCT

Brushed Nickel




G-19836

R2/5W/GR/LED/BZ/5CCT

120/277V Triac/0-10

Bronze





G-19837

R2/5W/GR/LED/BB/5CCT

120/277V Triac/0-10

Brushed Brass



Lumens	450
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 5W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated




Saturn
2" Flushed Gimbal

2"

Cut Out: 2.00"

G-19839

R2/5W/GS/LED/5CCT



Lumens	450
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 5W


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Saturn 2" HO Flushed Gimbal

2"

Cut Out: 2.00"



Lumens	700/1100
Wattage	8/14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	8W

Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 8W / G-95825 14W
Lens	G-25600 24°/G-25601 40°/G-25602 60°



- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Saturn 3" Flushed Gimbal

3"

Cut Out: 2.75"



Lumens	800
Wattage	8W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 3" Flushed Gimbal

3"


Cut Out: 2.75"



G-19851

R3/8W/GS/LED/SCCT

White



Lumens	650
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated

JA8
TITLE 24

ETL
US



Saturn 3" HO Flushed Gimbal

3"

Cut Out: 2.75"



G-19855

R3/11W/GR/LED/SCCT


White



G-19856

R3/11W/GR/LED/B/SCCT

Black



Lumens	1050
Wattage	11W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95824 10W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated

JA8
TITLE 24

ETL
US



Saturn 3.5" Flushed Gimbal

3.5"

Cut Out: 3.62"



G-19999

R3.5/14W/GR/LED/SCCT


White



G-20000

R3.5/14W/GR/LED/SCCT BK

Black



Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95825 14W
Lens	G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated

JA8
TITLE 24

ETL
US



Saturn
4" Flushed Gimbal

4"

Cut Out: 4.00"

G-20001

R4/14W/GR/LED/5CCT
120/277V Triac/0-10

White



G-48357

R4/14W/GR/B/LED/5CCT
120/277V Triac/0-10

Black



G-48358

R4/14W/GR/BN/LED/5CCT

Brushed Nickel



G-48359

R4/14W/GR/BZ/LED/5CCT
120/277V Triac/0-10


Bronze



G-20005

R4/14W/GR/BB/LED/5CCT
120/277V Triac/0-10

Brushed Brass



Lumens	1200
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W
Lens	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated




Saturn
4" Flushed Gimbal

4"

Cut Out: 4.00"

G-20006

R4/14W/SQ/LED/5CCT
White



Lumens	1100
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W
Lens	G-25631 40°/G-25632 60°


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 4" HO Flushed Gimbal

4"

Cut Out: 4.00"



Lumens	1750
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98800 (6)
Multi Light:	G-95826 20W
Lens:	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated

JA8
TITLE 24


ETL
LISTED
US



Saturn 6" Flushed Gimbal

6"

Cut Out: 6.25"



Lumens	1400
Wattage	18W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	12

Accessories

NC Plate	G-98800 (9)
----------	---------------

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated


JA8
TITLE 24

ETL
LISTED
US

Saturn 2" Rregress Gimbal

2"

Cut Out: 2.45"



Lumens	400
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 5W

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated

JA8
TITLE 24

ETL
LISTED
US

Saturn
2" Regress Gimbal

2"

Cut Out: 2.45"

G-20088

R2/5W/GSR/LED/5CCT


White



G-20083

R2/5W/GSR/LED/5CCT B

Black



Lumens	400
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 5W

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Saturn
2" HO Regress Gimbal

2"

Cut Out: 2.45"

G-24920

R2/14W/GRR/LED/2WS/5CCT


White



G-24921

R2/14W/GRR/LED/2WS/5CCT/BK

Black



Lumens	700/1100
Wattage	8W/14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	8W


Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W / G-95825 14W
Lens	G-25600 24°/G-25601 40°/G-25602 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Saturn
2" HO Regress Gimbal



Lumens	700/1100
Wattage	8W/14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	8W



Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W / G-95825 14W
Lens	G-25600 24°/G-25601 40°/G-25602 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Saturn
3" Regress Gimbal



Lumens	750
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 3" Regress Gimbal

3"

Cut Out: 3.35"

G-20090

R3/8W/GSR/LED/SCCT

White



G-48363

R3/8W/GSR/LED/B/SCCT


Black



G-48364

R3/8W/GSR/LED/BN/SCCT

Brushed Nickel



G-48365

R3/8W/GRR/LED/BZ/SCCT


Bronze



G-48369

R3/8W/GSR/LED/BB/SCCT

Brushed Brass



Lumens	700
Wattage	8W
Voltage	120/277
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°



Saturn 3" HO Regress Gimbal

3"

Cut Out: 3.35"

G-97320

R3/11W/GRR/LED/SCCT


White



G-97321

R3/11W/GRR/LED/SCCT BK

Black



Lumens	1050
Wattage	11W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W
Lens	G-01420 24°/G-01421 40°/G-01422 60°



3"

Cut Out: 3.35"

Saturn
3" HO Regress Gimbal

G-97325

R3/11W/GSR/LED/5CCT


White



G-97326

R3/11W/GSR/LED/5CCT BK

Black



Lumens	1050
Wattage	11W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn
3.5" Sloped Ceiling Gimbal

3.5"

Cut Out: 4.72"

G-26000

R3.5/14W/SLP/GRR/LED/5CCT


White



G-26001

R3.5/14W/SLP/GRR/LED/5CCT-BK

Black



Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
pack	18

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 14W
Lens	G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn
3.5" Regress Gimbal

3.5"
Cut Out: 4.00"



G-19997


R3.5/14W/GRR/LED/5CCT

White

G-19998

R3.5/14W/GRR/LED/BK/5CCT

Black



Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

- NC Plate G-98800 (6)
- Multi Light G-95825 14W
- Lens G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn
4" Regress Gimbal

4"
Cut Out: 4.55"



G-20091

R4/14W/GRR/LED/5CCT


120/277V Triac/0-10

White

G-48366

R4/14W/GRR/LED/BK/5CCT

Black



Lumens	1100
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

- NC Plate G-98800 (7)
- Multi Light G-95825 14W
- Lens G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 4" HO Regress Gimbal

4"

Cut Out: 4.55"



G-97420


R4/20W/GRR/LED/5CCT

White

G-97421

R4/20W/GRR/LED/5CCT BK

Black



Lumens	1750
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95826 20W
Lens	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 4" Regress Gimbal

4"

Cut Out: 4.55"



G-20092


R4/14W/GSR/LED/5CCT

White

G-48367

R4/14W/GSR/LED/BK/5CCT

Black



Lumens	1200
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95825 14W
Lens	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 4" HO Regress Gimbal

4"

Cut Out: 4.55"



G-97425


R4/20W/GSR/LED/5CCT

White

G-97426

R4/20W/GSR/LED/5CCT BK

Black



Lumens	1750
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95826 20W
Lens	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 6" Regress Gimbal

6"

Cut Out: 6.00"



G-20093


R6/22W/GRR/LED/5CCT

White

G-20095

R6/22W/GRR/LED/5CCT BK

Black



Lumens	2200
Wattage	22W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate	G-98800 (9)
Multi Light	G-95826 22W

Saturn 6" Regress Gimbal

6"

Cut Out: SQ 6.00" RD 6.80"



G-20094

R6/22W/GRS/LED/5CCT

White




G-20096

R6/22W/GRS/LED/5CCT BK

White

Lumens	2200
Wattage	22W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6


Lumens	2200/3400
Wattage	22/40W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at	22W



Accessories

NC Plate	G-19982 (7)
Multi Light	G-95826 22W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated





Saturn
2" Double Head Regress Multiple

2"

Cut Out: 2.70"-5.12"

G-48314

R2/10W/GR/M2/LED/5CCT



Lumens	900 (450 each head)
Wattage	10W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-48318 (0)



Saturn
2" Triple Head Regress Multiple

2"

Cut Out: 2.70"-7.48"

G-48315

R2/15W/GR/M3/LED/5CCT



Lumens	1200 (400 each head)
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated




Accessories

NC Plate G-48318 (2)

Saturn 3" Double Head Regress Multiple

3"

Cut Out: 3.35"x 6.30"



Lumens	1400 (700 each head)
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated




Accessories

- NC Plate G-48318 (1)
- Lens G-01420 24°/G-01421 40°/G-01422 60°

Saturn 3" Double Head Regress Multiple

3"

Cut Out: 3.35"x 9.45"



Lumens	1800 (600 each head)
Wattage	23W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated





Accessories

- NC Plate G-48318 (3)
- Lens G-01420 24°/G-01421 40°/G-01422 60°

Saturn 3" Four Head Regress Multiple


3"

Cut Out: 3.5" x 12.5"



Lumens	2800 (700 each head)
Wattage	30W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

- NC Plate G-48449 (1)
- Lens G-01420 24°/G-01421 40°/G-01422 60°

Saturn
3.5" Single Head Regress Multiple

3.5"

Cut Out: SQ 4.00" - RD 5.15"

G-48441

R3.5/14W/GR/M1/LED/5CCT


White



G-48440

R3.5/14W/GR/M1/LED/5CCT BK

Black



Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 14W
Lens	G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn
3.5" Double Head Regress Multiple

3.5"

Cut Out: 3.94"x 7.68"

G-48442

R3.5/28W/GR/M2/LED/5CCT


White



G-48444

R3.5/28W/GR/M2/LED/5CCT B

Black



Lumens	2400 (1200 each head)
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-48448 (0)
Lens	G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Saturn 3.5" Triple Head Regress Multiple

3.5"

Cut Out: 3.94" x 11.42"

G-48443

R3.5/42W/GR/M3/LED/5CCT

120/277V Triac/0-10


White



G-48445

R3.5/42W/GR/M3/LED/5CCT B

Black



Lumens	3300 (1100 each head)
Wattage	42W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	12

Accessories

NC Plate G-48448 (1)

Lens G-25621 40°/G-25622 60°



Saturn 3.5" Four Head Regress Multiple

3.5"

Cut Out: 4" X 15.3"

G-97128

R3.5/52W/GR/M4/LED/5CCT


White



G-97129

R3.5/52W/GR/M4/LED/5CCT BK

Black



Lumens	4800 (1200 each head)
Wattage	52W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate G-48449 (2)

Lens G-25621 40°/G-25622 60°



Saturn 4" Single Head Regress Multiple

4"

Cut Out: 4.55"



G-97425


R4/20W/GSR/LED/5CCT

White

G-97426

R4/20W/GSR/LED/5CCT BK

Black



Lumens	1750
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95826 20W
Lens	G-25631 40°/G-25632 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Saturn 4" Double Head Regress Multiple

4"

Cut Out: 4.65" X 9.37"



G-99022


SN/4/56W/GR/M2/5CCT/WH

White

G-99122

SN/4/56W/GR/M2/5CCT/BK

Black



Lumens	3200/5200
Wattage	36/56W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at	36W

Accessories

NC Plate	G-98823 (1)
Lens	G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Saturn 4" Triple Head Regress Multiple

4"


Cut Out: 4.65"X 14.40"



G-99023

SN/4/84W/GR/M3/5CCT/WH

White



G-99123

SN/4/84W/GR/M3/5CCT/BK

Black

Lumens	4800/7800
Wattage	54/84W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at	54W

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Accessories

- NC Plate G-98823 (3)
- Lens G-25621 40°/G-25622 60°

Saturn 4" Four Head Regress Multiple

4"


Cut Out: 4.65"X 19.50"



G-99024

SN4/112W/GR/M4/5CCT/WH

White



G-99124

SN4/112W/GR/M4/5CCT/BK

Black

Lumens	6400/10400
Wattage	72/112W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	2
IC rated-at	72W

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Accessories

- NC Plate G-98823 (5)
- Lens G-25621 40°/G-25622 60°

3"

Cut Out: 2.51"

Ellipse

3" Narrow Round Regress Gimbal New Item



G-23300


R3/8W/GR/NT/LED/5CCT

White

G-23310

R3/8W/GR/NT/LED/5CCT/BK

Black



Lumens	750
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-19969 (0)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Ellipse

3" Oval Double Head Multiple New Item

3"

Cut Out: 3.00" X 6.14" Oval



G-23302


R3/15W/GR/OVL/M2/LED/5CCT

White

G-23312

R3/15W/GR/OVL/M2/LED/5CCT/BK

Black



Lumens	1400
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98812 (1)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated




Ellipse

3" Oval Triple Head Multiple New Item

3"



Cut Out: 3.00" X 9.29" Oval



G-23303

R3/23W/GR/OVL/M3/LED/5CCT

White



G-23313

R3/23W/GR/OVL/M3/LED/5CCT/BK

Black

Lumens	2100
Wattage	23W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

NC Plate G-98812 (2)


Lens G-01420 24°/G-01421 40°/G-01422 60°

Ellipse

3" Oval Four Head Multiple New Item

3"




Cut Out: 3.00" X 12.44" Oval



G-23304

R3/30W/GR/OVL/M4/LED/5CCT

White



G-23314

R3/30W/GR/OVL/M4/LED/5CCT/BK

Black

Lumens	2800
Wattage	30W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

NC Plate G-98812 (3)

Lens G-01420 24°/G-01421 40°/G-01422 60°

3"

Ellipse

3" Oval Double Head Trimless Multiple

New Item

Cut Out: 3.23" X 6.38" Oval

G-23322


R3/15W/GR/OVL/M2/LED/5CCT/TL

White

G-23332

R3/15W/GR/OVL/M2/LED/5CCT/BK/TL

Black



Lumens	1400
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

- NC Plate G-98813 (0)
- Lens G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Ellipse

3" Oval Triple Head Trimless Multiple

New Item

3"

Cut Out: 3.23" X 9.50" Oval

G-23323


R3/23W/GR/OVL/M3/LED/5CCT/TL

White

G-23333

R3/23W/GR/OVL/M3/LED/5CCT/BK/TL

Black



Lumens	2100
Wattage	23W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

- NC Plate G-98813 (1)
- Lens G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Ellipse

3" Oval Four Head Trimless Multiple

New Item



3"

Cut Out: 3.23" X 12.68" Oval

G-23324

R3/30W/GR/OVL/M4/LED/5CCT/TL


White



G-23334

R3/30W/GR/OVL/M4/LED/5CCT/BK/TL

Black



Lumens	2800
Wattage	30W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

NC Plate G-98813 (2)

Lens G-01420 24°/G-01421 40°/G-01422 60°

Ellipse

3.5" Narrow Round Regress Gimbal

New Item

3.5"

Cut Out: 3.70"

G-23340

R3.5/14W/GR/NT/LED/5CCT


White



G-23350

R3.5/14W/GR/NT/LED/5CCT/BK

Black



Lumens	1350
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

NC Plate G-98800 (5)

Multi Light G-95825 14W

Lens G-25621 40°/G-25622 60°

Ellipse
3.5" Oval Double Head Multiple New Item

3.5"

Cut Out: 3.70" X 7.40" Oval



G-23342


R3.5/28W/GR/OVL/M2/LED/5CCT

White

G-23352

R3.5/28W/GR/OVL/M2/LED/5CCT/BK

Black



Lumens	2700
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate G-98811 (1)

Lens G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Ellipse
3.5" Oval Triple Head Multiple New Item

3.5"

Cut Out: 3.70" X 11.20" Oval



G-23343


R3.5/40W/GR/OVL/M3/LED/5CCT

White

G-23353

R3.5/40W/GR/OVL/M3/LED/5CCT/BK

Black



Lumens	3800
Wattage	40W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate G-98811 (2)

Lens G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Ellipse
3.5" Oval Four Head Multiple New Item

3.5"


Cut Out: 3.70" X 14.96" Oval



G-23344

R3.5/52W/GR/OVL/M4/LED/5CCT

White



G-23354

R3.5/52W/GR/OVL/M4/LED/5CCT/BK

Black

Lumens	4800
Wattage	52W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

NC Plate G-98811 (3)

Lens G-25621 40°/G-25622 60°

Ellipse
3.5" Oval Double Head Trimless Multiple New Item

3.5"



Cut Out: 3.86" X 7.56" Oval



G-23362

R3.5/28W/GR/OVL/M2/LED/5CCT/TL

White



G-23372

R3.5/28W/GR/OVL/M2/LED/5CCT/BK/TL

Black

Lumens	2700
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Accessories

NC Plate G-98815 (1)


Lens G-25621 40°/G-25622 60°

Ellipse

3.5" Oval Triple Head Trimless Multiple New Item

3.5"



Cut Out: 3.86" X 11.30" Oval



G-23363

R3.5/40W/GR/OVL/M3/LED/5CCT/TL


White



G-23373

R3.5/40W/GR/OVL/M3/LED/5CCT/BK/TL

Black



Lumens	3800
Wattage	40W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate G-98815 (2)

Lens G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated




Ellipse

3.5" Oval Four Head Trimless Multiple New Item

3.5"



Cut Out: 3.86" X 15.04" Oval



G-23364

R3.5/52W/GR/OVL/M4/LED/5CCT/TL


White



G-23374

R3.5/52W/GR/OVL/M4/LED/5CCT/BK/TL

Black



Lumens	4800
Wattage	52W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate G-98815 (3)

Lens G-25621 40°/G-25622 60°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Pura
3.5" Round Gimbal

3.5"

Cut Out: 3.50"



G-98720


PR/3.5/19W/GRR/5CCT/WH

White

G-98725

PR/3.5/19W/GRR/5CCT/BK

Black



Lumens	1400/1850
Wattage	14/19W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC Rated-at	14W

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95825 14W / G-95825 18W
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Pura
3.5" Single Head Multiple

3.5"

Cut Out: 3.50"



G-98721


PR/3.5/19W/GR/M1/5CCT/WH

White

G-98726

PR/3.5/19W/GR/M1/5CCT/BK

Black




Lumens	1400/1850
Wattage	14/19W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC Rated-at	14W

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95825 14W / G-95825 18W
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Pura
3.5" Double Head Multiple

3.5"

Cut Out: 3.50" x 7.10"



G-98722


PR/3.5/40W/GR/M2/5CCT/WH

White

G-98727

PR3.5/40W/M2/WS2/BL/5CCT

Black




Lumens	2600/3600
Wattage	27/40W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC Rated-at	27W

Accessories

NC Plate	G-98822 (0)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Pura
3.5" Triple Head Multiple



3.5"

Cut Out: 3.50" x 10.70"

G-98723

PR/3.5/60W/GR/M3/5CCT/WH

White



G-98728

PR/3.5/60W/GR/M3/5CCT/BK

Black




Lumens	3750/5250
Wattage	60/39W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC Rated-at	39W

Accessories

NC Plate	G-98822 (2)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Pura
3.5" Four Head Multiple



3.5"

Cut Out: 3.50" x 14.30"

G-98724

PR/3.5/80W/GR/M4/5CCT/WH

White



G-98729

PR/3.5/80W/GR/M4/5CCT/BK

Black



Lumens	4900/6800
Wattage	50/80W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC Rated-at	50W

Accessories

NC Plate	G-98822 (4)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable




Altair

3.5" Square Regress Gimbal New Item

3.5"


Cut Out: 3.77" X 3.77"



G-98741
AL/3.5/20W/GR/M1/5CCT/WH
White







G-98751
AL3.5/20W/GR/M1/5CCT/BK
Black



Lumens	1400/1850
Wattage	14/20W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	14W

Accessories

-  NC Plate G-98814 (1)
-  Multi Light G-95825 14W / G-95826 20W
-  Clear G-98825 24°/G-98826 40°/G-98827 60°
-  Reflector G-98828 30°/G-98829 40°

-  Selectable Color
-  CRI 90 True Colors
-  Wet Location
-  Air Tight
-  Changing Lens
-  Dimmable



Altair

3.5" Double Head Regress Gimbal New Item

3.5"


Cut Out: 7.44" X 3.70"



G-98742
AL/3.5/40W/GR/M2/5CCT/WH
White






G-98752
AL3.5/40W/GR/M2/5CCT/BK
Black




Lumens	2600/3600
Wattage	27/40W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at	27W

Accessories

-  NC Plate G-98814 (2)
-  Clear G-98825 24°/G-98826 40°/G-98827 60°
-  Reflector G-98828 30°/G-98829 40°

-  Selectable Color
-  CRI 90 True Colors
-  Wet Location
-  Air Tight
-  Changing Lens
-  Dimmable



Altair
3.5" Triple Head Regress Gimbal New Item

3.5"



Cut Out: 11.18" X 3.70"



G-98743

AL/3.5/60W/GR/M3/5CCT/WH

White



G-98753

AL3.5/60W/GR/M3/5CCT/BK

Black

Lumens	3750/5250
Wattage	39/60W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at	36W

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Accessories

- NC Plate G-98814 (3)
- Clear G-98825 24°/G-98826 40°/G-98827 60°
- Reflector G-98828 30°/G-98829 40°

Altair
3.5" Four Head Regress Gimbal New Item

3.5"



Cut Out: 14.92" X 3.70"



G-98744

AL/3.5/80W/GR/M4/5CCT/WH

White



G-98754

AL3.5/80W/GR/M4/5CCT/BK

Black

Lumens	4900/6800
Wattage	50/80W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at	50W

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Accessories


- NC Plate G-98814 (4)
- Clear G-98825 24°/G-98826 40°/G-98827 60°
- Reflector G-98828 30°/G-98829 40°

Altair

3.5" Trimless Square Regress Gimbal New Item

3.5"


Cut Out: Sq 4"x4" Rd 5.59"



G-98761

AL3.5/20W/GR/M1/5CCT/WH/TL


White



G-98771





AL3.5/20W/GR/M1/5CCT/BK/TL

Black



Lumens	1400/1850
Wattage	14/20W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC rated-at	14W

Accessories

-  **NC Plate** G-98800 (9)
-  **Multi Light** G-95825 14W / G-95826 20W
-  **Clear** G-98825 24°/G-98826 40°/G-98827 60°
-  **Reflector** G-98828 30°/G-98829 40°

-  Selectable Color
-  CRI 90° True Colors
-  Wet Location
-  Air Tight
-  Changing Lens
-  Dimmable




Altair

3.5" Trimless Double Head Regress Gimbal New Item

3.5"

Cut Out: 7.70" X 3.94"



G-98762

AL3.5/40W/GR/M2/5CCT/WH/TL



White



G-98772




AL3.5/40W/GR/M2/5CCT/BK/TL

Black



Lumens	2600/3600
Wattage	27/40W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at	27W

Accessories

-  **NC Plate** G-48448 (0)
-  **Clear** G-98825 24°/G-98826 40°/G-98827 60°
-  **Reflector** G-98828 30°/G-98829 40°

-  Selectable Color
-  CRI 90° True Colors
-  Wet Location
-  Air Tight
-  Changing Lens
-  Dimmable



Altair

3.5" Trimless Triple Head Regress Gimbal

New Item

3.5"

Cut Out: 111.42" X 3.94"

G-98763



AL/3.5/60W/GR/M3/5CCT/WH/TL

White



G-98773

AL3.5/60W/GR/M3/5CCT/BK/TL

Black



Lumens	3750/5250
Wattage	39/60W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at	36W



- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Accessories

- NC Plate G-48448 (1)
- Clear G-98825 24°/G-98826 40°/G-98827 60°
- Reflector G-98828 30°/G-98829 40°

Altair

3.5" Trimless Four Head Regress Gimbal

New Item

3.5"

Cut Out: 15.12" X 3.94"

G-98764



AL/3.5/80W/GR/M4/5CCT/WH/TL

White


G-98774

AL3.5/80W/GR/M4/5CCT/BK/TL

Black



Lumens	4900/6800
Wattage	50/80W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at	50W



- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable



Accessories

- NC Plate G-98817 (2)
- Clear G-98825 24°/G-98826 40°/G-98827 60°
- Reflector G-98828 30°/G-98829 40°

Flarion 3" Floating Round Gimbal

3"

Cut Out: 2.95"



G-00820


FL/3/8W/GRR/5CCT/WH

White

G-00920

FL/3/8W/GRR/5CCT/BK

Black



Lumens	700
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 3.5" Floating Round Gimbal

3.5"

Cut Out: 3.65"



G-01020


FL/3.5/10W/GRR/5CCT/WH

White

G-01120

FL/3.5/10W/GRR/5CCT/BK

Black



Lumens	850
Wattage	10W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95823 10W
Lens	G-01425 24°/G-01426 40°/G-01427 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 4" Floating Round Gimbal

4"

Cut Out: 4.25"



G-01220


FL/4/13W/GRR/5CCT/WH

White

G-01320

FL/4/13W/GRR/5CCT/BK

Black




Lumens	1200
Wattage	13W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W
Lens	G-01520 24°/G-01521 40°/G-01522 60°


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 3" Floating Single Head Multiple

3"

Cut Out: 2.95"



Lumens	700
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 3" Floating Double Head Multiple

3"

Cut Out: 2.95 X 6.15"



Lumens	1400 (700 each head)
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98821 (1)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 3" Floating Triple Head Multiple

3"

Cut Out: 2.95" X 9.45"

G-00823

FL/3/23W/GR/M3/5CCT/WH


White



G-00923

FL/3/23W/GR/M3/5CCT/BK

Black



Lumens	2100 (700 each head)
Wattage	23W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98821 (3)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 3" Floating Four Head Multiple

3"

Cut Out: 2.95" X 13.05"

G-00824

FL/3/32W/GR/M4/5CCT/WH


White



G-00924

FL/3/32W/GR/M4/5CCT/BK

Black




Lumens	2800 (700 each head)
Wattage	32W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate	G-98821 (5)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 3.5" Floating Single Head Multiple

3.5"
Cut Out: 3.65"




G-01021
FL/3.5/10W/GR/M1/5CCT/WH

White

G-01121
FL/3.5/10W/GR/M1/5CCT/BK

Black



Lumens	850
Wattage	10W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W
Lens	G-01425 24°/G-01426 40°/G-01427 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 3.5" Floating Double Head Multiple

3.5"
Cut Out: 3.65" X 7.60"




G-01022
FL/3.5/20W/GR/M2/5CCT/WH

White

G-01122
FL/3.5/20W/GR/M2/5CCT/BK

Black



Lumens	1600 (800 each head)
Wattage	20W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98822 (1)
Lens	G-01425 24°/G-01426 40°/G-01427 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 3.5" Floating Triple Head Multiple

3.5"

Cut Out: 3.65" X 11.85"



G-01023

FL/3.5/27W/GR/M3/5CCT/WH


White



G-01123

FL/3.5/27W/GR/M3/5CCT/BK

Black



Lumens	2400 (800 each head)
Wattage	27W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98822 (3)
Lens	G-01425 24°/G-01426 40°/G-01427 60°



Flarion 3.5" Floating Four Head Multiple

3.5"

Cut Out: 3.65" X 16.15"



G-01024

FL/3.5/36W/GR/M4/5CCT/WH


White



G-01124

FL/3.5/36W/GR/M4/5CCT/BK

Black



Lumens	3200 (800 each head)
Wattage	36W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate	G-98822 (5)
Lens	G-01425 24°/G-01426 40°/G-01427 60°



Flarion 4" Floating Single Head Multiple

4"
Cut Out: 4.25"

G-01221
FL/4/13W/GR/M1/5CCT/WH




White

G-01321
FL/4/13W/GR/M1/5CCT/BK



Black



Lumens	1200
Wattage	13W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W
Lens	G-01520 24°/G-01521 40°/G-01522 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 4" Floating Double Head Multiple

4"
Cut Out: 4.25" X 8.95"

G-01222
FL/4/26W/GR/M2/5CCT/WH




White

G-01322
FL/4/26W/GR/M2/5CCT/BK



Black



Lumens	2400 (1200 each head)
Wattage	26W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98823 (0)
Lens	G-01520 24°/G-01521 40°/G-01522 60°


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 4" Floating Triple Head Multiple

4"

Cut Out: 4.25" X 13.85"



Lumens	3600 (1200 each head)
Wattage	36W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98823 (2)
Lens	G-01520 24°/G-01521 40°/G-01522 60°


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Flarion 4" Floating Four Head Multiple

4"

Cut Out: 4.25" X 18.80"



Lumens	4600 (1150 each head)
Wattage	48W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate	G-98823 (4)
Lens	G-01520 24°/G-01521 40°/G-01522 60°

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Pulsar
3" Round Retractable Downlight New Item

3"

Cut Out: 4.00"



G-32500


PL/3/RD/12W/5CCT/WT

White

G-32510

PL/3/RD/12W/5CCT/BK

Black



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated



Pulsar
3" Square Retractable Downlight New Item

3"

Cut Out: 3.55" X 4.05"



G-32501


PL/3/SQ/12W/5CCT/WT

White

G-32511

PL/3/SQ/12W/5CCT/BK

Black



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98816 (0)
Multi Light	G-95824 12W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated



Pulsar
3" Double Head Retractable Multiple New Item

3"

Cut Out: 4.10" X 8.15"

G-32502


PL/3/M2/24W/5CCT/WT

White

G-32512

PL/3/M2/24W/5CCT/BK

Black



Lumens	1900 (950 each head)
Wattage	24W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated

JA8
TITLE 24



Accessories

NC Plate G-98816 (1)

Pulsar
3" Triple Head Retractable Multiple New Item

3"

Cut Out: 4.10" X 13.00"

G-32503


PL/3/M3/36W/5CCT/WT

White

G-32513

PL/3/M3/36W/5CCT/BK

Black



Lumens	2800 (930 each head)
Wattage	36W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated

JA8
TITLE 24



Accessories

NC Plate G-98816 (2)

Pulsar

3" Four Head Retractable Multiple New Item


3"

Cut Out: 4.10" X 17.75"

G-32504

PL/3/M4/48W/5CCT/WT


White



G-32514

PL/3/M4/48W/5CCT/BK

Black



Lumens	3800 (950 each head)
Wattage	48W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated



Accessories

NC Plate G-98816 (3)

Pulsar

3" Round Retractable Trimless Downlight New Item

3"

Cut Out: 3.85"

G-32520

PL/3/RD/12W/5CCT/WT/TL


White



G-32530

PL/3/RD/12W/5CCT/BK/TL

Black



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated



Accessories


NC Plate G-98800 (6)

Multi Light G-95824 12W

Pulsar
3" Square Retractable Trimless Downlight New Item

3"

Cut Out: RD 5.00" SQ 3.60"



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98816 (0)
Multi Light	G-95824 12W



- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated



Pulsar
3" Double Head Retractable Trimless Multiple New Item

3"

Cut Out: 3.75" X 8.40"



Lumens	1900 (950 each head)
Wattage	24W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Accessories

NC Plate	G-98816 (1)
----------	---------------

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated



Pulsar

3" Triple Head Retractable Trimless Multiple

New Item

3"

Cut Out: 3.75" X 13.10"

G-32523

PL/3/M3/36W/5CCT/WT/TL



White



G-32533

PL/3/M3/36W/5CCT/BK/TL

Black



Lumens	2800 (930 each head)
Wattage	36W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated



Accessories

NC Plate G-98816 (2)

Pulsar

3" Four Head Retractable Trimless Multiple

New Item


3"

Cut Out: 3.75" X 17.90"

G-32524

PL/3/M4/48W/5CCT/WT/TL



White



G-32534

PL/3/M4/48W/5CCT/BK/TL

Black



Lumens	3800 (950 each head)
Wattage	48W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Adjustable Beam Angle
- Dimmable
- IC Rated



Accessories

NC Plate G-98816 (3)

Dipper 2" Round Fixed Downlight

2"

Cut Out: 2.00"

G-21170

DP/2/RD/FXD/3W/5CCT/WT


White



G-21190

DP/2/RD/FXD/3W/5CCT/BK

Black



Lumens	200
Wattage	3W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Damp Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-98800 (2)

Dipper 2" Single Head Fixed

2"

Cut Out: 1.77" X 1.93"

G-21171

DP/2/SQ/FXD/3W/5CCT/WT



White



G-21191

DP/2/SQ/FXD/3W/5CCT/BK

Black



Lumens	200
Wattage	3W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Damp Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-21062 (0)

Dipper
2" Three Head Fixed



G-21173

DP/2/M3/FXD/9W/5CCT/WT


White



G-21193

DP/2/M3/FXD/9W/5CCT/BK

Black



Lumens	600 (200 each head)
Wattage	9W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Damp Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-21062 (1)

Dipper
2" Six Head Fixed



G-21176

DP/2/M6/FXD/18W/5CCT/WT


White



G-21196

DP/2/M6/FXD/18W/5CCT/BK

Black



Lumens	1200 (200 each head)
Wattage	18W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Damp Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-21062 (3)

Dipper 2" Three Head Combo

2"

Cut Out: 1.77" X 4.92"



G-21133

DP/2/M3/CMB/9W/5CCT/WT


White



G-21153

DP/2/M3/CMB/9W/5CCT/BK

Black



Lumens	600 (200 each head)
Wattage	9W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

- Selectable Color
- CRI 90° True Colors
- Damp Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-21062 (1)

Dipper 2" Five Head Combo

2"

Cut Out: 1.77" X 9.41"



G-21135

DP/2/M6/CMB/15W/5CCT/WT


White



G-21155

DP/2/M6/CMB/15W/5CCT/BK

Black



Lumens	1000 (200 each head)
Wattage	15W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

- Selectable Color
- CRI 90° True Colors
- Damp Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-21062 (3)

Dipper
2" Round Retractable

G-21050



DP2/RD/3W/5CCT/WT

White

G-21064

DP2/RD/3W/5CCT/BK

Black



Lumens	170
Wattage	3W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-98800 (2)

Dipper
2" Single Head Retractable

G-21051



DP2/SQ/3W/5CCT/WT

White

G-21065

DP2/SQ/3W/5CCT/BK

Black



Lumens	170
Wattage	3W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-21062 (0)

Dipper 2" Double Head Retractable


2"

Cut Out: 1.70" X 4.85"

G-21052

DP2/M2/6W/5CCT/WT


White



G-21066

DP2/M2/6W/5CCT/BK

Black



Lumens	400 (200 each head)
Wattage	6W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-21062 (1)

Dipper 2" Five Head Retractable


2"

Cut Out: 1.70" X 9.33"

G-21055

DP2/M5/15W/5CCT/WT


White



G-21069

DP2/M5/15W/5CCT/BK

Black



Lumens	980 (196 each head)
Wattage	15W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate G-21062 (3)

Jupiter
2.5" Round Universal Cylinder Module New Item



G-12500
 CYD/25/12W/RD/LED/5CCT/WH
 White



G-12501
 CYD/25/12W/RD/LED/5CCT/BK
 Black



G-12502
 CYD/25/12W/RD/LED/5CCT/BZ
 Bronze



G-12503
 CYD/25/12W/RD/LED/5CCT/BN
 Brushed Nickel



G-12504
 CYD/25/12W/RD/LED/5CCT/BB
 Brushed Brass



G-12505
 CYD/25/12W/RD/LED/5CCT/BC
 Brushed Copper



G-12506
 CYD/25/12W/RD/LED/5CCT/ORB
 Oil Rubbed Bronze

Lumens	1500
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	YES
Pack	18

Reflector Lens



G-12590
 CYD/L25/24-DEGREE

Diffuser



G-12594
 HEX/HC/25/DIFFUSER

Lens Cover




G-12592
 25/PRISMETAC LENS

G-12593
 25/SOLITE LENS


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Jupiter
4" J-Box Mud-in Plate (2.5") New Item



G-25051
 25/CYD/25/TL/MP



Style	Mounting	Pack
Surface mount	4" J-Box	36

Jupiter


2.5" Recessed Mount J-Box

New Item



G-25050

CYD/25/RCM/JB



Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (2)	24

Jupiter

2.5" Surface Mount Canopy

New Item

2.5"



G-12510

CYD/25/RD/SM/WH

White



G-12511

CYD/25/RD/SM/BK

Black



G-12512

CYD/25/RD/SM/BZ

Bronze



G-12513

CYD/25/RD/SM/BN

Brushed Nickel



G-12514

CYD/25/RD/SM/BB


Brushed Brass



G-12515

CYD/25/RD/SM/BC


Brushed Copper



G-12516

CYD/25/RD/SM/ORB


Oil Rubbed Bronze



Style	Mounting	Pack
Canopy	4" J-Box	36

Jupiter
2.5" Conduit Mount Canopy New Item



2.5"



Style	Mounting	Pack
Canopy	Conduit mount	18

Jupiter
2.5" Surface Mount Pendant New Item


2.5"



Style	Mounting	Pack
Pendant	4" J-Box	18

Jupiter
2.5" Recessed Mount Pendant New Item



2.5"



Style	Mounting	Plate	Pack
Recessed Pendant	Recessed mount	G-98800 (2)	18

Jupiter
2.5" Surface Mount Stem New Item

2.5"



Style	Mounting	Pack
Stem	4" J-Box	18

Jupiter 3" Round Universal Cylinder



G-05020

CYD/3/20W/RD/LED/5CCT/WH
White



G-05021

CYD/3/20W/RD/LED/5CCT/BK
Black



G-05022

CYD/3/20W/RD/LED/5CCT/BZ
Bronze



G-05023

CYD/3/20W/RD/LED/5CCT/BN
Brushed Nickel



G-05024

CYD/3/20W/RD/LED/5CCT/BB
Brushed Brass



G-05025

CYD/3/20W/RD/LED/5CCT/BC
Brushed Copper



G-05026

CYD/3/20W/RD/LED/5CCT/ORB
Oil Rubbed Bronze

Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90+
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Clear Lens



G-05821
CYD/L3/24-DEGREE

Frosted Lens



G-05822
CYD/L3/40-DEGREE

Diffuser



G-05820
CYD/L3/FROSTED/50°

Lens Cover



G-21427
4/SOLITE LENS



G-21428
4/PRISMETAC LENS




G-21429
4/BEAMSPLIT LENS

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated




Jupiter 4" J-Box Mud Plate



G-05228

CYD/3/TL/MP




Style	Mounting	Pack
J-Box	4" J-Box	36

Jupiter
Recessed Mount Junction Box

3"



G-05229
CYD/3/RCM/JB



Style	Cut out	Plate	Pack
Junction Box	2.36"	G-98800 (3)	36

Jupiter
3" Surface Mount Canopy

3"



G-05320
CYD/3/RD/SM/WH
White



G-05420
CYD/3/RD/SM/BK
Black



G-05250
CYD/3/RD/SM/BZ
Bronze



G-05260
CYD/3/RD/SM/BN
Brushed Nickel




G-05270
CYD/3/RD/SM/BB
Brushed Brass



G-05280
CYD/3/RD/SM/BC
Brushed Copper




G-05290
CYD/3/RD/SM/ORB
Oil Rubbed Bronze




Style	Mounting	Pack
Canopy	4" J-Box	18

Jupiter
3" Conduit Mount Canopy New Item



Style	Mounting	Pack
Canopy	Conduit mount	18


Jupiter
3" Surface Mount Pendant



Style	Mounting	Pack
Pendant	4" J-Box	8/128

Jupiter 3" Recessed Mount Pendant


3"



Style	Cut out	Plate	Pack
Recessed Pendant	2.36"	G-98800 (3)	18

Jupiter 3" Surface Mount Stem

3"



Style	Mounting	Pack
Stem	4" J-Box	8/128

Jupiter
2.5" Beam Adjustable Cylinder New Item

2.5"



G-25000

CYD/25/12W/ADJ/RD/LED/5CCT/WH

White



G-25001

CYD/25/12W/ADJ/RD/LED/5CCT/BK

Black

Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	24

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Jupiter
2.5" Recessed Mount J-Box New Item


2.5"

Cut Out: 2.00"



G-25050


CYD/25/RCM/JB



Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (2)	24


Jupiter
4" J-Box Mud Plate (2.5") New Item

2.5"



G-25051


25/CYD/25/TL/MP



Style	Mounting	Pack
Surface mount	4" J-Box	36

Jupiter
2.5" Surface Mount Monopoint New Item

2.5"




Style	Mounting	Pack
Monopoint	Surface mount	24

Jupiter
2.5" Recessed Mount Monopoint New Item

2.5"



Cut Out: 2.00"



Style	Mounting	Plate	Pack
Monopoint	Recessed mount	G-98800 (2)	24

Jupiter
2.5" H Track Adapter New Item

2.5"



Style	Mounting	Pack
Track	H Track	24

3"

Jupiter
3" Beam Adjustable Cylinder New Item



G-30000

CYD/3/18W/ADJ/RD/LED/5CCT/WH

White



G-30001

CYD/3/18W/ADJ/RD/LED/5CCT/BK

Black

Lumens	1600
Wattage	18W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	24

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Jupiter
3" Recessed Mount J-Box New Item


3"

Cut Out: 2.36"



G-05229


CYD/3/RCM/JB



Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (3)	36


Jupiter
4" J-Box Mud Plate (3") New Item

3"



G-05228

CYD/3/TL/MP




Style	Mounting	Pack
Surface mount	4" J-Box	36

Jupiter
3" Surface Mount Monopoint

New Item

3"




Style	Mounting	Pack
Monopoint	Surface mount	24

Jupiter
3" Recessed Mount Monopoint

New Item

3"

Cut Out: 2.36"




Style	Mounting	Plate	Pack
Monopoint	Recessed mount	G-98800 (3)	24

Jupiter
3" H Track Adapter

New Item

3"



Style	Mounting	Pack
Track	H Track	24

3.3"

Jupiter
3.3" Beam Adjustable Cylinder New Item



Lumens	2000
Wattage	22W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	24


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Jupiter
3.3" Recessed Mount J-Box New Item

3.3"



Cut Out: 2.36"



Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (3)	24

Jupiter
4" J-Box Mud Plate (3.3") New Item


3.3"



Style	Mounting	Pack
Surface mount	4" J-Box	36

Jupiter
3.3" Recessed Mount Monopoint New Item

3.3"




Style	Mounting	Pack
Monopoint	Surface mount	24

Jupiter
3.3" Recessed Mount Monopoint New Item

3.3"


Cut Out: 2.36"



Style	Mounting	Plate	Pack
Monopoint	Recessed mount	G-98800 (3)	24

Jupiter
3.3" H Track Adapter New Item

3.3"



Style	Mounting	Pack
Track	H Track	24

3.7"

Jupiter
3.7" Beam Adjustable Cylinder New Item



G-37000
 CYD/37/28W/ADJ/RD/LED/5CCT/WH
 White



G-37001
 CYD/37/28W/ADJ/RD/LED/5CCT/BK
 Black

Lumens	2600
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	24

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated




Jupiter
3.7" Recessed Mount J-Box New Item

3.7"

Cut Out: 2.36"




G-37050
 CYD/37/RCM/JB




Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (3)	24

Jupiter
3.7" J-Box Mud Plate (3.7") New Item

3.7"




G-37051
 CYD/37/TL/MP



Style	Mounting	Pack
Surface mount	4" J-Box	36

Jupiter
3.7" Recessed Mount Monopoint New Item

3.7"




Style	Mounting	Pack
Monopoint	Surface mount	24

Jupiter
3.7" Recessed Mount Monopoint New Item

3.7"


Cut Out: 2.36"



Style	Mounting	Plate	Pack
Monopoint	Recessed mount	G-98800 (3)	24


Jupiter
3.7" H Track Adapter New Item

3.7"



Style	Mounting	Pack
Track	H Track	24

Moon
2" Round Trimless Drop Lens



Lumens	550/850
Wattage	8W/12W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	8W


- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable



Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W / G-95824 12W

Moon
3" Round Trimless Drop Lens



Lumens	700/1000
Wattage	10W/15W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	10W


- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable



Accessories

NC Plate	G-98800 (4)
Multi Light	G-95824 10W / G-95825 15W

Moon
4" Round Trimless Drop Lens



Lumens	1200/1700
Wattage	15W/20W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	15W

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable




Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 15W / G-95826 20W

Moon
3" Square Trimless Drop Lens

3"

Cut Out: Sq 2.45" - Rd 3.24"



Lumens	700/1000
Wattage	10W/15W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 10W	

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable





Accessories

- NC Plate G-98800 (5)
- Multi Light G-95824 10W / G-95825 15W

Moon
4" Square Trimless Drop Lens

4"

Cut Out: Sq 3.23" - Rd 4.40"



Lumens	1200/1700
Wattage	15W/20W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 15W	

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable



Accessories


- NC Plate G-98800 (7)
- Multi Light G-95825 15W / G-95826 20W

Horizon

4" Round Flat Gimbal

G-25240

R/4/FL/GBL/10W/5CCT



Lumens	900
Wattage	10W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18



Accessories


NC Plate	G-98800 (6)
Multi Light	G-95824 10W

Horizon

6" Round Flat Gimbal

G-25260

R/6/FL/GBL/20W/5CCT



Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18



Accessories

NC Plate	G-98800 (9)
Multi Light	G-95826 20W

Regulus 2" Regress Slim

2"

Cut Out: 2.08"



G-48508

RS2/8W/R/LED/5CCT


Round



G-48509

RS2/8W/SQ/LED/5CCT

Square



Color Covers

Black

G-22020
T/RL/2/R/CV/BK



Bronze

G-22021
T/RL/2/R/CV/BZ



Brushed Nickel

G-22022
T/RL/2/R/CV/BN



Brushed Brass

G-22023
T/RL/2/R/CV/BB



Brushed Copper

G-22024
T/RL/2/R/CV/BC



Black

G-22120 **Square**
T/RL/2/SQ/CV/BK



Lumens	500
Wattage	8W
Voltage	120/277V Triac/0-10
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 8W

Regulus 3" Regress Slim

3"

Cut Out: 2.91"



G-48337

RS3/10W/R/LED/5CCT


Round



G-48338

RS3/10W/SQ/LED/5CCT

Square



Color Covers

Black

G-22030
T/RL/3/R/CV/BK



Bronze

G-22031
T/RL/3/R/CV/BZ



Brushed Nickel

G-22032
T/RL/3/R/CV/BN



Brushed Brass

G-22033
T/RL/3/R/CV/BB



Brushed Copper

G-22034
T/RL/3/R/CV/BC



Black

G-22130 **Square**
T/RL/3/SQ/CV/BK



Lumens	750
Wattage	10W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95824 10W

Regulus 4" Regress Slim HO


4"

Cut Out: 4.25"

G-22241

RS4/20W/3WS/R/LED/5CCT

Round




Lumens	1100/1550/2050
Wattage	10/15/20W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	10/15W

Color Covers

Black G-48460 T/RL/4/R/CV/BK	Bronze G-22041 T/RL/4/R/CV/BZ	Brushed Nickel G-22042 T/RL/4/R/CV/BN	Brushed Brass G-22043 T/RL/4/R/CV/BB	Brushed Copper G-22044 T/RL/4/R/CV/BC
---	--	--	---	--

5 Selectable Color
90° CRI 90° True Colors
Wet Location
Dimmable



Accessories

NC Plate	G-98800 (6)
----------	---------------

Regulus 4" Regress Slim


4"

Cut Out: 4.25"

G-20244

RS4/15W/SQ/LED/5CCT

Square




Lumens	1400
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black G-48461 (Square) T/RL/4/SQ/CV/BK

5 Selectable Color
90° CRI 90° True Colors
Wet Location
Air Tight
Dimmable
IC Rated



Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W


Regulus 4" Regress Slim RGBWW

4"

Cut Out: 4.25"

G-20441

RS4/15W/R/LED/RGBWW




Lumens	1400 @ CCT
Wattage	15W
Voltage	120V
CRI	90
Beam Angle	100°
CCT	RGB + Tunable white
Dimmable	Yes
Pack	18

Color Covers

Black G-48460 T/RL/4/R/CV/BK	Bronze G-22041 T/RL/4/R/CV/BZ	Brushed Nickel G-22042 T/RL/4/R/CV/BN	Brushed Brass G-22043 T/RL/4/R/CV/BB	Brushed Copper G-22044 T/RL/4/R/CV/BC
---	--	--	---	--

RGBWW
90° CRI 90° True Colors
Wet Location
Dimmable
IC Rated



Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W

Regulus 5" Regress Slim

5"

Cut Out: 5.20"



G-20242


RS5/23W/R/LED/SCCT

Round

G-20245

RS5/23W/SQ/LED/SCCT

Square



Color Covers

Black



G-22050
T/RL/S/R/CV/BK

Bronze



G-22051
T/RL/S/R/CV/BZ

Brushed Nickel



G-22052
T/RL/S/R/CV/BN

Brushed Brass



G-22053
T/RL/S/R/CV/BB

Brushed Copper



G-22054
T/RL/S/R/CV/BC

Black



G-22150 **Square**
T/RL/S/SQ/CV/BK

Lumens	1800
Wattage	23W
Voltage	120V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95826 22W

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Regulus 6" Regress Slim

6"

Cut Out: 6.29"



G-20243


RS6/28W/R/LED/SCCT

Round

G-20246

RS6/28W/SQ/LED/SCCT

Square



Color Covers

Black



G-22060
T/RL/6/R/CV/BK

Bronze



G-22061
T/RL/6/R/CV/BZ

Brushed Nickel



G-22062
T/RL/6/R/CV/BN

Brushed Brass



G-22063
T/RL/6/R/CV/BB

Brushed Copper



G-22064
T/RL/6/R/CV/BC

Black



G-22160 **Square**
T/RL/6/SQ/CV/BK

Lumens	950/1750/2700
Wattage	10W/18W/28W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95824 10W / G-95825 18W


- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Regulus
2" Round Trimless Regress Slim


2"

Cut Out: 2.28"



G-96720

RS2/WS2/R/LED/TL/5CCT



Lumens	550/825
Wattage	8W/12W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	8W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable



Accessories

- NC Plate G-98800 (3)
- Multi Light G-95823 8W / G-95824 12W

Regulus
3" Round Trimless Regress Slim


3"

Cut Out: 2.72"



G-96721

RS3/10W/R/LED/TL/5CCT



Lumens	750
Wattage	10W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

- NC Plate G-98800 (3)
- Multi Light G-95824 10W

Regulus
4" Round Trimless Regress Slim


4"

Cut Out: 3.85"



G-96722

RS4/15W/R/LED/TL/5CCT



Lumens	1300	Beam Angle	100°
Wattage	15W	CCT	27, 30, 35, 41, 50k
Voltage	120/277V	Dimmable	Triac or 0-10V
CRI	90	Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated




Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W

Regulus
3" Square Trimless Regress Slim


3"

Cut Out: SQ 2.45" RD 3.24"



G-96821

RS3/10W/SQ/LED/TL/5CCT



Lumens	750	Beam Angle	100°
Wattage	10W	CCT	27, 30, 35, 41, 50k
Voltage	120/277V	Dimmable	Triac or 0-10V
CRI	90	Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated




Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W

Regulus
4" Square Trimless Regress Slim


4"

Cut Out: SQ 3.23" RD 4.40"



G-96822

RS4/15W/SQ/LED/TL/5CCT



Lumens	1400	Beam Angle	100°
Wattage	15W	CCT	27, 30, 35, 41, 50k
Voltage	120/277V	Dimmable	Triac or 0-10V
CRI	90	Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Accessories

NC Plate	G-98800 (7)
Multi Light	G-95825 14W



2"

Cut Out: 2.08"

Star
2" Round Flushed Slim

G-20219

S2/5W/R/LED/5CCT



Color Covers

Black G-97920 T2/RD/CV/BK	Brushed Nickel G-97921 T2/RD/CV/BN	Bronze G-97922 T2/RD/CV/BZ	Brushed Brass G-97923 T2/RD/CV/BB	Red G-23720 T2/RD/CV/RD
Orange G-23721 T2/RD/CV/OG	Yellow G-23722 T2/RD/CV/YL	Green G-23723 T2/RD/CV/GN	Blue G-23724 T2/RD/CV/BLU	Rose Blush G-23725 T2/R/COVER/ROSE

Lumens	300
Wattage	5W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color
 CRI 90+ True Colors
 Wet Location
 Air Tight
 Dimmable
 IC Rated

JA8
 TITLE 24


Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 5W

Star
3" Round Flushed Slim

G-20220

S3/8W/R/LED/5CCT



Color Covers

Black G-48370 T3/RD/CV/BK	Brushed Nickel G-48371 T3/RD/CV/BN	Bronze G-48372 T3/RD/CV/BZ	Brushed Brass G-48382 T3/RD/CV/BB	Red G-23730 T3/RD/CV/RD
Orange G-23731 T3/RD/CV/OG	Yellow G-23732 T3/RD/CV/YL	Green G-23733 T3/RD/CV/GN	Blue G-23734 T3/RD/CV/BLU	Rose Blush G-23735 T3/R/COVER/ROSE

Lumens	600
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color
 CRI 90+ True Colors
 Wet Location
 Air Tight
 Dimmable
 IC Rated

JA8
 TITLE 24

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W


Star
4" Round Flushed Slim

4"

Cut Out: 4.25"

G-20221

S4/12W/R/LED/5CCCT



Color Covers

Black



G-48373
T4/RD/CV/BK

Brushed Nickel



G-48374
T4/RD/CV/BN

Bronze



G-48375
T4/RD/CV/BZ

Brushed Brass



G-48383
T4/RD/CV/BB

Red



G-23740
T4/RD/CV/RD

Orange



G-23741
T4/RD/CV/OG

Yellow



G-23742
T4/RD/CV/YL

Green



G-23743
T4/RD/CV/GN

Blue



G-23744
T4/RD/CV/BLU

Rose Blush



G-23745
T4/R/COVER/ROSE

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W


Star
5" Round Flushed Slim

5"

Cut Out: 5.25"

G-20222

S5/15W/R/LED/5CCCT



Color Covers

Black



G-48376
T5/RD/CV/BK

Brushed Nickel



G-48377
T5/RD/CV/BN

Bronze



G-48378
T5/RD/CV/BZ

Brushed Brass



G-48384
T5/RD/CV/BB

Red



G-23750
T5/RD/CV/RD

Orange



G-23751
T5/RD/CV/OG

Yellow



G-23752
T5/RD/CV/YL

Green



G-23753
T5/RD/CV/GN

Blue




G-23754
T5/RD/CV/BLU

Rose Blush



G-23755
T5/R/COVER/ROSE

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Lumens	1350
Wattage	15W
Voltage	120/277V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 14W

Star
6" Round Flushed Slim


6"

Cut Out: 6.20"



G-20223

S6/20W/R/LED/5CCT



Color Covers

Black



G-48379
T6/RD/CV/BK

Brushed Nickel



G-48380
T6/RD/CV/BN

Bronze



G-48381
T6/RD/CV/BZ

Brushed Brass



G-48408
T6/RD/CV/BB

Red



G-23760
T6/RD/CV/RD

Orange



G-23761
T6/RD/CV/OG

Yellow



G-23762
T6/RD/CV/YL

Green



G-23763
T6/RD/CV/GN

Blue



G-23764
T6/RD/CV/BLU

Rose Blush



G-23765
T6/R/COVER/ROSE

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95826 20W

Star
7" Round Flushed Slim


7"

Cut Out: 6.80"




G-02227

S7/25W/R/LED/5CCT



- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Lumens	2400
Wattage	25W
Voltage	120/277V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-19982 (7)
----------	---------------



Star 8" Round Flushed Slim

8"

Cut Out: 8.25"

G-20224

S8/30W/R/LED/5CCT



Lumens	2800
Wattage	30W
Voltage	120/277V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18



Accessories

NC Plate G-19982 (8)


Star 12" Round Flushed Slim

12"

Cut Out: 11.90"

G-02320

S12/45W/R/LED/5CCT



Lumens	4000
Wattage	45W
Voltage	120/277V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6




Star
4" Eco Round Flushed Slim

4"

Cut Out: 4.25"

G-96521

S4/10W/R/LED/5CCT



Color Covers

<p>Black</p> <p>G-48373 T4/RD/CV/BK</p>	<p>Brushed Nickel</p> <p>G-48374 T4/RD/CV/BN</p>	<p>Bronze</p> <p>G-48375 T4/RD/CV/BZ</p>	<p>Brushed Brass</p> <p>G-48383 T4/RD/CV/BB</p>	<p>Red</p> <p>G-23740 T4/RD/CV/RD</p>
<p>Orange</p> <p>G-23741 T4/RD/CV/OG</p>	<p>Yellow</p> <p>G-23742 T4/RD/CV/YL</p>	<p>Green</p> <p>G-23743 T4/RD/CV/GN</p>	<p>Blue</p> <p>G-23744 T4/RD/CV/BLU</p>	<p>Rose Blush</p> <p>G-23745 T4/R/COVER/ROSE</p>

Lumens	750
Wattage	10W
Voltage	120V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 10W

Selectable Color
 CRI 90+ True Colors
 Wet Location
 Air Tight
 Dimmable
 IC Rated

JA8 TITLE 24
 ETL LISTED



Star
6" Eco Round Flushed Slim

6"

Cut Out: 6.20"

G-96523

S6/16W/R/LED/5CCT



Color Covers

<p>Black</p> <p>G-48379 T6/RD/CV/BK</p>	<p>Brushed Nickel</p> <p>G-48380 T6/RD/CV/BN</p>	<p>Bronze</p> <p>G-48381 T6/RD/CV/BZ</p>	<p>Brushed Brass</p> <p>G-48408 T6/RD/CV/BB</p>	<p>Red</p> <p>G-23760 T6/RD/CV/RD</p>
<p>Orange</p> <p>G-23761 T6/RD/CV/OG</p>	<p>Yellow</p> <p>G-23762 T6/RD/CV/YL</p>	<p>Green</p> <p>G-23763 T6/RD/CV/GN</p>	<p>Blue</p> <p>G-23764 T6/RD/CV/BLU</p>	<p>Rose Blush</p> <p>G-23765 T6/R/COVER/ROSE</p>

Lumens	1300
Wattage	16W
Voltage	120V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 16W

Selectable Color
 CRI 90+ True Colors
 Wet Location
 Air Tight
 Dimmable
 IC Rated

JA8 TITLE 24
 ETL LISTED


Fabulon
4" Round Baffle Slim

4"

Cut Out: 4.20"

G-97822

SB4/12W/R/LED/5CCT



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated




Fabulon
6" Round Baffle Slim

6"

Cut Out: 6.20"

G-97824

SB6/20W/R/LED/5CCT




Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95826 20W



- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Star
2" Square Flushed Slim





G-20217

S2/5W/SQ/LED/5CCT



Lumens	300
Wattage	5W
Voltage	120V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Color Covers

<p>Black</p> <p>G-97925 T2/SQ/CV/BK</p> 	<p>Brushed Nickel</p> <p>G-97926 T2/SQ/CV/BN</p> 	<p>Bronze</p> <p>G-97927 T2/SQ/CV/BZ</p> 	<p>Brushed Brass</p> <p>G-97928 T2/SQ/CV/BB</p> 
--	---	---	--

 Selectable Color
  CRI 90+ True Colors
  Wet Location
  Air Tight
  Dimmable
  IC Rated





Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 5W

Star
3" Square Flushed Slim

G-20225

S3/8W/SQ/LED/5CCT



Lumens	500
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

<p>Black</p> <p>G-48385 T3/SQ/CV/BK</p> 	<p>Brushed Nickel</p> <p>G-48386 T3/SQ/CV/BN</p> 	<p>Bronze</p> <p>G-48387 T3/SQ/CV/BZ</p> 	<p>Brushed Brass</p> <p>G-48397 T3/SQ/CV/BB</p> 
--	---	---	--

 Selectable Color
  CRI 90+ True Colors
  Wet Location
  Air Tight
  Dimmable
  IC Rated



Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W



Star
4" Square Flushed Slim

4"

Cut Out: 4.25"





G-20226

S4/12W/SQ/LED/5CCT



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Color Covers

<p>Black</p> <p>G-48388 T4/SQ/CV/BK</p> 	<p>Brushed Nickel</p> <p>G-48389 T4/SQ/CV/BN</p> 	<p>Bronze</p> <p>G-48390 T4/SQ/CV/BZ</p> 	<p>Brushed Brass</p> <p>G-48398 T4/SQ/CV/BB</p> 
--	---	---	--

 Selectable Color
  CRI 90+ True Colors
  Wet Location
  Air Tight
  Dimmable
  IC Rated



Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W



Star
5" Square Flushed Slim

5"

Cut Out: 5.25"

G-20227

S5/15W/SQ/LED/5CCT




Lumens	1350
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

<p>Black</p> <p>G-48391 T5/SQ/CV/BK</p> 	<p>Brushed Nickel</p> <p>G-48392 T5/SQ/CV/BN</p> 	<p>Bronze</p> <p>G-48393 T5/SQ/CV/BZ</p> 	<p>Brushed Brass</p> <p>G-48399 T5/SQ/CV/BB</p> 
--	---	---	--

 Selectable Color
  CRI 90+ True Colors
  Wet Location
  Air Tight
  Dimmable
  IC Rated



Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 14W



6"

Cut Out: 6.20"

Star 6" Square Flushed Slim

G-20228

S6/18W/SQ/LED/5CCT



Lumens	1400
Wattage	18W
Voltage	120/277V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black

G-48394
T6/SQ/CV/BK

Brushed Nickel

G-48395
T6/SQ/CV/BN

Bronze

G-48396
T6/SQ/CV/BZ

Brushed Brass

G-48409
T6/SQ/CV/BBJA8
TITLE 24



Accessories

NC Plate	G-98800 (9)
Multi Light	G-95825 18W

Star 8" Square Flushed Slim

G-20229

S8/30W/SQ/LED/5CCT



Lumens	2800
Wattage	30W
Voltage	120/277V
CRI	90+
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

JA8
TITLE 24

Accessories

NC Plate	G-19982 (8)
----------	---------------

Fabulon
4" Square Baffled Slim


New Item

4"

Cut Out: 4.25"

G-97812

SB4/12W/SQ/LED/5CCT



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Fabulon
6" Square Baffled Slim


New Item

6"

Cut Out: 6.25"

G-97814

SB6/20W/SQ/LED/5CCT



Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95826 20W


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



2"

Cut Out: 2.28"


Star
2" Round Trimless Flushed



G-96620

SR2/WS2/R/5CCT/TL

Round



Lumens	550/825
Wattage	8W/12W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 8W	

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W / G-95824 12W


- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable



Star
3" Round Trimless Flushed

3"


Cut Out: 2.83"



G-96621

SR3/15W/R/5CCT/TL

Round




Lumens	800/1200
Wattage	10/15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 10W	

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95824 10W / G-95825 14W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable



Star
4" Round Trimless Flushed


4"

Cut Out: 4.17"

G-96622

SR4/20W/R/5CCT/TL


Round



Lumens	1400/1700
Wattage	15/20W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	15W

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W / G-95826 20W



Star
3" Square Trimless Flushed



3"

Cut Out: Sq 2.45" - Rd 3.39"

G-96625

SR3/15W/SQ/5CCT/TL

Square



Lumens	750/1100
Wattage	10/15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	10W

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W / G-95825 14W



Star
4" Square Trimless Flushed



4"

Cut Out: Sq 2.95" - Rd 4.25"

G-96626

SR4/20W/SQ/5CCT/TL


Square



Lumens	1400/1700
Wattage	15/20W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	15W

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W / G-95826 20W



3"

Cut Out: 2.85"


Fire Rated
3" Fire Rated Round Slim



G-96921

S3/8W/R/LED/5CCT FR

Fire Rated



Lumens	600
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black G-48370 T3/RD/CV/BK	Brushed Nickel G-48371 T3/RD/CV/BN	Bronze G-48372 T3/RD/CV/BZ	Brushed Brass G-48382 T3/RD/CV/BB	Red G-23730 T3/RD/CV/RD
Orange G-23731 T3/RD/CV/OG	Yellow G-23732 T3/RD/CV/YL	Green G-23733 T3/RD/CV/GN	Blue G-23734 T3/RD/CV/BLU	Rose Blush G-23735 T3/RD/CV/RB

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W

Fire Rated
4" Fire Rated Round Slim

4"


Cut Out: 3.90"



G-96922

S4/12W/R/LED/5CCT FR

Fire Rated




Lumens	925
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black G-48373 T4/RD/CV/BK	Brushed Nickel G-48374 T4/RD/CV/BN	Bronze G-48375 T4/RD/CV/BZ	Brushed Brass G-48383 T4/RD/CV/BB	Red G-23740 T4/RD/CV/RD
Orange G-23741 T4/RD/CV/OG	Yellow G-23742 T4/RD/CV/YL	Green G-23743 T4/RD/CV/GN	Blue G-23744 T4/RD/CV/BLU	Rose Blush G-23745 T4/RD/CV/RB

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W

Fire Rated
5" Fire Rated Round Slim


5"

Cut Out: 4.90"

G-96923

SS/15W/R/LED/5CCT FR

Fire Rated



Lumens	1200
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

<p>Black</p> <p>G-48376 T5/RD/CV/BK</p>	<p>Brushed Nickel</p> <p>G-48377 T5/RD/CV/BN</p>	<p>Bronze</p> <p>G-48378 T5/RD/CV/BZ</p>	<p>Brushed Brass</p> <p>G-48384 T5/RD/CV/BB</p>	<p>Red</p> <p>G-23750 T5/RD/CV/RD</p>
<p>Orange</p> <p>G-23751 T5/RD/CV/OG</p>	<p>Yellow</p> <p>G-23752 T5/RD/CV/YL</p>	<p>Green</p> <p>G-23753 T5/RD/CV/GN</p>	<p>Blue</p> <p>G-23754 T5/RD/CV/BLU</p>	<p>Rose Blush</p> <p>G-23755 T5/RD/CV/RB</p>

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 14W

Fire Rated
6" Fire Rated Round Slim


6"

Cut Out: 6.10"

G-96924

RS6/18W/R/LED/5CCT FR

Fire Rated




Lumens	1600
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

<p>Black</p> <p>G-48379 T6/RD/CV/BK</p>	<p>Brushed Nickel</p> <p>G-48380 T6/RD/CV/BN</p>	<p>Bronze</p> <p>G-48381 T6/RD/CV/BZ</p>	<p>Brushed Brass</p> <p>G-48408 T6/RD/CV/BB</p>	<p>Red</p> <p>G-23760 T6/RD/CV/RD</p>
<p>Orange</p> <p>G-23761 T6/RD/CV/OG</p>	<p>Yellow</p> <p>G-23762 T6/RD/CV/YL</p>	<p>Green</p> <p>G-23763 T6/RD/CV/GN</p>	<p>Blue</p> <p>G-23764 T6/RD/CV/BLU</p>	<p>Rose Blush</p> <p>G-23765 T6/RD/CV/RB</p>

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate	G-98800 (9)
Multi Light	G-95825 18W


Fire Rated
3" Fire Rated Square Slim



G-97021

S3/8W/SQ/LED/5CCT FR

Fire Rated



Lumens	550
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

<p>Black</p> <p>G-48385 T3/SQ/CV/BK</p>	<p>Brushed Nickel</p> <p>G-48386 T3/SQ/CV/BN</p>	<p>Bronze</p> <p>G-48387 T3/SQ/CV/BZ</p>	<p>Brushed Brass</p> <p>G-48397 T3/SQ/CV/BB</p>
--	---	---	--

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W


Fire Rated
4" Fire Rated Square Slim



G-97022

S4/12W/SQ/LED/5CCT FR

Fire Rated



Lumens	850
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

<p>Black</p> <p>G-48388 T4/SQ/CV/BK</p>	<p>Brushed Nickel</p> <p>G-48389 T4/SQ/CV/BN</p>	<p>Bronze</p> <p>G-48390 T4/SQ/CV/BZ</p>	<p>Brushed Brass</p> <p>G-48398 T4/SQ/CV/BB</p>
--	---	---	--

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W

Fire Rated 5" Fire Rated Square Slim


5"

Cut Out: 5.10"

G-97023

S5/15W/SQ/LED/5CCT FR

Fire Rated



Lumens	1200
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black

G-48391
T5/SQ/CV/BK

Brushed Nickel

G-48392
T5/SQ/CV/BN

Bronze

G-48393
T5/SQ/CV/BZ

Brushed Brass

G-48399
T5/SQ/CV/BB

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 18W

Fire Rated 6" Fire Rated Square Slim


6"

Cut Out: 6.10"

G-97024

S6/18W/SQ/LED/5CCT FR

Fire Rated



Lumens	1600
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black

G-48394
T6/SQ/CV/BK

Brushed Nickel

G-48395
T6/SQ/CV/BN


Bronze

G-48396
T6/SQ/CV/BZ

Brushed Brass

G-48409
T6/SQ/CV/BB

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate	G-98800 (9)
Multi Light	G-95825 18W

Fire Rated

4" Fire Rated Round Regress slim

New Item

4"


Cut Out: 4.15"



G-20251

RS4/14W/R/LED/5CCT FR

Fire Rated



Lumens	1000
Wattage	14W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate G-98800 (6)

Fire Rated

6" Fire Rated Round Regress slim

New Item

6"


Cut Out: 6.30"



G-20253

RS6/18W/R/LED/5CCT FR

Fire Rated



Lumens	1350
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated
- Fire rated



Accessories

NC Plate G-98800 (9)

Commercial 3" Commercial Regress Downlight


3"

Cut Out: 2.95"



G-98521

RS3/10W-IC/15W-NIC/RD/LED/5CCT/BX



Color Covers

Black	Bronze	Brushed Nickel	Brushed Brass	Brushed Copper
G-22030 T/RL/3/R/CV/BK	G-22031 T/RL/3/R/CV/BZ	G-22032 T/RL/3/R/CV/BN	G-22033 T/RL/3/R/CV/BB	G-22034 T/RL/3/R/CV/BC

5 Selectable Color
90° CRI 90° True Colors
Wet Location
Air Tight
Dimmable

Lumens	750/1050
Wattage	10/15W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	10W

Accessories

NC Plate G-98800 (4)
 Multi Light G-95824 10W / G-95825 14W

Commercial 4" Commercial Regress Downlight


4"

Cut Out: 4.20"



G-98522

RS4/15W-IC/20W-NIC/RD/LED/5CCT/BX



Color Covers

Black	Bronze	Brushed Nickel	Brushed Brass	Brushed Copper
G-48460 T/RL/4/R/CV/BK	G-22041 T/RL/4/R/CV/BZ	G-22042 T/RL/4/R/CV/BN	G-22043 T/RL/4/R/CV/BB	G-22044 T/RL/3/R/CV/BC

5 Selectable Color
90° CRI 90° True Colors
Wet Location
Air Tight
Dimmable

Lumens	1400/2000
Wattage	15/20W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	15W

Accessories

NC Plate G-98800 (6)
 Multi Light G-95825 14W / G-95826 20W


Commercial

5" Commercial Regress Downlight



G-98523

RS5/23W-IC/32W-NIC/RD/LED/5CCT/BX



Lumens	2000/3000
Wattage	23/32W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC rated-at	23W

Color Covers

<p>Black</p> <p>G-22050 T/RL/S/R/CV/BK</p>	<p>Bronze</p> <p>G-22051 T/RL/S/R/CV/BZ</p>	<p>Brushed Nickel</p> <p>G-22052 T/RL/S/R/CV/BN</p>	<p>Brushed Brass</p> <p>G-22053 T/RL/S/R/CV/BB</p>	<p>Brushed Copper</p> <p>G-22054 T/RL/S/R/CV/BC</p>
---	--	--	---	--

Selectable Color
 CRI 90° True Colors
 Wet Location
 Air Tight
 Dimmable

ENERGY STAR
 JA8 TITLE 24
 ETL US

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95826 22W


Commercial

6" Commercial Regress Downlight



G-98524

RS6/28W-IC/48W-NIC/RD/LED/5CCT/BX



Lumens	2700/5000
Wattage	28/48W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC rated-at	28W

Color Covers

<p>Black</p> <p>G-22060 T/RL/6/R/CV/BK</p>	<p>Bronze</p> <p>G-22061 T/RL/6/R/CV/BZ</p>	<p>Brushed Nickel</p> <p>G-22062 T/RL/6/R/CV/BN</p>	<p>Brushed Brass</p> <p>G-22063 T/RL/6/R/CV/BB</p>	<p>Brushed Copper</p> <p>G-22064 T/RL/6/R/CV/BC</p>
---	--	--	---	--

Selectable Color
 CRI 90° True Colors
 Wet Location
 Air Tight
 Dimmable

ENERGY STAR
 JA8 TITLE 24
 ETL US

Accessories

NC Plate	G-98800 (9)
----------	---------------

Commercial
8" Commercial Regress Downlight


8"

Cut Out: 8.00"



G-98526

RS8/50W-IC/80W-NIC/RD/LED/5CCT/BX



Lumens	5000/8000
Wattage	50/80W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac at 58W/0-10V at 58/80W
Pack	12
IC rated-at	50W

Color Covers

<p>Black</p> <p>G-22080 T/RL/8/R/CV/BK</p>	<p>Bronze</p> <p>G-22081 T/RL/8/R/CV/BZ</p>	<p>Brushed Nickel</p> <p>G-22082 T/RL/8/R/CV/BN</p>	<p>Brushed Brass</p> <p>G-22083 T/RL/8/R/CV/BB</p>	<p>Brushed Copper</p> <p>G-22084 T/RL/8/R/CV/BC</p>
---	--	--	---	--

- Selectable Color
- CRI 90 True Colors
- Wet Location
- Air Tight
- Dimmable



Accessories

NC Plate G-19982 (8)

Accessories
Multi Light Driver

G-95823

Multi Light Driver, 5,7,8 Watt

5-7-8W



G-95824

Multi Light Driver, 9,10,12 Watt

9-10-12W



G-95825

Multi Light Driver, 14,16,18 Watt

14-16-18W



G-95826

Multi Light Driver, 20,22,24 Watt

20-22-24W



G-95827

Quick Connect Coupling





Accessories

Mud-in Goof Ring



G-98410

TL/GF/2.2ID-4.53OD/RD





G-98411

TL/GF/2.95ID-5.31OD/RD





G-98412

TL/GF/4.5ID-7.3OD/RD



G-98413

TL/GF/6.5ID-9.3OD/RD




Pack 100

Accessories

White Goof Ring


G-98420

Goof/2.2ID-3.75OD/R/White




G-98421

Goof/2.75ID-4.5OD/R/White




G-98422

Goof/4.5ID-6.5OD/R/White



G-98423

Goof/6.5ID-8.5OD/R/White




Pack 100

Accessories
Emergency LED Driver 15W

15W

G-48410

EM/15W/14.8Vdc/2000mA



mA	2000mA
Voltage	120/347V
Illumination time	90 mins
Recharging time	24 hours
Pack	15
24" Test Button Included	



Accessories


Item	Description	Length
G-95528	Test Button	20FT

Accessories
Emergency LED Driver 25W

25W

G-95525

EM/120-347v /25w /170v DC/0-10



mA	3500mA
Voltage	120/347V
Illumination time	90 mins
Recharging time	24 hours
Pack	10
24" Test Button Included	




Accessories
Emergency LED Driver 30W

30W

G-48411

EM/30W/29.6Vdc/2000mA



mA	2000mA
Voltage	120/347V
Illumination time	90 mins
Recharging time	24 hours
Pack	15
24" Test Button Included	





Accessories

Item	Description	Length
G-95528	Test Button	20FT

Accessories Emergency LED Driver 60W

G-95521

EM/60W/28.8Vdc/4000mA



mA	4000mA
Voltage	120/347V
Illumination time	90 mins
Recharging time	24 hours
Pack	10
24" Test Button Included	



Accessories LED Extension Cords



2 PIN

G-20210

6FT

Extends 6 Ft

G-20211

10FT

Extends 10 Ft



Twist Lock

G-48328

10FT

Extends 10 Ft



BX Type

G-98628

15FT

Extends 15 Ft

G-98629

30FT

Extends 30 Ft



3 PIN

G-20247

5FT

Extends 5 Ft

G-20248

10FT

Extends 10 Ft

G-19822

20FT

Extends 20 Ft

G-19823

30FT


Extends 30 Ft

Accessories

New Construction Plates

G-98800

New Item




Punch out	Uni.Size	Punch out	Uni.Size	Punch out	Uni.Size
0	1.38"	4	3.15"	8	5.34"
1	1.65"	5	3.75"	9	6.35"
2	2.12"	6	4.25"		
3	2.75"	7	4.64"		

Pack 24

G-98810


New Item



Punch out	Uni.Size	Punch out	Uni.Size	Punch out	Uni.Size
0	1.38"	4	3.15"	8	5.34"
1	1.65"	5	3.75"	9	6.35"
2	2.12"	6	4.25"		
3	2.75"	7	4.64"		

Pack 20

G-19969




Punch out	Uni.Size
0	2.95"
1	4.33"
2	6.29"

Pack 24

G-19974

4" Center to center




Punch out	Uni.Size
1	2.12"
2	2.75"
3	3.15"
4	3.75"

Pack 20

Accessories

New Construction Plates

G-19976




6" Center to center

Punch out	Uni.Size	Punch out	Uni.Size
1	2.12"	5	4.25"
2	2.75"	6	4.64"
3	3.15"	7	5.34"
4	3.75"		

Pack 20

G-19968




8" Center to center

Punch out	Uni.Size	Punch out	Uni.Size	Punch out	Uni.Size
1	2.12"	4	3.75"	7	5.34"
2	2.75"	5	4.25"	8	6.35"
3	3.15"	6	4.64"	9	6.88"

Pack 20


G-19982



Punch out	Uni.Size	Punch out	Uni.Size	Punch out	Uni.Size
0	2.08"	4	4.33"	8	8.42"
1	2.75"	5	5.27"	9	9.33"
2	3.15"	6	6.29"	10	10.31"
3	3.7"	7	6.88"		

Pack 10


G-48318



Punch out	Uni.Size
0	5.11" X 3.35"
1	6.29" X 3.35"
2	7.48" X 3.35"
3	9.44" X 3.35"

Pack 12

G-48448




Punch out	Uni.Size
0	7.68" X 3.94"
1	11.42" X 3.94"

Pack 12

Accessories


New Construction Plates



G-48449

Punch out	Uni.Size
0	9.92" X 2.83"
1	12.52" X 3.54"
2	15.27" X 4.33"


Pack	12
------	----



G-98821

Punch out	Uni.Size	Punch out	Uni.Size
0	5.71" X 3.00"	3	9.49" X 3.00"
1	6.3" X 3.00"	4	11.73" X 3.00"
2	8.70" X 3.00"	5	13.23" X 3.00"


Pack	12
------	----



G-98822

Punch out	Uni.Size	Punch out	Uni.Size
0	7.17" X 3.7"	3	12" X 3.7"
1	7.68" X 3.7"	4	14.49" X 3.7"
2	10.79" X 3.7"	5	16.22" X 3.7"


Pack	12
------	----



G-98823

Punch out	Uni.Size	Punch out	Uni.Size
0	9.05" X 4.68"	3	14.76" X 4.68"
1	9.72" X 4.68"	4	19.13" X 4.68"
2	14.05" X 4.68"	5	19.80" X 4.68"

Pack	12
------	----



G-21062


Punch out	Uni.Size	Punch out	Uni.Size
0	2" X 1.82"	3	9.48" X 1.82"
1	5" X 1.82"	4	18.74" X 1.82"
2	5.78" X 1.82"		

Pack	24
------	----

Accessories

New Construction Plates


G-98817



Punch out	Uni.Size	Punch out	Uni.Size
0	9.61" X 4.25"	3	17.48" X 4.25"
1	10.83" X 4.25"	4	21.02" X 4.25"
2	15.28" X 4.25"	5	23.94" X 4.25"

Pack 20


G-98818



Punch out	Uni.Size	Punch out	Uni.Size
0	5.91" X 5.91"	3	9.61" X 9.61"
1	6.77" X 6.77"	4	10.87" X 10.87"
2	7.40" X 7.40"		

Pack 12


G-98819



Punch out	Uni.Size
Round	2.36"
Square	2.56" X 2.56"
Vertical	1.97" X 3.07"
Horizontal	2.20" X 3.39"

Pack 12

G-98824




Punch out	Uni.Size
0	5.92" X 11.41"
1	5.92" X 16.92"
2	5.92" X 22.44"

Pack 12

Accessories

New Construction Plates New Item

G-98814




Punch out	Uni.Size	Punch out	Uni.Size
0	3.19" X 3.19"	3	11.18" X 3.70"
1	3.78" X 3.78"	4	14.92" X 3.70"
2	7.44" X 3.70"		

Pack 12

Accessories


New Construction Plates New Item



G-98816

Punch out	Uni.Size
0	3.74" X 4.13"
1	8.46" X 4.13"
2	13.19" X 4.13"
3	17.91" X 4.13"


Pack	12
------	----



G-98811

Punch out	Uni.Size
0	3.70" X 3.70"
1	7.40" X 3.70" Oval
2	11.20" X 3.70" Oval
3	15.00" X 3.70" Oval


Pack	12
------	----



G-98812

Punch out	Uni.Size
0	2.99" X 2.99"
1	6.14" X 2.99" Oval
2	9.29" X 2.99" Oval
3	12.44" X 2.99" Oval


Pack	12
------	----



G-98813

Punch out	Uni.Size
0	6.40" X 3.20" Oval
1	9.50" X 3.20" Oval
2	12.70" X 3.20" Oval

Pack	12
------	----



G-98815

Punch out	Uni.Size
0	3.86" X 3.86"
1	7.56" X 3.86"
2	11.30" X 3.86"
3	15.08" X 3.86"

Pack	12
------	----

Glimmer
5" Edgeless Surface Mount Fixture New Item

G-13050

ED5/8W/R/LED/5CCT/G2



Color Covers

Black

G-13051
ED/CV5/BK



Oil Rubbed Bronze

G-13052
ED/CV5/ORB



Brushed Nickel

G-13053
ED/CV5/BN



Brushed Brass

G-13054
ED/CV5/BB



Brushed Cooper

G-13055
ED/CV5/BC



Red

G-13056
ED/CV5/RD



Orange

G-13057
ED/CV5/OG



Yellow

G-13058
ED/CV5/YL



Green

G-13059
ED/CV5/GN




Blue

G-13060
ED/CV5/BL



Rose Blush

G-13061
ED/CV5/RB




Lumens	600
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	60



Glimmer
7" Edgeless Surface Mount Fixture New Item

G-13070

ED7/12W/R/LED/5CCT/G2



Color Covers

Black

G-13071
ED/CV7/BK



Oil Rubbed Bronze

G-13072
ED/CV7/ORB



Brushed Nickel

G-13073
ED/CV7/BN



Brushed Brass

G-13074
ED/CV7/BB



Brushed Cooper

G-13075
ED/CV7/BC



Red

G-13076
ED/CV7/RD



Orange

G-13077
ED/CV7/OG



Yellow

G-13078
ED/CV7/YL



Green

G-13079
ED/CV7/GN




Blue

G-13080
ED/CV7/BL



Rose Blush

G-13081
ED/CV7/RB



Lumens	950
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	40



Glimmer
9" Edgeless Surface Mount Fixture New Item

G-13090

ED9/18W/R/LED/5CCT/G2



Color Covers

Black

G-13091
ED/CV9/BK



Oil Rubbed Bronze

G-13092
ED/CV9/ORB



Brushed Nickel

G-13093
ED/CV9/BN



Brushed Brass

G-13094
ED/CV9/BB



Brushed Cooper

G-13095
ED/CV9/BC



Red

G-13096
ED/CV9/RD



Orange

G-13097
ED/CV9/OG



Yellow

G-13098
ED/CV9/YL



Green

G-13099
ED/CV9/GN




Blue

G-13100
ED/CV9/BL



Rose Blush

G-13101
ED/CV9/RB



Lumens	1600
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10v
Pack	20





Glimmer
12" Edgeless Surface Mount Fixture New Item

12"

G-13120

ED12/24W/R/LED/5CCT



Lumens	2150
Wattage	24W
Voltage	120/277V
CRI	90+
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10v
Pack	10

Color Covers

<p>Black</p> <p>G-13121 ED/CV12/BK</p>	<p>Oil Rubbed Bronze</p> <p>G-13122 ED/CV12/ORB</p>	<p>Brushed Nickel</p> <p>G-13123 ED/CV12/BN</p>	<p>Brushed Brass</p> <p>G-13124 ED/CV12/BB</p>	<p>Brushed Cooper</p> <p>G-13125 ED/CV12/BC</p>	
<p>Red</p> <p>G-13126 ED/CV12/RD</p>	<p>Orange</p> <p>G-13127 ED/CV12/OG</p>	<p>Yellow</p> <p>G-13128 ED/CV12/YL</p>	<p>Green</p> <p>G-13129 ED/CV12/GN</p>	<p>Blue</p> <p>G-13130 ED/CV12/BL</p>	<p>Rose Blush</p> <p>G-13131 ED/CV12/RB</p>

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable




Glimmer
14" Edgeless Surface Mount Fixture New Item

14"

G-13140

ED14/28W/R/LED/5CCT



Lumens	2500
Wattage	28W
Voltage	120/277V
CRI	90+
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10v
Pack	10


Color Covers

<p>Black</p> <p>G-13141 ED/CV14/BK</p>	<p>Oil Rubbed Bronze</p> <p>G-13142 ED/CV14/ORB</p>	<p>Brushed Nickel</p> <p>G-13143 ED/CV14/BN</p>	<p>Brushed Brass</p> <p>G-13144 ED/CV14/BB</p>	<p>Brushed Cooper</p> <p>G-13145 ED/CV14/BC</p>	
<p>Red</p> <p>G-13146 ED/CV14/RD</p>	<p>Orange</p> <p>G-13147 ED/CV14/OG</p>	<p>Yellow</p> <p>G-13148 ED/CV14/YL</p>	<p>Green</p> <p>G-13149 ED/CV14/GN</p>	<p>Blue</p> <p>G-13150 ED/CV14/BL</p>	<p>Rose Blush</p> <p>G-13151 ED/CV14/RB</p>

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable




Accretion
8" Slim Surface Mount Fixture New Item



G-12208

AC8/15W/R/LED/5CCT



Black Cover

Black

G-12080
AC8/CV/BK



Emergency Battery

Empty Battery



G-12210
AC8/15W/R/LED/5CCT/EM

G-12209
AC8/R/LED/EM/BODY

Lumens	1000
Wattage	15W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	20

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable




Accretion
12" Slim Surface Mount Fixture New Item



G-12212

AC12/24W/R/LED/5CCT



Black Covers

Black

G-12000
AC12/CV/BK



- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable

Lumens	1750
Wattage	24W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	10




Accretion
16" Slim Surface Mount Fixture New Item



G-12216

AC16/30W/R/LED/5CCT



Black Covers

Black

G-12160
AC16/CV/BK




- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable

Lumens	2300
Wattage	30W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	6




Accretion
20" Slim Surface Mount Fixture New Item

20"



G-12220

AC20/30W/R/LED/5CCT



Lumens	3000
Wattage	30W
Voltage	120/227V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	5

Black Covers

Black

G-12200
 AC20/CV/BK




- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable




Accretion
24" Slim Surface Mount Fixture New Item

24"



G-12224

AC24/40W/R/LED/5CCT



Lumens	3850
Wattage	40W
Voltage	120/227V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	5

Black Covers

Black

G-12240
 AC24/CV/BK



- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable




4"

Spica 4" Surface Mount Disk Light



G-19931

D4/12W/R/LED/SCCT



Lumens	725
Wattage	12W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	20




Spica 6" Surface Mount Disk Light

6"



G-19932

D6/15W/R/LED/SCCT



Lumens	950
Wattage	15W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	20




Spica 8" Surface Mount Disk Light

8"



G-19933

D8/27W/R/LED/SCCT



Lumens	1875
Wattage	27W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	10




Glawre'
4"X2' Surface Mount Fixture

4"X2'

G-12042

GL/SM/4"X2'/22W/LED/5CCT



Lumens	2420LM
Wattage	22W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	10

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable




Glawre'
4"X3' Surface Mount Fixture

4"X3'

G-12043

GL/SM/4"X3'/30W/LED/3WS/5CCT



Lumens	2200/2750/3300
Wattage	20/25/30W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable




Glawre'
4"X4' Surface Mount Fixture

4"X4'

G-12044

GL/SM/4"X4'/40W/LED/3WS/5CCT



Lumens	2200/3300/4400
Wattage	20/30/40W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable




Glawre' 6"X2' Surface Mount Fixture

6"X2'

G-12062

GL/SM/6"X2'/22W/LED/5CCT



Lumens	2420LM
Wattage	22W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	10




Glawre' 6"X3' Surface Mount Fixture

6"X3'

G-12063

GL/SM/6"X3'/30W/LED/3WS/5CCT



Lumens	2200/2750/3300
Wattage	20/25/30W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	5




Glawre' 6"X4' Surface Mount Fixture

6"X4'

G-12064

GL/SM/6"X4'/40W/LED/3WS/5CCT



Lumens	2200/3300/4400
Wattage	20/30/40W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	4




Glawre'
1X1 Surface Mount Fixture

1X1

G-12020

GL/SM/1X1/20W/WS3/LED/5CCT



Lumens	1400/1800/2200
Wattage	12/16/20W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	4

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable




Glawre'
1X2 Surface Mount Fixture

1X2

G-12021

GL/SM/1X2/30W/LED/WS3/5CCT



Lumens	2100/2700/3300
Wattage	18/24/30W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	4

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable




Glawre'
1X4 Surface Mount Fixture

1X4

G-12022

GL/SM/1X4/50W/LED/WS3/5CCT



Lumens	3660/4720/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	2

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable




2X2

Glawre' 2X2 Surface Mount Fixture

G-12023

GL/SM/2X2/50W/LED/WS3/5CCT



Lumens	3660/4720/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	4

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable




Glawre' 2X4 Surface Mount Fixture

2X4

G-12024

GL/SM/2X4/62W/LED/WS3/5CCT



Lumens	5000/6000/7500
Wattage	40/50/62W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	2

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable



Star
4" Rectangular Flushed Slim


4"X1"

Cut Out: 4x12"




G-11141

S/RCTNGL/4X12/20W/SQ/LED/5CCT



Lumens	1600
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Star
4" Rectangular Flushed Slim


4"X2"

Cut Out: 4x24"



G-11142

S/RCTNGL/4X24/40W/SQ/LED/5CCT



Lumens	3400
Wattage	40W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Star
4" Rectangular Flushed Slim


4"X3"

Cut Out: 4x36"




G-11143

S/RCTNGL/4X36/56W/SQ/LED/5CCT



Lumens	4800
Wattage	56W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Star
4" Rectangular Flushed Slim


4"X4"

Cut Out: 4x47"




G-11144

S/RCTNGL/4X48/80W/SQ/LED/5CCT



Lumens	6000
Wattage	80W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Star
6" Rectangular Flushed Slim


6"X1"

Cut Out: 6x12"




G-11161

S/RCTNGL/6X12/24W/SQ/LED/5CCT



Lumens	1900
Wattage	24W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Star
6" Rectangular Flushed Slim


6"X2"

Cut Out: 6x24"



G-11162

S/RCTNGL/6X24/48W/SQ/LED/5CCT



Lumens	4000
Wattage	48W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Star
6" Rectangular Flushed Slim


6"X3"

Cut Out: 6x36"



G-11163

S/RCTNGL/6X36/72W/SQ/LED/5CCT



Lumens	5600
Wattage	72W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Star
6" Rectangular Flushed Slim


6"X4"

Cut Out: 6x47"




G-11164

S/RCTNGL/6X48/96W/SQ/LED/5CCT



Lumens	7800
Wattage	96W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated




Nebula 1ft Linkable Multi Select Linear Fixture

1ft

G-21201

1FT/LINK/LNR/6/12WS/5CCT



Lumens	600/1200
Wattage	6/12W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Damp Location
- Dimmable




Nebula 2ft Linkable Multi Select Linear Fixture

2ft

G-21202

2FT/LINK/LNR/12/24WS/5CCT



Lumens	1200/2400
Wattage	12/24W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Damp Location
- Dimmable




Nebula 3ft Linkable Multi Select Linear Fixture

3ft

G-21203

3FT/LINK/LNR/18/36WS/5CCT



Lumens	1800/3600
Wattage	18/36W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Damp Location
- Dimmable



4ft

Nebula 4ft Linkable Multi Select Linear Fixture

G-21204

4FT/LINK/LNR/24/48WS/5CCT




Lumens	2400/4800
Wattage	24/48W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	12



Nebula 5ft Linkable Multi Select Linear Fixture

G-21205

5FT/LINK/LNR/30/60WS/5CCT



Lumens	3000/6000
Wattage	30/60W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	12



Nebula 6ft Linkable Multi Select Linear Fixture

G-21206

6FT/LINK/LNR/36/72WS/5CCT



Lumens	3600/7200
Wattage	36/72W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	6




Nebula 8ft Linkable Multi Select Linear Fixture

8ft

G-21208

8FT/LINK/LNR/48/96WS/5CCT



Lumens	4800/9600
Wattage	48/96W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	6




Nebula 10ft Linkable Multi Select Linear Fixture

10ft

G-21210

10FT/LINK/LNR/60/120WS/5CCT



Lumens	6000/10000
Wattage	60/108W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	6



Nebula Accesories

Nebula 2 ft Power Plug



G-21215

Nebula 2 ft Linkable Cord



G-21216

Nebula 2 ft Power Cord



G-21217

Nebula 60" Pendant Kit



G-21218

Nebula Bridge Connector



G-21219



Orion 2ft Linear Fixture


2ft

G-22302

2FT/LNR/SWS/SCCT

G-22312-EM

2FT/LNR/SWS/SCCT/EM



Lumens	2900/2465/2030/1595/1160
Wattage	20W/17W/14W/11W/8W
Voltage	120/277V
CRI	80
Beam	120°
CCT	30, 35, 41, 50, 65k
Dim	0-10V Dimming
Pack	4

- Selectable Color
- CRI 80° True Colors
- Damp Location
- Dimmable
- Motion Sensor



Orion 4ft Linear Fixture

4ft

G-22304

4FT/LNR/SWS/SCCT


G-22314-EM

4FT/LNR/SWS/SCCT/EM

G-22324-MS

4FT/LNR/SWS/SCCT/MS

New Item



Lumens	5800/5075/4350/3625/2900
Wattage	40W/35W/30W/25W/20W
Voltage	120/277V
CRI	80
Beam	120°
CCT	30, 35, 41, 50, 65k
Dim	0-10V Dimming
Pack	4

- Selectable Color
- CRI 80° True Colors
- Damp Location
- Dimmable
- Motion Sensor



Orion
4ft High Lumen Linear Fixture New Item


4ft

G-22354

4FT/LNR/5WS/5CCT/HO

G-22374-MS

4FT/LNR/5WS/5CCT/HO/MS



Lumens	10800/9000/7200/5400/3600
Wattage	72W/60W/48W/36W/24W
Voltage	120/277V
CRI	80
Beam	120°
CCT	30, 35, 41, 50, 65k
Dim	0-10V Dimming
Pack	4

- Selectable Color
- CRI 80 True Colors
- Damp Location
- Dimmable



Orion
8ft Linear Fixture


8ft

G-22308

8FT/LNR/5WS/5CCT

G-22318-EM

8FT/LNR/5WS/5CCT/EM



Lumens	11600/10150/8700/7250/5800
Wattage	80W/70W/60W/50W/40W
Voltage	120/277V
CRI	80
Beam	120°
CCT	30, 35, 41, 50, 65k
Dim	0-10V Dimming
Pack	4

- Selectable Color
- CRI 80 True Colors
- Damp Location
- Dimmable
- Motion Sensor



Orion Accessories



G-22290

ORION BILEVEL MOTION SENSOR



G-22291

ORION BRIDGE CONNECTOR



INCLUDED

2x2

Neptune 2x2 Butterfly Troffer Fixture




G-98424

F/2X2/50W/BRT/3WS/5CCT

G-98425-EM

F/2X2/50W/BRT/3WS/5CCT/EM



Lumens	3750/3900/5350
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	2

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



Neptune 2x4 Butterfly Troffer Fixture

2x4




G-98426

F/2X4/72W/BRT/3WS/5CCT

G-98427-EM

F/2X4/72W/BRT/3WS/5CCT/EM



Lumens	5775/6850/7400
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	1

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



Neptune
2x2 Bevel Troffer Fixture

2x2




G-98322

F/2X2/50W/BT/WS3/SCCT

G-98323-EM

F/2X2/50W/BT/WS3/SCCT/EM



Lumens	3335/4730/5671
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	2

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



Neptune
2x4 Bevel Troffer Fixture

2x4




G-98324

F/2X4/72W/BT/WS3/SCCT

G-98325-EM

F/2X4/72W/BT/WS3/SCCT/EM



Lumens	5775/6780/7685
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



2x2

Neptune 2x2 Focused Troffer Fixture




G-98226

F/2X2/50W/FT/WS3/5CCT

G-98227-EM

F/2X2/50W/FT/WS3/5CCT/EM



Lumens	3275/4275/5300
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	2

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



Neptune 2x4 Focused Troffer Fixture

2x4




G-98228

F/2X4/70W/FT/WS3/5CCT

G-98229-EM

F/2X4/70W/FT/WS3/5CCT/EM



Lumens	5580/6950/7925
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	1

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



Neptune 2x2 Backlit Vault Fixture

2x2



G-98240

F/2X2/50W/BL/VLT/WS3/5CCT

G-98241-EM


F/2X2/50W/BL/VLT/WS3/5CCT/EM



Sensor



Controller



Lumens	3450/4600/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable
- Motion Sensor
- App Compatible



Neptune 2x4 Backlit Vault Fixture

2x4



G-98242

F/2X4/70W/BL/VLT/WS3/5CCT

G-98243-EM


F/2X4/70W/BL/VLT/WS3/5CCT/EM



Sensor



Controller



Lumens	5750/6900/8050
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable
- Motion Sensor
- App Compatible



2x2

Neptune 2x2 Indirect Single Vault Fixture

G-98250

F/2X2/50W/IND/1-VLT/WS3/5CCT

G-98251-EM


F/2X2/50W/IND/1-VLT/WS3/5CCT/EM



Sensor



Controller



Lumens	3450/4600/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable
- Motion Sensor
- App Compatible



Neptune 2x4 Indirect Single Vault Fixture

2x4

G-98252

F/2X4/70W/IND/1-VLT/WS3/5CCT

G-98253-EM


F/2X4/70W/IND/1-VLT/WS3/5CCT/EM



Sensor



Controller



Lumens	5750/6900/8050
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable
- Motion Sensor
- App Compatible



Neptune 2x2 Indirect Double Vault Fixture


2x2

G-98260

F/2X2/50W/IND/2-VLT/WS3/5CCT

G-98261-EM

F/2X2/50W/IND/2-VLT/WS3/5CCT/EM



Lumens	3450/4600/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable
- Motion Sensor
- App Compatible



Neptune 2x4 Indirect Double Vault Fixture


2x4

G-98262

F/2X4/70W/IND/2-VLT/WS3/5CCT

G-98263-EM

F/2X4/70W/IND/2-VLT/WS3/5CCT/EM



Lumens	5750/6900/8050
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable
- Motion Sensor
- App Compatible



2x2

Neptune 2x2 Indirect Center Net Basket Fixture

G-98000

F/2X2/50W/ICNB/WS3/5CCT

G-98001-EM


F/2X2/50W/ICNB/WS3/5CCT/EM



Sensor



Controller



Lumens	3450/4600/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable
- Motion Sensor
- App Compatible



Neptune 2x4 Indirect Center Net Basket Fixture

2x4

G-98002

F/2X4/70W/ICNB/WS3/5CCT

G-98003-EM


F/2X4/70W/ICNB/WS3/5CCT/EM



Sensor



Controller



Lumens	5750/6900/8050
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable
- Motion Sensor
- App Compatible



Neptune 2x2 Square Center Basket Fixture

2x2



G-98010

F/2X2/50W/SQ-CB/WS3/5CCT

G-98011-EM


F/2X2/50W/SQ-CB/WS3/5CCT/EM



Sensor



Controller



Lumens	3900/5200/6500
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212



Neptune 2x4 Square Center Basket Fixture

2x4



G-98012

F/2X4/70W/SQ-CB/WS3/5CCT

G-98013-EM


F/2X4/70W/SQ-CB/WS3/5CCT/EM



Sensor



Controller



Lumens	6500/7800/9100
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212



Neptune 2x2 Center Basket Fixture


2x2

G-98020

F/2X2/50W/CB/WS3/4CCT

G-98021 EM

F/2X2/50W/CB/WS3/4CCT/EM



Lumens	3775/5150/6130
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

- 4 Selectable Color
- 80+ CRI 80+ True Colors
- Wet Location
- Dimmable



Neptune 2x4 Center Basket Fixture


2x4

G-98022

F/2X4/72W/CB/WS3/4CCT

G-98023-EM

F/2X4/72W/CB/WS3/4CCT/EM



Lumens	6220/7410/8580
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

- 4 Selectable Color
- 80+ CRI 80+ True Colors
- Wet Location
- Dimmable



Neptune
2x2 Center Line Fixture



2x2

G-98028

F/2X2/50W/CL/WS3/5CCT

G-98029-EM

F/2X2/50W/CL/4CCT/WS3/EM



Lumens	3280/4330/5390
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50k
Dimmable	0-10V
Pack	1

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable



Neptune
2x4 Center Line Fixture


2x4

G-98120

F/2X4/72W/CL/WS3/4CCT

G-98121-EM

F/2X4/72W/CL/4CCT/WS3/EM



Lumens	5910/6920/7560
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50k
Dimmable	0-10V
Pack	1

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable



Neptune
2x2 Center Indirect Fixture

2x2




G-98126

F/2X2/50W/CI/WS3/4CCT

G-98127-EM

F/2X2/50W/CI/WS3/4CCT/EM



Lumens	3310/4535/5360
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50k
Dimmable	0-10V
Pack	1

- 4 Selectable Color
- 80 CRI 80° True Colors
- Wet Location
- Dimmable



Neptune
2x4 Center Indirect Fixture

2x4




G-98128

F/2X4/72W/CI/WS3/4CCT

G-98129-EM

F/2X4/72W/CI/WS3/4CCT/EM



Lumens	5400/6615/7780
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50k
Dimmable	0-10V
Pack	1

- 4 Selectable Color
- 80 CRI 80° True Colors
- Wet Location
- Dimmable



Neptune
2x2 Regress Panel Fixture

2x2




G-98326

F/2X2/50W/RT/WS3/5CCT

G-98327-EM

F/2X2/50W/RT/WS3/5CCT/EM



Lumens	5300/4550/3275
Wattage	50/40/30W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	2

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



Neptune
2x4 Regress Panale Fixture

2x4




G-98328

F/2X4/70W/RT/WS3/5CCT

G-98329-EM

F/2X4/70W/RT/WS3/5CCT/EM



Lumens	7275/6500/5625
Wattage	70/60/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	1

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable





Neptune
1x4 Backlit Flat Panel

1x4

G-11920

NP/BP/1X4/50W/WS3/5CCT



Lumens	3750/5000/6250
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable



Neptune
2x2 Backlit Flat Panel

2x2


G-11921

NP/BP/2X2/50W/WS3/5CCT

G-11928-EM

New Item

NP/BP/2X2/50W/WS3/5CCT-EM



Lumens	3750/5000/6250
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

- Selectable Color
- CRI 80+ True Colors
- Wet Location
- Dimmable



Neptune
2X4 Backlit Flat Panel

2X4


G-11922

NP/BP/2X4/70W/WS3/5CCT

G-11929-EM

New Item

NP/BP/2X4/70W/WS3/5CCT-EM



Lumens	6250/7500/8750
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1


- Selectable Color
- CRI 80 True Colors
- Wet Location
- Dimmable



Neptune
Surface Mount Kit 2X2, 2X4

G-98222


2X2/Surface/Kit



Size	24.68" X 24.68"
Height	4.52"
Pack	6

G-98224

2X4/Surface/Kit



Size	24.68" X 48.42"
Height	4.52"
Pack	6

Flange Kit 2X2, 2X4

G-48305

F/KIT/2X2 KIT



Height	1.50"
Pack	20

G-48307

F/KIT/2X4 KIT



Height	1.50"
Pack	20

Equator 1'X4' Frame Panel Fixture

1'X4'




G-12120

F/1X4/40W/FP/3WS/5CCT

G-12121-EM

F/1X4/40W/FP/3WS/5CCT/EM




Lumens	2600/3900/5200
Wattage	20/30/40W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	6

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



Equator 2'X2' Frame Panel Fixture

2'X2'




G-12122

F/2X2/40W/FP/3WS/5CCT

G-12123-EM

F/2X2/40W/FP/3WS/5CCT/EM



Lumens	2600/3900/5200
Wattage	20/30/40W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	6

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



Equator 2'X4' Frame Panel Fixture

2'X4'



G-12124


5200/6500/7800 LM - 40/50/60W

F/2X4/60W/FP/3WS/5CCT

G-12125-EM

3900/5200/6500 LM - 30/40/50W

F/2X4/50W/FP/3WS/5CCT/EM



Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	6

- Selectable Color
- CRI 80+ True Colors
- Damp Location
- Dimmable



Stellar
Mini White Puck Light New Item



G-02500 22k Amber

PUCK/MN/1W/24V/22K/WT

G-02501 27k Soft White

PUCK/MN/1W/24V/27K/WT

G-02502 30k Warm White


PUCK/MN/1W/24V/30K/WT

G-02503 35k Neutral White

PUCK/MN/1W/24V/35K/WT


- CRI 90+ True Colors
- Damp Location
- Air Tight
- IC Rated

Mini
Cut Out: 0.69"



Lumens	100
Wattage	1W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100

Stellar
Mini Black Puck Light New Item



G-02510 22k Amber

PUCK/MN/1W/24V/22K/BK

G-02511 27k Soft White

PUCK/MN/1W/24V/27K/BK

G-02512 30k Warm White


PUCK/MN/1W/24V/30K/BK

G-02513 35k Neutral White

PUCK/MN/1W/24V/35K/BK


- CRI 90+ True Colors
- Damp Location
- Air Tight
- IC Rated

Mini
Cut Out: 0.69"



Lumens	100
Wattage	1W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100

Stellar
Mini Brushed Brass Puck Light New Item



G-02540 22k Amber

PUCK/MN/1W/24V/22K/BB

G-02541 27k Soft White

PUCK/MN/1W/24V/27K/BB

G-02542 30k Warm White


PUCK/MN/1W/24V/30K/BB

G-02543 35k Neutral White

PUCK/MN/1W/24V/35K/BB

- CRI 90+ True Colors
- Damp Location
- Air Tight
- IC Rated

Mini
Cut Out: 0.69"




Lumens	100
Wattage	1W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100

1"

Cut Out: 0.98"

Stellar
1" White Puck Light New Item



G-00100 22k Amber

PUCK/1/2W/24V/22K/WT

G-00101 27k Soft White


PUCK/1/2W/24V/27K/WT

G-00102 30k Warm White

PUCK/1/2W/24V/30K/WT

G-00103 35k Neutral White

PUCK/1/2W/24V/35K/WT



Lumens	175
Wattage	2W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100



Stellar
1" Black Puck Light New Item



G-00110 22k Amber

PUCK/1/2W/24V/22K/BK

G-00111 27k Soft White

PUCK/1/2W/24V/27K/BK

G-00112 30k Warm White


PUCK/1/2W/24V/30K/BK

G-00113 35k Neutral White

PUCK/1/2W/24V/35K/BK

1"


Cut Out: 0.98"



Lumens	175
Wattage	2W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100



Stellar
1" Brushed Brass Puck Light New Item



G-00140 22k Amber

PUCK/1/2W/24V/22K/BB

G-00141 27k Soft White

PUCK/1/2W/24V/27K/BB

G-00142 30k Warm White


PUCK/1/2W/24V/30K/BB

G-00143 35k Neutral White

PUCK/1/2W/24V/35K/BB

1"

Cut Out: 0.98"



Lumens	175
Wattage	2W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100




Eclipse Round Clip-In Steplight

Round

Cut Out: 2.36"

G-48200

ST/SW/RD/CLP/LED/5CCT/WH



Lumens	350
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	36°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Accessories

NC Plate	G-98819
Multi Light	G-95823 5W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated




Eclipse Oval Clip-In Steplight

Oval

Cut Out: 3.05" X 1.85"

G-48210

ST/SW/OV/CLPLED/5CCT/WH



Lumens	350
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	36°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Accessories

NC Plate	G-98819
Multi Light	G-95823 5W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated




Eclipse Vertical Clip-In Steplight

Vertical

Cut Out: 2.50" X 2.50"

G-48220

ST/SW/V/CLP/LED/5CCT/WH



Lumens	200
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	80°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Accessories

NC Plate	G-98819
Multi Light	G-95823 5W

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- IC Rated



Led Vertical Step Light



SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens	125
Wattage	3W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location IP65
- Air Tight
- Dimmable



Led Horizontal Step Light



SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens	250
Wattage	5W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location IP65
- Air Tight
- Dimmable



Led Universal Step Light




SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens	125
Wattage	2W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18

- Selectable Color
- CRI 90+ True Colors
- Wet Location IP65
- Air Tight
- Dimmable



Led Universal Step Light



G-20019

30k Warm White

ST/2W/V/H/LED/30k B

G-20021


50k Super White

ST/2W/V/H/LED/50k B

Lumens	125
Wattage	2W
Voltage	120V
CRI	90
Dimmable	No
Pack	18



Vertical Trimless Step Light



G-48530

ST/TL/3W/V/LED/5CCT W

White

G-48531


ST/TL/3W/V/LED/5CCT B

Black

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	75
Wattage	3W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18



Horizontal Trimless Step Light



G-48532

ST/TL/3W/H/LED/5CCT W

White

G-48533

ST/TL/3W/H/LED/5CCT B

Black

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	110
Wattage	3W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18



Tape Light 1.5 Watt Cob New Item

1.5W

16.4 Ft



- G-99450** ○ 27k Soft White Lumens: 160 FT/ 530 M
T/COB/1.5W/27K
- G-99451** ○ 30k Warm White Lumens: 180 FT/ 593 M
T/COB/1.5W/30K
- G-99452** ○ 35k Neutral White Lumens: 180 FT/ 593 M
T/COB/1.5W/35K
- G-99453** ○ 41k Cool White Lumens: 188 FT/ 620 M
T/COB/1.5W/41K
- G-99454** ○ 50k Super White Lumens: 184 FT/ 605 M
T/COB/1.5W/50K

Wattage	1.5W FT - 5W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25/100

Connectors



- CRI 90⁺ True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 1.5 Watt Cob New Item

1.5W

100 Ft



- G-99455** ○ 27k Soft White Lumens: 160 FT/ 530 M
T/COB/1.5W/27K 100FT
- G-99456** ○ 30k Warm White Lumens: 180 FT/ 593 M
T/COB/1.5W/30K 100FT
- G-99457** ○ 35k Neutral White Lumens: 180 FT/ 593 M
T/COB/1.5W/35K 100FT
- G-99458** ○ 41k Cool White Lumens: 188 FT/ 620 M
T/COB/1.5W/41K 100FT
- G-99459** ○ 50k Super White Lumens: 184 FT/ 605 M
T/COB/1.5W/50K 100FT

Wattage	1.5W FT - 5W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors



- CRI 90⁺ True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 3 Watt Cob

3W

16.4 Ft



- G-99420** ○ 27k Soft White Lumens: 285 FT/ 950 M
TP/COB/10W/27K
- G-99421** ○ 30k Warm White Lumens: 300 FT/ 1000 M
TP/COB/10W/30K
- G-99422** ○ 35k Neutral White Lumens: 315 FT/ 1050 M
TP/COB/10W/35K
- G-99423** ○ 41k Cool White Lumens: 315 FT/ 1050 M
TP/COB/10W/41K
- G-99424** ○ 50k Super White Lumens: 315 FT/ 1050 M
TP/COB/10W/50K

Wattage	3W FT - 10W M
Voltage	24V
CRI	93
Beam Angle	120°
Dimmable	Yes
Pack	25/100

Connectors



- CRI 93⁺ True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 3 Watt Cob

3W

100 Ft



- G-99425** ○ 27k Soft White Lumens: 285 FT/ 950 M
T/COB/3W/27K 100FT
- G-99426** ○ 30k Warm White Lumens: 300 FT/ 1000 M
T/COB/3W/30K 100FT
- G-99427** ○ 35k Neutral White Lumens: 315 FT/ 1050 M
T/COB/3W/35K 100FT
- G-99428** ○ 41k Cool White Lumens: 315 FT/ 1050 M
T/COB/3W/41K 100FT
- G-99429** ○ 50k Super White Lumens: 315 FT/ 1050 M
T/COB/3W/50K 100FT

Wattage	3W FT - 10W M
Voltage	24V
CRI	93
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors



- CRI 93* True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light Long Voltage Run

3W

70 Ft



- G-99440** ○ 27k Soft White Lumens: 380 FT / 1250 M
TP/COB/LR/11W/27K
- G-99441** ○ 30k Warm White Lumens: 380 FT / 1250 M
TP/COB/LR/11W/30K
- G-99442** ○ 35k Neutral White Lumens: 380 FT / 1250 M
TP/COB/LR/11W/35K
- G-99443** ○ 41k Cool White Lumens: 380 FT / 1250 M
TP/COB/LR/11W/41K
- G-99444** ○ 50k Super White Lumens: 380 FT / 1250 M
TP/COB/LR/11W/50K

Lumens	380 FT / 1250 M
Wattage	3.3 FT - 11 M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors



- CRI 90* True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 5.5 Watt Cob

5.5W

16.4 Ft



- G-48485** ○ 27k Soft White Lumens: 548 FT/ 1800 M
T/COB/18W/27K
- G-48486** ○ 30k Warm White Lumens: 564 FT/ 1850 M
T/COB/18W/30K
- G-48487** ○ 35k Neutral White Lumens: 579 FT/ 1900 M
T/COB/18W/35K
- G-48488** ○ 41k Cool White Lumens: 594 FT/ 1950 M
T/COB/18W/41K
- G-48489** ○ 50k Super White Lumens: 609 FT/ 2000 M
T/COB/18W/50K

Wattage	5.5 FT / 18W M
Voltage	24V DC
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25/100

Connectors



- CRI 95* True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 5.5 Watt Cob

5.5W

100 Ft



- G-48490** ○ 27k Soft White Lumens: 548FT/ 1800 M
T/COB/18W/27K 100FT
- G-48491** ○ 30k Warm White Lumens: 564 FT/ 1850 M
T/COB/18W/30K 100FT
- G-48492** ○ 35k Neutral White Lumens: 579 FT/ 1900 M
T/COB/18W/35K 100FT
- G-48493** ○ 41k Cool White Lumens: 594 FT/ 1950 M
T/COB/18W/41K 100FT
- G-48494** ○ 50k Super White Lumens: 609 FT/ 2000 M
T/COB/18W/50K 100FT

Wattage	5.5 FT / 18W M
Voltage	24V DC
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors



- CRI 95* True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 5.5 Watt Sob New Item

5.5W

16.4 Ft



- G-99460** ○ 27k Soft White Lumens: 515 FT/ 1690 M
T/SOB/5.5W/27K
- G-99461** ○ 30k Warm White Lumens: 595 FT/ 1950 M
T/SOB/5.5W/30K
- G-99462** ○ 35k Neutral White Lumens: 597 FT/ 1960 M
T/SOB/5.5W/35K
- G-99463** ○ 41k Cool White Lumens: 635 FT/ 2080 M
T/SOB/5.5W/41K
- G-99464** ○ 50k Super White Lumens: 622 FT/ 2040 M
T/SOB/5.5W/50K

Wattage	5.5 FT / 18W M
Voltage	24V
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25/100

Connectors



- CRI 95* True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 5.5 Watt Sob New Item

5.5W

100 Ft



- G-99465** ○ 27k Soft White Lumens: 515 Ft / 1690 M
T/SOB/5.5W/27K 100FT
- G-99466** ○ 30k Warm White Lumens: 595 Ft / 1950 M
T/SOB/5.5W/30K 100FT
- G-99467** ○ 35k Neutral White Lumens: 597 Ft / 1960 M
T/SOB/5.5W/35K 100FT
- G-99468** ○ 41k Cool White Lumens: 635 Ft / 2080 M
T/SOB/5.5W/41K 100FT
- G-99469** ○ 50k Super White Lumens: 622 Ft / 2040 M
T/SOB/5.5W/50K 100FT

Wattage	5.5 FT / 18W M
Voltage	24V
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors



- CRI 95* True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 5.5 Watt 2835

5.5W

16.4 Ft



- G-48495** ○ 27k Soft White Lumens: 883 Ft / 2900 M
T160/2835/18W/27K
- G-48496** ○ 30k Warm White Lumens: 892 Ft / 2928 M
T160/2835/18W/30K
- G-48497** ○ 35k Neutral White Lumens: 913 Ft / 2998 M
T160/2835/18W/35K
- G-48498** ○ 41k Cool White Lumens: 919 Ft / 3016 M
T160/2835/18W/41K
- G-48499** ○ 50k Super White Lumens: 925 Ft / 3038 M
T160/2835/18W/50K

Wattage	5.48 FT / 18W M
Voltage	24V DC
CRI	94
Beam Angle	120°
Dimmable	Yes
Pack	25/100

Connectors



- CRI 94* True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 7.3 Watt 2835

7.3W

16.4 Ft



- G-48500** ○ 27k Soft White Lumens: 1179 Ft / 3871 M
T224/2835/24W/27K
- G-48501** ○ 30k Warm White Lumens: 1183 Ft / 3884 M
T224/2835/24W/30K
- G-48502** ○ 35k Neutral White Lumens: 1203 Ft / 3948 M
T224/2835/24W/35K
- G-48503** ○ 41k Cool White Lumens: 1207 Ft / 3962 M
T224/2835/24W/41K
- G-48504** ○ 50k Super White Lumens: 1220 Ft / 4003 M
T224/2835/24W/50K

Wattage	7.31 FT / 24W M
Voltage	24V DC
CRI	94
Beam Angle	120°
Dimmable	Yes
Pack	25/100

Connectors



- CRI 94* True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 2.4W Flexible New Item

2.4W

16.4 Ft



- G-96230** ○ 27k Soft White Lumens: 230 LM FT / 750M
T/S/COB/2.4W/27K
- G-96231** ○ 30k Warm White Lumens: 245 LM FT / 800M
T/S/COB/2.4W/30K
- G-96232** ○ 35k Neutral White Lumens: 260 LM FT / 850M
T/S/COB/2.4W/35K
- G-96233** ○ 41k Cool White Lumens: 275 LM FT / 900M
T/S/COB/2.4W/41K
- G-96234** ○ 50k Super White Lumens: 270 LM FT / 880M
T/S/COB/2.4W/50K

Wattage	2.4 FT / 8W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25/100

Connectors



- CRI 90* True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 4.5 Watt 120V Wet Rated

4.5W

26 Ft



- G-99620** 27k Soft White Lumens: 310 FT / 1030 M
T/120V/4.5W/COB/IP67/27K
- G-99621** 30k Warm White Lumens: 330 FT / 1100 M
T/120V/4.5W/COB/IP67/30K
- G-99622** 35k Neutral White Lumens: 345 FT / 1150 M
T/120V/4.5W/COB/IP67/35K
- G-99623** 41k Cool White Lumens: 360 FT / 1200 M
T/120V/4.5W/COB/IP67/41K
- G-99624** 50k Super White Lumens: 365 FT / 1214 M
T/120V/4.5W/COB/IP67/50K

Wattage	4.5 FT - 14.85 M
Voltage	120V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors



- G-00020** 120V 180° DIRECT CONNECTOR 5PK
- G-00021** 120V 90° DIRECT CONNECTOR 5PK
- G-00022** 120V 6" WIRE CONNECTOR 2PK

Starter



- G-00023** 120V 24" WIRE CONNECTOR 2PK
- G-00024** 120V 6" HARD-WIRE STARTER 2PK
- G-00025** 120V 24" HARD-WIRE STARTER 2PK
- G-00026** 120V 6" PLUG STARTER 1PK

Accessories



- G-00028** 120V MOUNTING CLIP 10PK
- G-00029** 120V END CAP 10PK + GLUE

- CRI 90° True Colors
- Wet Location IP67
- Double End Connector



Tape Light 4.5 Watt 120V Wet Rated 100ft

4.5W

100 Ft



- G-99625** 27k Soft White Lumens: 310 FT / 1030 M
T/120V/4.5W/COB/IP67/27K 100 FT
- G-99626** 30k Warm White Lumens: 330 FT / 1100 M
T/120V/4.5W/COB/IP67/30K 100 FT
- G-99627** 35k Neutral White Lumens: 345 FT / 1150 M
T/120V/4.5W/COB/IP67/35K 100 FT
- G-99628** 41k Cool White Lumens: 360 FT / 1200 M
T/120V/4.5W/COB/IP67/41K 100 FT
- G-99629** 50k Super White Lumens: 365 FT / 1214 M
T/120V/4.5W/COB/IP67/50K 100 FT

Wattage	4.5 FT - 14.85 M
Voltage	120V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	1

Connectors



- G-00020** 120V 180° DIRECT CONNECTOR 5PK
- G-00021** 120V 90° DIRECT CONNECTOR 5PK
- G-00022** 120V 6" WIRE CONNECTOR 2PK

Starter



- G-00023** 120V 24" WIRE CONNECTOR 2PK
- G-00024** 120V 6" HARD-WIRE STARTER 2PK
- G-00025** 120V 24" HARD-WIRE STARTER 2PK
- G-00026** 120V 6" PLUG STARTER 1PK

Accessories



- G-00028** 120V MOUNTING CLIP 10PK
- G-00029** 120V END CAP 10PK + GLUE

- CRI 90° True Colors
- Wet Location IP67
- Double End Connector



Tape Light 5 Watt Cob Dim To Warm

5W

16.4 Ft

G-99525

T/COB/5W/DTW/30-18K

DIM TO WARM

3000K - 1800K

Lumens	435 FT / 1425 M
Wattage	5.2 FT / 17W M
Voltage	24V DC
CRI	94
Beam Angle	120°
Dimmable	DTW
Pack	25/100

Connectors



- G-48516** C/PTS/CONNECTOR
- G-48517** C/STS/CONNECTOR
- G-48518** C/6"/JUMPER/CONNECTOR
- G-48519** C/MULTI/CONNECT
- G-48505** C/L/STS/CONNECTOR
- G-48506** C/T/STS/CONNECTOR

- Dim to Warm
- CRI 94° True Colors
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 4.6 Watt Cob Tunable White

TUNABLE WHITE

16.4 Ft

G-48520

TP/COB/15W/TW

SELECTABLE COLOR TEMPERATURE

TUNABLE WHITE

Remote



G-99720
REMOTE CONTROLLER



G-99721
CONTROLLER DEVICE



G-99733
AMPLIFIER

Connectors



G-48522
C/PTS/CONN/CCT



G-48523
C/STS/CONN/CCT



G-48524
C/6'/STS/CONN/CCT

Lumens	425 FT / 1394 M
Wattage	4.6W FT / 15W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25/100



- Tunable White
- CRI 90° True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 6.4 Watt Cob RGBWW

RGBWW

16.4 Ft

G-48525

TP/COB/21W/RGBWW

RGBWW

RGB + TUNABLE WHITE

Remote



G-99722
REMOTE CONTROLLER



G-99723
CONTROLLER DEVICE



G-99733
AMPLIFIER

Connectors



G-49527
C/PTS/CONN/RGB



G-49528
C/STS/CONN/RGB



G-49529
C/6'/STS/CONN/RGB

Lumens	365 FT / 1200 M
Wattage	6.4W FT / 21W M
Voltage	24V DC
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25/100



- RGBWW
- CRI 90° True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light 5.5 Watt Cob RGBWW

RGBWW

100 Ft

G-48526

TP/COB/18W/RGBWW/100FT

RGBWW

RGB + TUNABLE WHITE

Remote



G-99722
REMOTE CONTROLLER



G-99723
CONTROLLER DEVICE



G-99733
AMPLIFIER

Connectors



G-49527
C/PTS/CONN/RGB



G-49528
C/STS/CONN/RGB



G-49529
C/6'/STS/CONN/RGB

Lumens	365 FT / 1200 M
Wattage	5.5W FT / 18W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25



- RGBWW
- CRI 90° True Colors
- Wet Location IP20
- Dimmable
- Double End Connector
- Indoor Use



Tape Light IP65 5.5 Watt Cob New Item

5.5W

32.80 Ft



- G-99650** ○ 27k Soft White Lumens: 548 LM FT / 1800 M
T/IP65/COB/5.5W/27K
- G-99651** ○ 30k Warm White Lumens: 565 LM FT / 1855 M
T/IP65/COB/5.5W/30K
- G-99652** ○ 35k Neutral White Lumens: 651 LM FT / 2136 M
T/IP65/COB/5.5W/35K
- G-99653** ○ 41k Cool White Lumens: 635 LM FT / 2083 M
T/IP65/COB/5.5W/41K
- G-99654** ○ 50k Super White Lumens: 609 LM FT / 2000 M
T/IP65/COB/5.5W/50K

Wattage	5.5 FT / 18W M
Voltage	24V
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25

- CRI 95⁺ True Colors
- Wet Location IP65
- Dimmable
- Double End Connector

Connectors

- G-99660** IP65/C/STS/CONN
- G-99662** IP65/C/4/STS/CONN
- G-99664** IP65/C/6/PTS/CONN
- G-99666** MOUNTING CLIP 10PK
- G-99667** END CAP 10PK + GLUE



Tape Light IP68 5.5 Watt Cob New Item

5.5W

26.25 Ft



- G-99680** ○ 27k Soft White Lumens: 548 LM FT / 1800 M
T/IP68/COB/5.5W/27K
- G-99681** ○ 30k Warm White Lumens: 565 LM FT / 1855 M
T/IP68/COB/5.5W/30K
- G-99682** ○ 35k Neutral White Lumens: 651 LM FT / 2136 M
T/IP68/COB/5.5W/35K
- G-99683** ○ 41k Cool White Lumens: 635 LM FT / 2083 M
T/IP68/COB/5.5W/41K
- G-99684** ○ 50k Super White Lumens: 609LM FT / 2000 M
T/IP68/COB/5.5W/50K

Wattage	5.5 FT / 18W M
Voltage	24V
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors

- G-00020** 120V 180° DIRECT CONNECTOR 5PK
- G-00021** 120V 90° DIRECT CONNECTOR 5PK
- G-00022** 120V 6° WIRE CONNECTOR 2PK
- G-00023** 120V 24° WIRE CONNECTOR 2PK

Starter

- G-00024** 120V 6° HARD-WIRE STARTER 2PK
- G-00025** 120V 24° HARD-WIRE STARTER 2PK
- G-00026** 120V 6° PLUG STARTER 1PK

Accessories

- G-00028** 120V MOUNTING CLIP 10PK
- G-00029** 120V END CAP 10PK + GLUE

- CRI 95⁺ True Colors
- Wet Location IP68
- Dimmable
- Double End Connector




Tape Light IP68 RGBWW New Item

5.5W

26.25 Ft



G-99700
T/IP68/COB/5.5W/RGBWW



Lumens	365 FT / 1200 M
Wattage	5.5W FT / 18W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25

Remote

- G-99722** REMOTE CONTROLLER
- G-99723** CONTROLLER DEVICE
- G-99733** AMPLIFIER

Connectors

- G-99670** IP68/C/STS/CONN/RGBWW
- G-99672** IP68/C/6/STS/CONN/RGBWW
- G-99674** IP68/C/6/PTS/CONN/RGBWW
- G-00028** Mounting Clip 10PK
- G-00029** End Cap 10PK + Glue


- RGBWW
- CRI 90⁺ True Colors
- Wet Location IP68
- Dimmable
- Double End Connector



Accessories Amplifier

G-99733

AMP/RGBWW/CCT/600W



Channel	5
Input Voltage	12-24V
Input Watt	600
Output Voltage	12-24V
Channel Output	120W
Out Put Wattage	600



Accessories Tunable White Remote And Controller

G-99720




Color Temperature	27-65K
Color Saturation	Adjustable
Control Distance	100 FT
Dynamic Mode	Multi Select
RF Control	2.4
Grouping	4 Groups
Pack	200



G-99721

Input	12-24 Volts
Max Watt	(12V) - 188 Watt (24V) 244 Watt
Terminal Diameter	26 - 14 AWG
Compatible Wi-Fi Apps	Tuya / Smart Life
Rf Control	2.4



Accessories RGBWW Remote And Controller

G-99722




Color Temperature	RGBWW
Color Saturation	Adjustable
Control Distance	100 FT
Dimmable	Yes
Dynamic Mode	Multi Select
RF Control	2.4
Grouping	4 Groups
Pack	200



G-99723

Input	12-24 Volts
Max Watt	(12V) - 188 Watt (24V) 244 Watt
Terminal Diameter	26 - 14 AWG
Compatible Wi-Fi Apps	Tuya / Smart Life
Rf Control	2.4







Tape Light Channels & Accesories
1/2" Aluminum Recessed Channel

1/2"
 Pack: 10/90

G-96320

CH/R/OP/8



Accesories

Cover



G-96420

CH/PC/OPAL/Cover

Cover



G-96419

CH/PC/BLACK/Cover

Cover



G-96428

CH/PC/OPAL/U/Cover



1/2" Aluminum Surface Mount

1/2"
 Pack: 10/60

G-96321

CH/SM/OP/8

Silver



G-96624

CH/SM/5/OP/8/BK

Black



G-96427

CH/SM/5/OP/8/WH

White



Accesories

Kit



G-96425

1/2 CHNL KIT

Cover



G-96420

CH/PC/OPAL/Cover

Cover



G-96419

CH/PC/BLACK/Cover

Cover



G-96428

CH/PC/OPAL/U/Cover

Tape Light Channels & Accesories



1/2" Deep Aluminum Surface Mount Channel

1/2"

Pack: 10/90

G-96330

CH/SM/.5x.5/OP/8



Accessories

Cover



G-96420

CH/PC/OPAL/Cover

Cover



G-96419

CH/PC/BLACK/Cover

Cover



G-96428

CH/PC/OPAL/U/Cover

3/4" Aluminum Surface Mount



New Item

8'

Pack: 40

G-96316

CH/SM/.75/OP/8



1" Aluminum Surface Mount



1"

Pack: 4/24

G-96426

CH/SM/1/OP/8

1"





Aluminum Surface Mount Flexible

1/2"

Pack: 10/90

G-96322

CH/SM/FLEX/OP/8





Tape Light Channels & Accesories

1/2" Aluminum Surface Mount Rounded Cover, Flat Channel

New Item

G-96315

CH/SM/5/RD-OP/8





Aluminum Surface Mount Corner

1/2"

Pack: 10/60

G-96323

CH/SMC/OP/8



1/2" Aluminum Trimless Channel




1/2"

Pack: 2/12

G-96324

CH/TL/OP/8

1/2"



Accessories

Inside Corner



G-96326

CH/TL/OP/90/IN

Cover



G-96420

CH/PC/OPAL/Cover

Cover



G-96419

CH/PC/BLACK/Cover

Cover



G-96428

CH/PC/OPAL/U/Cover


X Connector



G-96329

CH/TL/OP/X

T Corner



G-96328

CH/TL/OP/T

Outside Corner



G-96327

CH/TL/OP/90/OUT

L Corner



G-96325

CH/TL/OP/L

Connector 180°



G-96223

1/2"-1"/CH/TL/CONN/180°

Connector 90°



G-96224

1/2"-1"/CH/TL/CONN/90°

End Caps



G-99920


END CAPS

Tape Light Channels & Accesories


1" Aluminum Trimless Channel

1"

Pack: 2/12



G-96421
1"CH/TL/12'
1/2"



Accesories

L Corner



G-96423

1"CH/TL/L

Connector 180°



G-96223

1/2"-1"CH/TL/CONN/180°

Connector 90°



G-96224

1/2"-1"CH/TL/CONN/90°

End Caps




G-99921

END CAPS


2" Aluminum Trimless Channel

2"

Pack: 2/12



G-96422
2"CH/TL/12'
2"



Accesories

L Corner



G-96424

2"CH/TL/L

Connector 180°



G-96225

2"CH/TL/CONN/180°

Connector 90°



G-96226

2"CH/TL/CONN/90°

End Caps




G-99922

END CAPS


1/2" Aluminum Recessed Channel

1/2"

Pack: 2/18



G-96227
CH/5/TLS/FLEX/8'



Cover



G-95727

5/COVER/TLS/FLEX/OP/50

G-95727

Length 50'

Material Silicon


Pack 5

Tape Light Channels & Accesories



1" Aluminum Flexible Trimless Channel

1"

Pack: 2/18



G-96228
CH/1/TLS/FLEX/8



Cover



G-95728

1/COVER/TLS/FLEX/OP/50


G-95728

Length	50'
Material	Silicon
Pack	5



1.5" Aluminum Flexible Trimless Channel

1.5"

Pack: 2/18



G-96229
CH/1.5/TLS/FLEX/8



Cover



G-95729

1.5/COVER/TLS/FLEX/OP/50

G-95729

Length	50'
Material	Silicon
Pack	5

Cover Roll



G-96420
CH/PC/OPAL/Cover

G-96419
CH/PC/BLACK/Cover

Length	165"
Pack	10

U Cover Square



G-96428
CH/PC/OPAL/U/Cover

Length	8'
Pack	60

Driver
5CCT Select Mini Electronic Driver 24V New Item


5CCT Driver



G-97604

96W/24V/ECV/MNI DRIVER 5CCT

Wattage	96W
Input Volts	120V
Dimmable	Triac
Pack	20



Driver
Mini Electronic Driver 24V

Mini Driver's

G-97608 **8W** New Item

8W/24V/ECV/MNI DRIVER

Wattage	8W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97615 **15W** New Item

15W/24V/ECV/MNI DRIVER

Wattage	15W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97600 **40W**

40W/24V/ECV/MNI DRIVER

Wattage	40W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97601 **60W**

60W/24V/ECV/MNI DRIVER

Wattage	60W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97602 **75W**


75W/24V/ECV/MNI DRIVER

Wattage	75W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97603 **96W**

96W/24V/ECV/MNI DRIVER

Wattage	96W
Input Volts	120V
Dimmable	Triac
Pack	40



Driver

Electronic Led Driver 24V (Multi Dimming)

**G-97525** 96W

96W/24V/ECV/Driver CL2

Wattage	96W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97623 150W

150W/24V/ECV/Driver

Wattage	150W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97626 300W

300W/24V/ECV/Driver

Wattage	300W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97620 30W

30W/24V/ECV/Driver CL2

Wattage	30W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	20

G-97622 100W

100W/24V/ECV/Driver

Wattage	100W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97624 200W

200W/24V/ECV/Driver

Wattage	200W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97627 600W

600W/24V/ECV/Driver

Wattage	600W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	5

Driver's

G-97621 60W

60W/24V/ECV/Driver CL2

Wattage	60W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	20

G-97612 120W New Item


120W/24V/ECV/Driver

Wattage	120W
Input Volts	120/277V
Dimmable	Triac / 0-10V
Pack	10

G-97625 300W New Item

250W/24V/ECV/Driver

Wattage	250W
Input Volts	100/277V
Dimmable	Triac / 0-10V
Pack	10



Driver

Class 2 Multi Circuit Electronic Driver 24V (Multi Dimming)

Class 2

**G-97526** 192W

192W/24V/ECV/Driver CL2

Wattage	192W
Input Volts	100/277V
Circuits	2
Dimmable	Multi Dimming
Pack	10

G-97527 288W

288W/24V/ECV/Driver CL2

Wattage	288W
Input Volts	100/277V
Circuits	3
Dimmable	Multi Dimming
Pack	10

G-97528 384W

384W/24V/ECV/Driver CL2

Wattage	384W
Input Volts	100/277V
Circuits	4
Dimmable	Multi Dimming
Pack	5



Astrofit
3" Interchangeable Retrofit Module New Item



G-21305
 RT3/ML/8W/5CCT/GU10/120-277V

Lumens	700
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac at 120V
Base Type	GU10
Pack	18

Clear Lens	Reflector Lens	Frosted Lens	Diffuser	Lens Cover					
G-98922 L3/24-DEGREE	G-98923 L3/40-DEGREE	G-98924 L3/60-DEGREE	G-98925 L3/REFLECTOR/30°	G-98926 L3/REFLECTOR/60°	G-98920 L3/FROSTED/80°	G-21753 3/HEX/HC/DIFFUSER	G-98927 3/SOLITE LENS	G-98928 3/PRISMATIC LENS	G-98929 3/BEAMSPLIT LENS

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Astrofit
3" Interchangeable Low Voltage Retrofit Module New Item



G-21300
 RT3/ML/8W/5CCT/GU5.3/12V

Lumens	700
Wattage	8W
Voltage	12V
CRI	90
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	No
Base Type	GU5.3
Pack	18


Clear Lens	Reflector Lens	Frosted Lens	Diffuser	Lens Cover					
G-98922 L3/24-DEGREE	G-98923 L3/40-DEGREE	G-98924 L3/60-DEGREE	G-98925 L3/REFLECTOR/30°	G-98926 L3/REFLECTOR/60°	G-98920 L3/FROSTED/80°	G-21753 3/HEX/HC/DIFFUSER	G-98927 3/SOLITE LENS	G-98928 3/PRISMATIC LENS	G-98929 3/BEAMSPLIT LENS

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- IC Rated



Astrofit

3" Interchangeable Retrofit Trims New Item



Fits into	Pack
3" 3.5" 3.7" Cans	64

Astrofit

4" Interchangeable Retrofit Module



G-21400
M/R4/10W/LED/5CCT

Lumens	1000
Wattage	10W
Voltage	120V
CRI	90
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Base Type	E26
Pack	18

Clear Lens	Reflector Lens	Frosted Lens	Diffuser	Lens Cover
G-11022 L4/24-DEGREE	G-11023 L4/40-DEGREE	G-11024 L4/60-DEGREE	G-11025 L4/REFLECTOR/30°	G-11026 L4/REFLECTOR/60°
G-11020 L4/FROSTED/80°	G-21440 4/HEX/HC/DIFFUSER	G-21427 4/SOLITE LENS	G-21428 4/PRISMETAC LENS	G-21429 4/BEAMSPLIT LENS

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Astrofit

4" Interchangeable Low Voltage Retrofit Module New Item

4"



G-21405

M/R4/10W/5CCT/GU5.3/12V

Lumens	1000
Wattage	10W
Voltage	12V
CRI	90
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	No
Base Type	GU5.3
Pack	18

Clear Lens		Reflector Lens		Frosted Lens		Diffuser	Lens Cover		
G-11022 L4/24-DEGREE	G-11023 L4/40-DEGREE	G-11024 L4/60-DEGREE	G-11025 L4/REFLECTOR/30°	G-11026 L4/REFLECTOR/60°	G-11020 L4/FROSTED/80°	G-21440 4/HEX/HC/DIFFUSER	G-21427 4/SOLITE LENS	G-21428 4/PRISMETAC LENS	G-21429 4/BEAMSPLIT LENS

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- IC Rated




Astrofit

4" Interchangeable Retrofit Trims

4"

	G-21410 T/RT4/R/WT White		G-21420 T/RT4/SQ/WT White		G-21411 T/RT4/R/BK Black
	G-21421 T/RT4/SQ/BK Black		G-21412 T/RT4/R/BW Two-tone		G-21422 T/RT4/SQ/BW Two-tone
	G-21413 T/RT4/R/BZ Bronze		G-21423 T/RT4/SQ/BZ Bronze		G-21414 T/RT4/R/BN Brushed Nickel
	G-21424 T/RT4/SQ/BN Brushed Nickel		G-21415 T/RT4/R/BB Brushed Brass		G-21425 T/RT4/SQ/BB Brushed Brass



Fits into	Pack
4" Can	24

Astrofit
6" Interchangeable Retrofit Module New Item



G-21600
 M/R6/18W/WS3/LED/5CCT

Lumens	1250/1500/1750
Wattage	12/15/18W
Voltage	120/277V
CRI	90
Beam Angle	60° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Base Type	E26
Pack	18


Clear Lens			Frosted Lens	Diffuser	Lens Cover		
G-21630 L/RT6/15-DEGREE	G-21631 L/RT6/24-DEGREE	G-21632 L/RT6/40-DEGREE	G-22570 6/FROSTED LENS/50°	G-22579 6/HC/HEX/DIFFUSER	G-22580 6/PRISMATIC COVER	G-22581 6/SOLITE COVER	G-22582 6/BEAMSPLIT LENS

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Changing Lens
- Dimmable
- IC Rated



Astrofit
6" Interchangeable Retrofit Trims New Item

G-21610 T/RT6/RWT White	G-21611 T/RT6/R/BK White	G-21612 T/RT6/R/BW Two-tone
G-21613 T/RT6/R/BZ Bronze	G-21614 T/RT6/R/BN Brushed Nickel	G-21615 T/RT6/R/BB Brushed Brass
G-21616 T/RT6/R/CP Brushed Copper	G-21617 T/RT6/R/HZ Haze	



Fits into	Pack
6" Can	36

Space 3" Led Round Retrofit

3"



G-48330

R3.5/9W/R/LED/5CCT

GU10 Adapter

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	700
Wattage	9W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable
- GU10 Base



Space 4" Led Round Retrofit

4"



G-48332

R4/10W/R/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	850
Wattage	10W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable
- E26 Base



Space 4" Led Round Retrofit

4"



G-48331

R4/14W/R/LED/5CCT

High Lumens

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Color Covers

Black

G-97720
T4/RF/RD/CV/BK

Brushed Nickel

G-97722
T4/RF/RD/CV/BN

Bronze

G-97721
T4/RF/RD/CV/BZ

Lumens	1400
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable
- E26 Base



Space 4" HO Led Round Retrofit

New Item

4"



G-48771

R4/HO/14W/RD/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Color Covers

Black

G-97720
T4/RF/RD/CV/BK

Brushed Nickel

G-97722
T4/RF/RD/CV/BN

Bronze

G-97721
T4/RF/RD/CV/BZ

Lumens	1700
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- E26 Base



5" & 6"

Space 5" And 6" Led Round Retrofit



G-48339

R5-6/14W/R/LED/SCCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Color Covers

Black

G-97728
T6/RF/RD/CV/BK



Brushed Nickel

G-97820
T6/RF/RD/CV/BN



Bronze

G-97729
T6/RF/RD/CV/BZ



Lumens	1350
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable
- E26 Base



Space 6" HO Led Round Retrofit



G-48773

R6/HO/27W/RD/LED/SCCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	2100/2550/3100
Wattage	17/21/27W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Air Tight
- Dimmable
- E26 Base

6"



Space 3" Led Square Retrofit



G-48329

R3.5/9W/SQ/LED/SCCT

GU10 Adapter

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	700
Wattage	9W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable
- GU10 Base



Space 4" Led Square Retrofit



G-48334

R4/14W/SQ/LED/SCCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Color Covers

Black

G-97724
T4/RF/SQ/CV/BK



Brushed Nickel

G-97726
T4/RF/SQ/CV/BN



Bronze

G-97725
T4/RF/SQ/CV/BZ




Lumens	1200
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12

- Selectable Color
- CRI 90+ True Colors
- Wet Location
- Dimmable
- E26 Base



Space
4" HO Led Square Retrofit

4"






G-48774
R4/HO/14W/SQ/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	1700
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Color Covers

<p>Black</p> <p>G-97724 T4/RF/SQ/CV/BK</p> 	<p>Brushed Nickel</p> <p>G-97726 T4/RF/SQ/CV/BN</p> 	<p>Bronze</p> <p>G-97725 T4/RF/SQ/CV/BZ</p> 
--	---	---

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Air Tight
- Dimmable
- E26 Base



Space
5" Led Square Retrofit

5"



G-19960 30k Warm White
R5/16W/SQ/LED/30k

Lumens	1200
Wattage	16W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	6

- CRI 90° True Colors
- Wet Location
- Dimmable
- E26 Base



Space
6" Led Square Retrofit

6"



G-48336
R6/15W/SQ/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	1350
Wattage	15W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	6

- Selectable Color
- CRI 90° True Colors
- Wet Location
- Dimmable
- E26 Base



2ft

Tube Series T5 2 ft LED HO Bypass 4CCT

G-10890

F12/T5/BP/35-65k/4CCT/2FT



SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens	1800
Wattage	12W
Voltage	120/277V
CRI	82
Beam Angle	320°
Dimmable	No
Pack	25



Tube Series T5 3 ft LED HO Bypass 4CCT

3ft

G-10891

F18/T5/BP/35-65k/4CCT/3FT



SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens	2300
Wattage	18W
Voltage	120/277V
CRI	82
Beam Angle	320°
Dimmable	No
Pack	25



Tube Series T5 4 ft LED HO Bypass 4CCT

4ft

G-10892

F24/T5/BP/35-65k/4CCT/4FT



SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens	3500
Wattage	24W
Voltage	120/277V
CRI	82
Beam Angle	320°
Dimmable	No
Pack	25



Tube Series
T8 2 ft LED Universal Frosted 5CCT

2ft

G-20048

F9/T8/F/30,35,41,50,65k



SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1000
Wattage	9W
Voltage	120/347V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	30

- Selectable Color
- Damp Location
- Bypass Ballast
- Bypass Ballast
- Direct Replacement
- Shatter Proof
- G13 Base



Tube Series
T8 2 ft LED Universal Clear

2ft

G-83457

41k Cool White

F9T8/841/C/LED

G-83458

50k Super White

F9T8/850/C/LED

G-83459

65k Daylight

F9T8/865/C/LED



Lumens	1000
Wattage	9W
Voltage	120/277V
CRI	82
Beam Angle	320°
Dimmable	No
Pack	30

- Damp Location
- Bypass Ballast
- Bypass Ballast
- Direct Replacement
- G13 Base



Tube Series
T8 3 ft LED Universal Frosted 5CCT

3ft

G-20050

F12/T8/F/30,35,41,50,65k



SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1500
Wattage	12W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	30

- Selectable Color
- Damp Location
- Bypass Ballast
- Bypass Ballast
- Direct Replacement
- Shatter Proof
- G13 Base



Tube Series
T8 4 ft LED Universal Frosted 5CCT

4ft

G-20052

F18/T8/F/30,35,41,50,65k/5CCT



SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	2400
Wattage	18W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	30

- Selectable Color
- Damp Location
- Bypass Ballast
- Bypass Ballast
- Direct Replacement
- Shatter Proof
- G13 Base




4ft

Tube Series T8 4 ft LED Universal Clear 3CCT

G-20051

F18/T8/C/41,50,65k/3CCT



SELECTABLE COLOR TEMPERATURE

4100K - 5000K - 6500K

Lumens	2400
Wattage	18W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	30



Tube Series T8 4 ft EM LED Frosted 5CCT

G-20084

F12/T8/F/30,35,41,50,65k/5CCT + EM



SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1700
Wattage	12W
Voltage	120/277V
CRI	80
Beam Angle	320°
CCT	30, 35, 41, 50, 65K
Dimmable	No
Pack	15



Tube Series T8 5 ft LED Bypass

G-83494

41k Cool White

F25/T8/841/F/LED

G-83495

50k Super White

F25/T8/850/F/LED



Lumens	3000
Wattage	25W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10



Tube Series T8 6 ft LED Bypass FA8 PIN

G-83499

41k Cool White

F30T8/841/F/LED

G-83500

50k Super White

F30T8/850/F/LED

G-83501

65k Daylight

F30T8/865/F/LED



Lumens	4000
Wattage	26W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10



Tube Series
T8 6 ft LED Bypass G13 PIN

6ft



G-19993 41k Cool White

F30T8/841/F/LED

G-19994 50k Super White

F30T8/850/F/LED

G-19996 65k Daylight

F30T8/865/F/LED

Lumens	4000
Wattage	26W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

- Damp Location
- Bypass Ballast
- Bypass Ballast
- Shatter Proof
- G13 Base



Tube Series
T8 6 ft LED Bypass HO R17 PIN

6ft



G-19984 41k Cool White

F30/T8/841/F/HO/LED

G-19985 50k Super White

F30/T8/850/F/HO/LED

G-19986 65k Daylight

F30/T8/865/F/HO/LED

Lumens	4000
Wattage	26W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

- Damp Location
- Bypass Ballast
- Shatter Proof
- Ho R17 Base



Tube Series
T8 8 ft Bypass FA8 PIN 5CCT

8ft



G-20053

F42/T8/F/30,35,41,50,65K/5CCT

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	5500
Wattage	42W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

- Selectable Color
- Damp Location
- Bypass Ballast
- Shatter Proof
- Single Pin



Tube Series
T8 8 ft Bypass FA8 PIN 5CCT

8ft



G-20054

F42/T8/C/30,35,41,50,65K/5CCT

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	5500
Wattage	42W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

- Selectable Color
- Damp Location
- Bypass Ballast
- Single Pin



8ft

Tube Series T8 8 ft Bypass HO R17 PIN



G-19774 41k Cool White

F42/T8/841/F/HO/LED

G-19775 50k Super White

F42/T8/850/F/HO/LED

G-19776 65k Daylight

F42/T8/865/F/HO/LED

Lumens	5500
Wattage	42W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10



Tube Series T8 8 ft Bypass HO R17 PIN 5CCT



G-19777

F42/T8/F/HO/LED/5CCT

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	5500
Wattage	42W
Voltage	120/277V
CRI	85
Beam Angle	320°
CCT	30, 35, 41, 50, 65K
Dimmable	No
Pack	10



Tube Series U Bend Universal 3CCT



G-20056

FB15/T8/F/LED/3CCT A+B

SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K

Lumens	2200
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	320°
Dimmable	No
Pack	12



Tube Series FB31 LED U-Bend Universal A+B



G-20112 41k Cool White

FB13T8/840/F/LED U1

G-20113 50k Super White

FB13T8/850/F/LED U1

Lumens	2000
Wattage	13W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	24



A Series A19 6W LED Bulb 5CCT Dimmable

A19



G-10880

A19/6/LED/D/5CCT

40W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	450
Wattage	6W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50



A Series A19 9W LED Bulb 5CCT Dimmable

A19



G-10881

A19/9/LED/D/5CCT

60W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	800
Wattage	9W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50



A Series A19 12W LED Bulb 5CCT Dimmable

A19



G-10882


A19/12/LED/D/5CCT

75W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1100
Wattage	12W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50



A Series A19 15W LED Bulb 5CCT Dimmable

A19


G-10883


A19/15/LED/D/5CCT

100W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1500
Wattage	15W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50



A Series A21 22W LED Bulb Dimmable

A21



150W EQ.

G-19864
 30k Warm White

A21/22W/LED/D/30k

G-19863
 35k Neutral White

A21/22W/LED/D/35k

G-19865
 41k Cool White

A21/22W/LED/D/41k

G-19866
 50k Super White

A21/22W/LED/D/50k

Lumens	2600
Wattage	22W
Voltage	120V
CRI	80
Beam Angle	260°
Dimmable	Yes
Pack	20



A Series A23 27W LED Bulb Dimmable

A23



225W EQ.

G-20205
 30k Warm White

A23/27W/LED/D/30k

G-20206
 35k Neutral White

A23/27W/LED/D/35k

G-20207
 41k Cool White

A23/27W/LED/D/41k

G-20208
 50k Super White

A23/27W/LED/D/50k

Lumens	4000
Wattage	27W
Voltage	120V
CRI	80
Beam Angle	260°
Dimmable	Yes
Pack	20



A Series A19 14W 3-Way LED Bulb

A19


G-19930

○ 27k Soft White

A19/14W/LED/D/27k/3w

Lumens	500/1000/1600
Wattage	14W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	No
Pack	20/40



A Series A21 19W 3-Way LED Bulb


A21


G-19934

○ 27k Soft White

A21/19W/LED/D/27k/3w

Lumens	700/1300/2250
Wattage	19W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	No
Pack	20



A Series A19 GU24 9W LED Bulb 5CCT Dimmable

A19


SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	800
Wattage	9W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50



A Series A19 GU24 12W LED Bulb 5CCT Dimmable

A19


G-10887


A19/12/LED/GU24/5CCT

75W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1100
Wattage	12W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50



MR Series A19 GU24 15W LED Bulb 5CCT Dimmable

A19


G-10888


A19/15/LED/GU24/5CCT

100W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1500
Wattage	15W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50



MR Series LED MR16 75W

MR16



GU5.3 Base

G-19792

27k Soft White

8MR16/LED/A40/27k 12V

Lumens	700
Wattage	8W
Voltage	12V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/100



MR Series
LED MR16 GU10 75W

MR16



- G-83481** ○ 27k Soft White
8GU10/LED/A40/27k
- G-19797** ○ 30k Warm White
8GU10/LED/A40/30k

Lumens	650/700
Wattage	8W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/100

- Damp Location
- Dimmable
- GU10 Base



MR Series
MR11 LED Bulb

MR11



- G-83374** ○ 27k Soft White
3MR11/LED/A42/27K 12V

Lumens	300
Wattage	3W
Voltage	12V
CRI	80
Beam Angle	40°
Dimmable	No
Pack	10/100

- Damp Location
- GU4 Base



MR Series
MR16 LED Bulb

MR16



- G-19893** ○ 27k Soft White
7MR16/LED/A40/27k 12V
- G-19894** ○ 30k Warm White
7MR16/LED/A40/30k 12V
- G-19895** ○ 35k Neutral White
7MR16/LED/A40/35k 12V
- G-19896** ○ 41k Cool White
7MR16/LED/A40/41k 12V
- G-19897** ○ 50k Super White
7MR16/LED/A40/50k 12V

Lumens	530
Wattage	7W
Voltage	12V
CRI	90
Beam Angle	40°
Dimmable	Yes
Pack	10/100

- CRI 90+ True Colors
- Damp Location
- Dimmable
- Enclosed Luminaires
- GU5.3 Base



MR Series MR16 GU10 LED Bulb



G-19898

27k Soft White

7GU10/LED/A40/27k

G-19899

30k Warm White

7GU10/LED/A40/30k

G-19900

35k Neutral White

7GU10/LED/A40/35k

G-19901


41k Cool White

7GU10/LED/A40/41k

G-19902

50k Super White

7GU10/LED/A40/50k

CRI 90+
True ColorsDamp
Location

Dimmable



GU10 Base



PAR Series PAR 16 LED Bulb



G-83367

27k Soft White

7PAR16SN/A35/27k

Damp
Location

Dimmable



E26 Base



PAR Series PAR 16 LED Bulb



G-83465

27k Soft White

7PAR16LN/A35/27k

Damp
Location

Dimmable



E26 Base



MR16

Lumens	530
Wattage	7W
Voltage	120V
CRI	90
Beam Angle	40°
Dimmable	Yes
Pack	10/100

PAR 16

Lumens	530
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/100

PAR 16

Lumens	530
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/100

PAR Series PAR 20 LED Bulb


G-83328


30k Warm White

PAR20/7/LED/30K

G-83331

50k Super White

PAR20/7/LED/50K



PAR Series PAR 30 LED Bulb


G-83334


30k Warm White

PAR30L/9/LED/30K

G-83337

50k Super White

PAR30L/9/LED/50K



PAR Series PAR 38 LED Bulb


G-83340


30k Warm White

PAR38/14/LED/30K

G-83343

50k Super White

PAR38/14/LED/50K



PAR 20

Lumens	550
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/20

PAR 30

Lumens	850
Wattage	9W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/20

PAR 38

Lumens	1200
Wattage	14W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/20

BR Series BR20 5CCT LED Bulb



G-83385

BR20/7/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K



BR20

Lumens	550
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	125°
Dimmable	Yes
Pack	20

BR Series BR30 5CCT LED Bulb



G-83391

BR30/10/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K



BR30

Lumens	900
Wattage	10W
Voltage	120V
CRI	80
Beam Angle	125°
Dimmable	Yes
Pack	20

BR Series BR40 5CCT LED Bulb



G-83400

BR40/13/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K



BR40

Lumens	1500
Wattage	13W
Voltage	120V
CRI	80
Beam Angle	125°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	20

Miniature Series G4 LED Bulb

G4



G-83413
○ 27k Soft White

G4/3/LED/D/27K 12V

G-83421
○ 50k Super White

G4/3/LED/D/50K 12V

Lumens	300
Wattage	3W
Voltage	12V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300




Miniature Series G4 LED Bulb

G4


G-83412
○ 27k Soft White

G4/2/LED/D/F/27K 12V

Lumens	200
Wattage	2W
Voltage	12V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300




Miniature Series G4 LED Bulb

G4


G-19908
○ 27k Soft White

G4/5/LED/D/27K 12V

Lumens	500
Wattage	5W
Voltage	12V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300




Miniature Series GY6.35 LED Bulb


G-83415
○ 27k Soft White

GY6.35/2/LED/D/27 12V

Lumens	200
Wattage	2W
Voltage	12V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300



Miniature Series G9 2W LED Bulb



Clear


G-83417
○ 27k Soft White

G9/2/LED/D/27K

G-83425
○ 50k Super White

G9/2/LED/D/50K

Lumens	200
Wattage	2W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300



Miniature Series G9 2W LED Bulb




Frosted

G-83416
○ 27k Soft White

G9/2/F/LED/D/27K

Lumens	200
Wattage	2W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300



Miniature Series G9 3.5W LED Bulb

G9

**G-83419**

○ 27k Soft White


G9/3.5/LED/D/27K

G-83427

○ 50k Super White

G9/3.5/LED/D/50K

Lumens	400
Wattage	3.5W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300



Miniature Series G9 3.5W LED Bulb


G9

**G-83418**

○ 27k Soft White

G9/3.5/LED/D/F/27K

Lumens	400
Wattage	3.5W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300



Miniature Series G9 5W LED Bulb


G9

**G-19964**

○ 27k Soft White

G9/5/LED/D/27K

Lumens	525
Wattage	5W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300



Miniature Series G9 7.5W LED Bulb

**G-83515**

30k Warm White

G9/7.5/LED/D/30k

G-83518

35k Neutral White

G9/7.5/LED/D/35k

G-83516

41k Cool White


G9/7.5/LED/D/41k

G-83517

50k Super White

G9/7.5/LED/D/50k

Lumens	750
Wattage	7.5W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300



Miniature Series G9 6W LED Bulb

**G-20197**

30k Warm White

G9/6/LED/30k

G-20198

41k Cool White


G9/6/LED/41k

G-20199

50k Super White

G9/6/LED/50k

Lumens	900
Wattage	6W
Voltage	120V
CRI	80
Beam Angle	360°
Dimmable	No
Pack	20/300



Miniature Series G9 10W LED Bulb

**G-95921**

30k Warm White

G9/10/LED/30k

G-95922

35k Neutral White

G9/10/LED/35k

G-95923

41k Cool White


G9/10/LED/41k

G-95924

50k Super White

G9/10/LED/50k

Lumens	1150
Wattage	10W
Voltage	120V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300




Miniature Series T6 LED Bulb

T6


G-19868
○ 27k Soft White

T6/4.5/LED/D/27K

Lumens	500
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100




Miniature Series T6 LED Bulb

T6


G-19914
○ 30k Warm White

T6/7.5/LED/D/30K

Lumens	750
Wattage	7.5W
Voltage	120V
CRI	85
Beam Angle	300°
Dimmable	Yes
Pack	20/300




Candelabra Series 2W Candelabra LED Bulb

C32


G-83507
○ 30k Warm White

B10/2/LED/D/30K

Lumens	200
Wattage	2W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100



C32

Candelabra Series 3.5W Candelabra LED Bulb

**G-83372**

27k Soft White

C32/3.5/LED/D/27k

G-83509

30k Warm White

C32/3.5/LED/D/30k

G-20200

35k Neutral White

C32/3.5/LED/D/35k

G-19790


41k Cool White

C32/3.5/LED/D/41k

G-83373

50k Super White

C32/3.5/LED/D/50k



Lumens	400
Wattage	3.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100



Candelabra Series 5W Candelabra LED Bulb

**G-83370**

27k Soft White

C32/5/LED/D/27k

G-83510

30k Warm White

C32/5/LED/D/30k

G-20202

35k Neutral White

C32/5/LED/D/35k

G-19791


41k Cool White

C32/5/LED/D/41k

G-83371

50k Super White

C32/5/LED/D/50k



Lumens	600
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100



Candelabra Series 7W Candelabra LED Bulb

**G-20142**

27k Soft White

C32/7/LED/D/27k

G-20143

30k Warm White

C32/7/LED/D/30k

G-20144

35k Neutral White

C32/7/LED/D/35k

G-20145


41k Cool White

C32/7/LED/D/41k

G-20146

50k Super White

C32/7/LED/D/50k



Lumens	800
Wattage	7W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100



Candelabra Series
8W Candelabra LED Bulb

C32



- G-95925** 27k Soft White
C32/8/LED/D/27K
- G-95926** 30k Warm White
C32/8/LED/D/30K
- G-95927** 35k Neutral White
C32/8/LED/D/35K
- G-95928** 41k Cool White
C32/8/LED/D/41K
- G-95929** 50k Super White
C32/8/LED/D/50K

Lumens	1050
Wattage	8W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

- Damp Location
- Dimmable
- E12 Base



Candelabra Series
3.5W Candelabra Flame Tip LED

CA32



- G-83380** 27k Soft White
CA32/3.5/LED/D/27k

Lumens	400
Wattage	3.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

- Damp Location
- Dimmable
- E12 Base



Candelabra Series
5W Candelabra Flame Tip LED

CA32



- G-83382** 27k Soft White
CA32/5/LED/D/27k
- G-83514** 30k Warm White
CA32/5/LED/D/30k

Lumens	600
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

- Damp Location
- Dimmable
- E12 Base




Candelabra Series 5W Candelabra LED Bulb

C32


G-83428
○ 27k Soft White

C32/5/F/LED/D/27K

Lumens	600
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100




Candelabra Series 5W Candelabra LED Bulb

C32


G-83429
○ 27k Soft White

C32/5/LED/D/27K E26

Lumens	600
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100



Decorative Series A19 Clear 5CCT

A19


G-19910


A19/8/CL/LED/5CCT

Clear

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	800
Wattage	8W
Voltage	120V
CRI	80
Beam Angle	290°
Dimmable	Yes
Pack	10/50



Decorative Series
A21 Clear LED

A21



G-20011

30k Warm White

A21/15/LED/D/CL/30K

Lumens	1600
Wattage	15W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/20

- Damp Location
- Dimmable
- E26 Base



Decorative Series
A19 5CCT Clear LED

A19



G-19912

A19/12/LED/D/CL/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	1500
Wattage	12W
Voltage	120V
CRI	80
Beam Angle	290°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	25/50

- Selectable Color
- Damp Location
- Dimmable
- E26 Base



Decorative Series
A23 Clear LED

A23



G-20012

30k Warm White

A23/21/LED/D/CL/30K

Lumens	2900
Wattage	21W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/40

- Damp Location
- Dimmable
- E26 Base



Decorative Series
A15 Clear LED

A15



G-19754

30k Warm White

A15/5/LED/D/30K

G-19755

50k Super White

A15/5/LED/D/50K

Lumens	500
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50

- Damp Location
- Dimmable
- E26 Base



Decorative Series A15 Frosted LED

A15




Frosted

G-19768
● 30k Warm White

A15/5/LED/D/F/30k

Lumens	500
Wattage	5W
Voltage	120V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	10/50



Decorative Series T10 LED Bulb

T10



Clear

G-19750
● 30k Warm White

T10/4.5/LED/D/30K


G-19751
● 41k Cool White

T10/4.5/LED/D/41K

G-19752
● 50k Super White

T10/4.5/LED/D/50K

Lumens	500
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50



Decorative Series T10 LED Bulb

T10




Frosted

G-19753
● 30k Warm White

T10/4.5/LED/F/D/30K

Lumens	500
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50



Decorative Series T10 12 Inch LED Bulb

T10


G-19842
 30k Warm White

T10/6.5/LED/D/30K 12"


G-19843
 41k Cool White

T10/6.5/LED/D/41K 12"

G-19844
 50k Super White

T10/6.5/LED/D/50K 12"

Lumens	850
Wattage	6.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50



Decorative Series ST21 4W LED Bulb

ST21



G-83472
 27k Soft White

ST21/4W/LED/D/CL/27K

G-83473
 50k Super White

ST21/4W/LED/D/CL/50K

Lumens	400
Wattage	4W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50




Decorative Series ST21 7W LED Bulb

ST21


G-83474
 27k Soft White

ST21/7W/LED/D/CL/27K

Lumens	850
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	10/50



G Series G16 LED Bulb

G16



G-83411
○ 27k Soft White

G16/3.5/LED/D/27K

G-19801
○ 50k Super White

G16/3.5/LED/D/50K

Lumens	350
Wattage	3.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100



G Series G16 LED Bulb

G16



G-83476
○ 27k Soft White

G16/4.5/LED/D/27K

G-19779
○ 50k Super White

G16/4.5/LED/D/50K

Lumens	600
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100




G Series G16 LED Bulb E26 Base

G16


G-20027
○ 27k Soft White

G16/3.5/LED/D/27K E26

Lumens	400
Wattage	3.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100



G Series G16 LED Bulb E26 Base

G16


G-20031
○ 27k Soft White

G16/4.5/LED/D/27K E26

Lumens	600
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100



G Series G16 5CCT LED Bulb

G16


G-20035

G16/4.5/LED/F/5CCT

Frosted
SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	600
Wattage	4.5W
Voltage	120V
CRI	90
Beam Angle	360°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	10/100



G Series G25 LED Frosted

G25



G-83376
○ 30k Warm White

G25/7/LED/30K

G-83378
○ 50k Super White

G25/7/LED/50K

Lumens	500
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	330°
Dimmable	Yes
Pack	25/50



G Series G25 LED Clear

G25


G-83468
30k Warm White

G25/7/LED/D/CL/30K

Lumens	850
Wattage	7W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/20



G Series G30 LED Clear

G30


G-20128
30k Warm White

G30/15W/LED/C/D/30K


G-20130
41k Cool White

G30/15W/LED/C/D/41K

G-20131
50k Super White

G30/15W/LED/C/D/50K

Lumens	1600
Wattage	15W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/20



G Series G30 LED Frosted

G30


G-20132
30k Warm White

G30/15W/LED/F/D/30K


G-20133
41k Cool White

G30/15W/LED/F/D/41K

G-20135
50k Super White

G30/15W/LED/F/D/50K

Lumens	1600
Wattage	15W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/20




Decorative Series G25 LED Half Mirror

G25


G-20139
○ 27k Soft White

G25/7/LED/D/C/HM/27K

Lumens	750
Wattage	7W
Voltage	120V
CRI	85
Beam Angle	330°
Dimmable	Yes
Pack	10/20




Decorative Series A19 LED Half Mirror

A19


G-20136
○ 27k Soft White

A19/7/LED/D/C/HM/27K

Lumens	750
Wattage	7W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50



ALPHABETICAL INDEX

G-00020	209,211	G-05251	123	G-10887	235	G-11223	5	G-12520	119	G-13131	170
G-00021	209,211	G-05252	124	G-10888	235	G-11224	5	G-12521	119	G-13140	170
G-00022	209,211	G-05253	124	G-10890	227	G-11320	5	G-12522	119	G-13141	170
G-00023	209,211	G-05260	122	G-10891	227	G-11321	5	G-12523	119	G-13142	170
G-00024	209,211	G-05261	123	G-10892	227	G-11322	5	G-12524	119	G-13143	170
G-00025	209,211	G-05262	124	G-10900	12,14	G-11323	5	G-12525	119	G-13144	170
G-00026	209,211	G-05263	124	G-10901	12	G-11324	5	G-12526	119	G-13145	170
G-00028	209,211	G-05270	122	G-10902	12	G-11420	6	G-12530	120	G-13146	170
G-00029	209,211	G-05271	123	G-10903	12	G-11421	6	G-12531	120	G-13147	170
G-00100	201	G-05272	124	G-10904	12	G-11422	6	G-12532	120	G-13148	170
G-00101	201	G-05273	124	G-10906	12	G-11423	6	G-12533	120	G-13149	170
G-00102	201	G-05280	122	G-10907	12	G-11424	6	G-12534	120	G-13150	170
G-00103	201	G-05281	123	G-10908	12	G-11520	6	G-12535	120	G-13151	170
G-00110	201	G-05282	124	G-10909	12	G-11521	6	G-12536	120	G-15005	8
G-00111	201	G-05283	124	G-10910	12	G-11522	6	G-12540	120	G-15010	9
G-00112	201	G-05290	122	G-10913	21,22	G-11523	6	G-12541	120	G-15011	9
G-00113	201	G-05291	123	G-10914	21	G-11524	6	G-12542	120	G-15012	9
G-00140	201	G-05292	124	G-10915	21	G-11620	6	G-12543	120	G-15013	9
G-00141	201	G-05293	124	G-10916	21	G-11621	6	G-12544	120	G-15014	9
G-00142	201	G-05320	122	G-10917	21	G-11622	6	G-12545	120	G-15015	9
G-00143	201	G-05321	123	G-10918	17,18	G-11623	6	G-12546	120	G-15020	9
G-00820	100	G-05322	124	G-10919	17,18	G-11624	6	G-12550	119	G-15021	9
G-00821	101	G-05323	124	G-10920	17,18	G-11722	4	G-12551	119	G-15022	9
G-00822	101	G-05324	123	G-10922	21	G-11723	4	G-12590	117	G-15023	9
G-00823	102	G-05325	123	G-10923	21	G-11724	4	G-12591	117	G-15024	9
G-00824	102	G-05420	122	G-10924	21	G-11820	4	G-12592	117	G-15025	9
G-00920	100	G-05421	123	G-10925	21	G-11822	4	G-12593	117	G-15030	9
G-00921	101	G-05422	124	G-10927	33,34	G-11920	197	G-12594	117	G-15031	9
G-00922	101	G-05423	124	G-10928	33	G-11921	197	G-13050	169	G-15040	9
G-00923	102	G-05820	121	G-10929	33	G-11922	198	G-13051	169	G-15041	9
G-00924	102	G-05821	121	G-10930	33	G-11928-EM	197	G-13052	169	G-15091	8
G-01020	100	G-05822	121	G-10931	33	G-11929-EM	198	G-13053	169	G-15093	8
G-01021	103	G-10010	44	G-10933	33	G-12000	171	G-13054	169	G-15097	8
G-01022	103	G-10011	45	G-10934	33	G-12020	176	G-13055	169	G-15098	8
G-01023	104	G-10020	44	G-10935	33	G-12021	176	G-13056	169	G-15099	8
G-01024	104	G-10025	45	G-10936	33	G-12022	176	G-13057	169	G-19750	249
G-01120	100	G-10120	46	G-10937	33	G-12023	177	G-13058	169	G-19751	249
G-01121	103	G-10121	46	G-10938	10	G-12024	177	G-13059	169	G-19752	249
G-01122	103	G-10122	46	G-10942	10	G-12042	174	G-13060	169	G-19753	249
G-01123	104	G-10123	46	G-10943	10	G-12043	174	G-13061	169	G-19754	248
G-01124	104	G-10124	46	G-10950	10	G-12044	174	G-13070	169	G-19755	248
G-01220	100	G-10125	46	G-10951	10	G-12062	175	G-13071	169	G-19768	249
G-01221	105	G-10140	47	G-10952	10	G-12063	175	G-13072	169	G-19774	231
G-01222	105	G-10141	47	G-10953	10	G-12064	175	G-13073	169	G-19775	231
G-01223	106	G-10150	47	G-11027	45	G-12080	171	G-13074	169	G-19776	231
G-01224	106	G-10151	47	G-11028	45	G-12120	199	G-13075	169	G-19777	231
G-01320	100	G-10220	46	G-11100	7	G-12121-EM	199	G-13076	169	G-19779	251
G-01321	105	G-10221	46	G-11102	7	G-12122	199	G-13077	169	G-19790	245
G-01322	105	G-10222	46	G-11103	7	G-12123-EM	199	G-13078	169	G-19791	245
G-01323	106	G-10223	46	G-11104	7	G-12124	199	G-13079	169	G-19792	235
G-01324	106	G-10224	46	G-11105	4	G-12125-EM	199	G-13080	169	G-19797	236
G-02227	143	G-10225	46	G-11110	4	G-12160	171	G-13081	169	G-19801	251
G-02320	144	G-10320	50,51	G-11118	4	G-12200	172	G-13090	169	G-19822	163
G-02500	200	G-10321	50	G-11120	4	G-12208	171	G-13091	169	G-19823	163
G-02501	200	G-10322	50	G-11121	5	G-12209	171	G-13092	169	G-19833	69
G-02502	200	G-10323	50	G-11122	5	G-12210	171	G-13093	169	G-19834	69
G-02503	200	G-10324	50	G-11123	5	G-12212	171	G-13094	169	G-19835	69
G-02510	200	G-10420	50	G-11124	5	G-12216	171	G-13095	169	G-19836	69
G-02511	200	G-10421	50	G-11125	5	G-12220	172	G-13096	169	G-19837	69
G-02512	200	G-10422	50	G-11127	4	G-12224	172	G-13097	169	G-19839	69
G-02513	200	G-10423	50	G-11130	4	G-12240	172	G-13098	169	G-19842	250
G-02540	200	G-10424	50	G-11135	4	G-12500	117	G-13099	169	G-19843	250
G-02541	200	G-10520	48	G-11140	4	G-12501	117	G-13100	169	G-19844	250
G-02542	200	G-10521	48	G-11141	178	G-12502	117	G-13101	169	G-19845	70
G-02543	200	G-10540	48	G-11142	178	G-12503	117	G-13120	170	G-19846	70
G-05020	121	G-10541	48	G-11143	178	G-12504	117	G-13121	170	G-19847	70
G-05021	121	G-10620	48	G-11144	178	G-12505	117	G-13122	170	G-19848	70
G-05022	121	G-10621	48	G-11150	4	G-12506	117	G-13123	170	G-19849	70
G-05023	121	G-10640	48	G-11161	179	G-12510	118	G-13124	170	G-19851	71
G-05024	121	G-10641	48	G-11162	179	G-12511	118	G-13125	170	G-19855	71
G-05025	121	G-10880	232	G-11163	179	G-12512	118	G-13126	170	G-19856	71
G-05026	121	G-10881	232	G-11164	179	G-12513	118	G-13127	170	G-19863	233
G-05228	121,127	G-10882	232	G-11220	5	G-12514	118	G-13128	170	G-19864	233
G-05229	122,127	G-10883	233	G-11221	5	G-12515	118	G-13129	170	G-19865	233
G-05250	122	G-10886	234	G-11222	5	G-12516	118	G-13130	170	G-19866	233

ALPHABETICAL INDEX

G-19868	244	G-20131	253	G-21135	114	G-21650	27	G-22034	136,158	G-22573	53
G-19893	236	G-20132	253	G-21153	114	G-21651	27	G-22041	137,158	G-22600	56
G-19894	236	G-20133	253	G-21155	114	G-21700	40	G-22042	137,158	G-22605	56
G-19895	236	G-20135	253	G-21170	112	G-21701	40	G-22043	137,158	G-22610	57
G-19896	236	G-20136	254	G-21171	112	G-21702	40	G-22044	137,158	G-22611	57
G-19897	236	G-20139	254	G-21173	113	G-21703	40	G-22050	138,159	G-22612	57
G-19898	237	G-20142	245	G-21176	113	G-21704	40	G-22051	138,159	G-22613	57
G-19899	237	G-20143	245	G-21190	112	G-21710	13	G-22052	138,159	G-22614	57
G-19900	237	G-20144	245	G-21191	112	G-21711	13	G-22053	138,159	G-22615	57
G-19901	237	G-20145	245	G-21193	113	G-21712	13	G-22054	138,159	G-22616	57
G-19902	237	G-20146	245	G-21196	113	G-21713	13	G-22060	138,159	G-22617	57
G-19908	240	G-20195	59	G-21201	180	G-21714	13	G-22061	138,159	G-22620	57
G-19910	247	G-20196	59	G-21202	180	G-21720	20	G-22062	138,159	G-22621	57
G-19912	248	G-20197	243	G-21203	180	G-21721	20	G-22063	138,159	G-22623	57
G-19914	244	G-20198	243	G-21204	181	G-21722	20	G-22064	138,159	G-22624	57
G-19930	234	G-20199	243	G-21205	181	G-21723	20	G-22080	160	G-22625	57
G-19931	173	G-20200	245	G-21206	181	G-21724	20	G-22081	160	G-22626	57
G-19932	173	G-20202	245	G-21208	182	G-21730	32	G-22082	160	G-22627	57
G-19933	173	G-20205	233	G-21210	182	G-21731	32	G-22083	160	G-22630	58
G-19934	234	G-20206	233	G-21215	182	G-21732	32	G-22084	160	G-22631	58
G-19960	226	G-20207	233	G-21216	182	G-21733	32	G-22120	136	G-22640	58
G-19964	242	G-20208	233	G-21217	182	G-21734	32	G-22130	136	G-22641	58
G-19968	168	G-20210	163	G-21218	182	G-21740	49	G-22150	138	G-22650	57
G-19969	164	G-20211	163	G-21219	182	G-21741	49	G-22160	138	G-22651	57
G-19974	164	G-20213	18	G-21250	30	G-21742	49	G-22200	37	G-22660	58
G-19976	165	G-20215	17	G-21251	30	G-21743	49	G-22210	11	G-22661	58
G-19982	165	G-20216	59	G-21300	220	G-21744	49	G-22220	18	G-22670	56
G-19984	230	G-20217	147	G-21305	220	G-21800	40	G-22230	27	G-22676	56
G-19985	230	G-20218	59	G-21310	221	G-21801	40	G-22240	46	G-22677	56
G-19986	230	G-20219	141	G-21311	221	G-21802	40	G-22241	137	G-22678	56
G-19993	230	G-20220	141	G-21312	221	G-21803	40	G-22290	184	G-22679	56
G-19994	230	G-20221	142	G-21313	221	G-21804	40	G-22291	184	G-22680	56
G-19996	230	G-20222	142	G-21314	221	G-21810	13	G-22302	183	G-22681	56
G-19997	78	G-20223	143	G-21315	221	G-21811	13	G-22304	183	G-22682	56
G-19998	78	G-20224	144	G-21320	221	G-21812	13	G-22308	184	G-22730	29
G-19999	71	G-20225	147	G-21321	221	G-21813	13	G-22312-EM	183	G-22731	29
G-20000	71	G-20226	148	G-21322	221	G-21814	13	G-22314-EM	183	G-22801	16
G-20001	72	G-20227	148	G-21323	221	G-21820	21	G-22318-EM	184	G-22802	16
G-20004	73	G-20228	149	G-21324	221	G-21821	21	G-22324-MS	183	G-22803	16
G-20005	72	G-20229	149	G-21325	221	G-21822	21	G-22354	184	G-22804	16
G-20006	72	G-20242	138	G-21330	30	G-21823	21	G-22374-MS	184	G-22811	16
G-20007	73	G-20243	138	G-21331	30	G-21824	21	G-22500	53	G-22812	16
G-20008	73	G-20244	137	G-21335	30	G-21830	33	G-22505	53	G-22813	16
G-20011	248	G-20245	138	G-21336	30	G-21831	33	G-22510	54	G-22814	16
G-20012	248	G-20246	138	G-21400	221	G-21832	33	G-22511	54	G-23030	28
G-20019	204	G-20247	163	G-21405	222	G-21833	33	G-22512	54	G-23031	28
G-20021	204	G-20248	163	G-21410	222	G-21834	33	G-22513	54	G-23130	28
G-20022	203	G-20251	157	G-21411	222	G-21840	49	G-22514	54	G-23131	28
G-20027	251	G-20253	157	G-21412	222	G-21841	49	G-22515	54	G-23300	87
G-20031	252	G-20441	137	G-21413	222	G-21842	49	G-22516	54	G-23302	87
G-20035	252	G-20452	133	G-21414	222	G-21843	49	G-22517	54	G-23303	88
G-20048	228	G-20453	133	G-21415	222	G-21844	49	G-22520	54	G-23304	88
G-20050	228	G-20454	133	G-21420	222	G-21870	27	G-22521	54	G-23310	87
G-20051	229	G-20463	134	G-21421	222	G-21871	27	G-22522	54	G-23312	87
G-20052	228	G-20464	134	G-21422	222	G-21872	27	G-22523	54	G-23313	88
G-20053	230	G-20700	38	G-21423	222	G-21873	27	G-22524	54	G-23314	88
G-20054	230	G-20701	38	G-21424	222	G-21874	27	G-22525	54	G-23322	89
G-20056	231	G-20710	11	G-21425	222	G-21930	32	G-22526	54	G-23323	89
G-20080	73	G-20711	11	G-21520	19	G-21931	32	G-22527	54	G-23324	90
G-20083	74	G-20720	20	G-21521	19	G-21932	32	G-22530	55	G-23332	89
G-20084	229	G-20721	20	G-21530	28	G-21933	32	G-22531	55	G-23333	89
G-20087	73	G-20730	28	G-21531	28	G-21934	32	G-22532	55	G-23334	90
G-20088	74	G-20731	28	G-21540	46	G-21935	32	G-22533	55	G-23340	90
G-20089	75	G-20740	47	G-21541	46	G-21953	27	G-22534	55	G-23342	91
G-20090	76	G-20741	47	G-21600	223	G-21970	32	G-22535	55	G-23343	91
G-20091	78	G-21050	115	G-21610	223	G-21971	32	G-22540	55	G-23344	92
G-20092	79	G-21051	115	G-21611	223	G-22020	136	G-22541	55	G-23350	90
G-20093	80	G-21052	116	G-21612	223	G-22021	136	G-22542	55	G-23352	91
G-20094	80	G-21055	116	G-21613	223	G-22022	136	G-22543	55	G-23353	91
G-20095	80	G-21062	166	G-21614	223	G-22023	136	G-22544	55	G-23354	92
G-20096	80	G-21064	115	G-21615	223	G-22024	136	G-22550	54	G-23362	92
G-20112	231	G-21065	115	G-21616	223	G-22030	136,158	G-22551	54	G-23363	93
G-20113	231	G-21066	116	G-21617	223	G-22031	136,158	G-22560	55	G-23364	93
G-20128	253	G-21069	116	G-21640	27	G-22032	136,158	G-22561	55	G-23372	92
G-20130	253	G-21133	114	G-21641	27	G-22033	136,158	G-22572	53	G-23373	93

ALPHABETICAL INDEX

G-23374	93	G-23752	142,154	G-32500	107	G-48342	18	G-48465	82	G-83400	239
G-23500	36	G-23753	142,154	G-32501	107	G-48343	18	G-48468	10	G-83411	251
G-23501	36	G-23754	142,154	G-32502	108	G-48344	18	G-48470	10	G-83412	240
G-23502	37	G-23755	142,154	G-32503	108	G-48345	18	G-48471	11	G-83413	240
G-23505	36	G-23760	143,154	G-32504	109	G-48346	18	G-48472	11	G-83415	241
G-23510	37	G-23761	143,154	G-32510	107	G-48347	18	G-48473	11	G-83416	241
G-23511	37	G-23762	143,154	G-32511	107	G-48348	18	G-48474	11	G-83417	241
G-23512	37	G-23763	143,154	G-32512	108	G-48349	18	G-48475	11	G-83418	242
G-23513	37	G-23764	143,154	G-32513	108	G-48354	18	G-48476	11	G-83419	242
G-23514	37	G-23765	143,154	G-32514	109	G-48355	18	G-48477	11	G-83421	240
G-23515	37	G-23790	37	G-32520	109	G-48356	18	G-48478	11	G-83425	241
G-23516	37	G-23791	11	G-32521	110	G-48357	72	G-48479	11	G-83427	242
G-23520	37	G-23792	18	G-32522	110	G-48358	72	G-48480	11	G-83428	247
G-23521	37	G-23793	27	G-32523	111	G-48359	72	G-48481	11	G-83429	247
G-23522	37	G-23794	46	G-32524	111	G-48360	75	G-48482	11	G-83457	228
G-23523	37	G-23795	54	G-32530	109	G-48361	75	G-48485	206	G-83458	228
G-23524	37	G-23796	57	G-32531	110	G-48362	75	G-48486	206	G-83459	228
G-23525	37	G-24020	60	G-32532	110	G-48363	76	G-48487	206	G-83465	237
G-23526	37	G-24120	60	G-32533	111	G-48364	76	G-48488	206	G-83468	253
G-23530	41,42	G-24520	70	G-32534	111	G-48365	76	G-48489	206	G-83472	250
G-23531	41	G-24521	70	G-33000	129	G-48366	78	G-48490	207	G-83473	250
G-23532	41	G-24920	74	G-33001	129	G-48367	79	G-48491	207	G-83474	250
G-23533	41	G-24921	74	G-33050	129	G-48368	75	G-48492	207	G-83476	251
G-23534	41	G-25000	125	G-33051	129	G-48369	76	G-48493	207	G-83481	236
G-23535	41	G-25001	125	G-33060	130	G-48370	141,153	G-48494	207	G-83494	229
G-23540	41,43	G-25050	118,125	G-33061	130	G-48371	141,153	G-48495	208	G-83495	229
G-23541	41	G-25051	117,125	G-33070	130	G-48372	141,153	G-48496	208	G-83499	229
G-23542	41	G-25060	126	G-33071	130	G-48373	142,153	G-48497	208	G-83500	229
G-23543	41	G-25061	126	G-33080	130	G-48374	142,153	G-48498	208	G-83501	229
G-23544	41	G-25070	126	G-33081	130	G-48375	142,153	G-48499	208	G-83507	244
G-23550	39	G-25071	126	G-37000	131	G-48376	142,154	G-48500	208	G-83509	245
G-23551	39	G-25080	126	G-37001	131	G-48377	142,154	G-48501	208	G-83510	245
G-23560	39	G-25081	126	G-37050	131	G-48378	142,154	G-48502	208	G-83514	246
G-23561	39	G-25120	75	G-37051	131	G-48379	143,154	G-48503	208	G-83515	243
G-23570	38	G-25121	75	G-37060	132	G-48380	143,154	G-48504	208	G-83516	243
G-23571	38	G-25240	135	G-37061	132	G-48381	143,154	G-48508	136	G-83517	243
G-23590	38	G-25260	135	G-37070	132	G-48382	141,153	G-48509	136	G-83518	243
G-23591	38	G-26000	77	G-37071	132	G-48383	142,153	G-48520	210	G-90000	42
G-23600	38	G-26001	77	G-37080	132	G-48384	142,154	G-48522	210	G-90002	42
G-23601	38	G-27312	24	G-37081	132	G-48385	147,155	G-48523	210	G-90003	42
G-23610	39	G-27318	24	G-48170	10	G-48386	147,155	G-48524	210	G-90004	42
G-23611	39	G-27327	24	G-48171	10	G-48387	147,155	G-48525	210	G-90100	14
G-23620	39	G-27330	24	G-48172	10	G-48388	148,155	G-48526	210	G-90102	14
G-23621	39	G-27335	24	G-48190	11	G-48389	148,155	G-48530	204	G-90103	14
G-23630	36	G-28315	24	G-48191	11	G-48390	148,155	G-48531	204	G-90104	14
G-23632	36	G-28318	24	G-48200	202	G-48391	148,156	G-48532	204	G-90200	22
G-23633	36	G-28327	24	G-48210	202	G-48392	148,156	G-48533	204	G-90202	22
G-23634	36	G-28328	24	G-48220	202	G-48393	148,156	G-48535	203	G-90203	22
G-23636	36	G-28330	24	G-48240	17	G-48394	149,156	G-48536	203	G-90204	22
G-23637	36	G-28335	24	G-48241	17	G-48395	149,156	G-48537	203	G-90300	34
G-23639	36	G-29630	31	G-48242	17	G-48396	149,156	G-48538	203	G-90302	34
G-23640	36	G-29631	31	G-48250	19	G-48397	147,155	G-48771	224	G-90303	34
G-23641	36	G-29700	40	G-48251	19	G-48398	148,155	G-48773	225	G-90304	34
G-23642	36	G-29701	40	G-48260	19	G-48399	148,156	G-48774	226	G-90400	51
G-23643	36	G-29710	12	G-48261	19	G-48403	60	G-49527	210	G-90402	51
G-23720	141	G-29711	12	G-48302	4	G-48404	62	G-49528	210	G-90403	51
G-23721	141	G-29720	20	G-48305	198	G-48405	62	G-49529	210	G-90404	51
G-23722	141	G-29721	20	G-48307	198	G-48408	143,154	G-83328	238	G-91000	43
G-23723	141	G-29730	31	G-48314	81	G-48409	149,156	G-83331	238	G-91002	43
G-23724	141	G-29731	31	G-48315	81	G-48410	162	G-83334	238	G-91003	43
G-23725	141	G-29740	49	G-48316	82	G-48411	162	G-83337	238	G-91004	43
G-23730	141,153	G-29741	49	G-48317	82	G-48428	59	G-83340	238	G-91100	15
G-23731	141,153	G-29830	29	G-48318	165	G-48429	59	G-83343	238	G-91101	15
G-23732	141,153	G-29831	29	G-48328	163	G-48431	61	G-83367	237	G-91102	15
G-23733	141,153	G-29930	29	G-48329	225	G-48440	83	G-83370	245	G-91103	15
G-23734	141,153	G-29931	29	G-48330	224	G-48441	83	G-83371	245	G-91104	15
G-23735	141,153	G-30000	125	G-48331	224	G-48442	83	G-83372	245	G-91200	23
G-23740	142,153	G-30001	125	G-48332	224	G-48443	84	G-83373	245	G-91201	21,23
G-23741	142,153	G-30060	128	G-48334	225	G-48444	83	G-83374	236	G-91202	23
G-23742	142,153	G-30061	128	G-48336	226	G-48445	84	G-83376	252	G-91203	23
G-23743	142,153	G-30070	128	G-48337	136	G-48448	165	G-83378	252	G-91204	23
G-23744	142,153	G-30071	128	G-48338	136	G-48449	166	G-83380	246	G-91300	35
G-23745	142,153	G-30080	128	G-48339	225	G-48460	137,158	G-83382	246	G-91301	35
G-23750	142,154	G-30081	128	G-48340	17	G-48461	137	G-83385	239	G-91302	35
G-23751	142,154	G-30330	26	G-48341	18	G-48464	82	G-83391	239	G-91303	35

ALPHABETICAL INDEX

G-91304	35	G-96237	208	G-97624	219	G-98420	161	G-99422	205
G-91400	52	G-96315	215	G-97625	219	G-98421	161	G-99423	205
G-91401	52	G-96316	214	G-97626	219	G-98422	161	G-99424	205
G-91402	52	G-96320	213	G-97627	219	G-98423	161	G-99425	206
G-91403	52	G-96321	213	G-97720	224	G-98424	185	G-99426	206
G-91404	52	G-96322	214	G-97721	224	G-98425-EM	185	G-99427	206
G-95521	163	G-96323	215	G-97722	224	G-98426	185	G-99428	206
G-95525	162	G-96324	215	G-97724	225,226	G-98427-EM	185	G-99429	206
G-95528	162	G-96325	215	G-97725	225,226	G-98521	158	G-99440	206
G-95620	63	G-96326	215	G-97726	225,226	G-98522	158	G-99441	206
G-95621	63	G-96327	215	G-97728	224,225	G-98523	159	G-99442	206
G-95622	64	G-96328	215	G-97729	224,225	G-98524	159	G-99443	206
G-95623	65	G-96329	215	G-97812	150	G-98526	160	G-99444	206
G-95624	65	G-96330	214	G-97814	150	G-98628	163	G-99450	205
G-95625	66	G-96421	216	G-97820	224,225	G-98629	163	G-99451	205
G-95626	61	G-96422	216	G-97822	146	G-98720	94	G-99452	205
G-95720	63	G-96423	216	G-97824	146	G-98721	94	G-99453	205
G-95721	63	G-96424	216	G-97920	141	G-98722	94	G-99454	205
G-95722	64	G-96425	213	G-97921	141	G-98723	95	G-99455	205
G-95723	65	G-96426	214	G-97922	141	G-98724	95	G-99456	205
G-95724	65	G-96427	213	G-97923	141	G-98725	94	G-99457	205
G-95725	66	G-96428	217	G-97925	147	G-98726	94	G-99458	205
G-95726	61	G-96521	145	G-97926	147	G-98727	94	G-99459	205
G-95727	216	G-96523	145	G-97927	147	G-98728	95	G-99460	207
G-95728	217	G-96620	151	G-97928	147	G-98729	95	G-99461	207
G-95729	217	G-96621	151	G-98000	191	G-98741	96	G-99462	207
G-95820	62	G-96622	152	G-98001-EM	191	G-98742	96	G-99463	207
G-95821	62	G-96624	213	G-98002	191	G-98743	97	G-99464	207
G-95823	160	G-96625	152	G-98003-EM	191	G-98744	97	G-99465	207
G-95824	160	G-96626	152	G-98010	192	G-98751	96	G-99466	207
G-95825	160	G-96720	139	G-98011-EM	192	G-98752	96	G-99467	207
G-95826	160	G-96721	139	G-98012	192	G-98753	97	G-99468	207
G-95827	160	G-96722	140	G-98013-EM	192	G-98754	97	G-99469	207
G-95921	243	G-96821	140	G-98020	193	G-98761	98	G-99525	209
G-95922	243	G-96822	140	G-98021	193	G-98762	98	G-99620	209
G-95923	243	G-96921	153	G-98022	193	G-98763	99	G-99621	209
G-95924	243	G-96922	153	G-98023-EM	193	G-98764	99	G-99622	209
G-95925	246	G-96923	154	G-98028	194	G-98771	98	G-99623	209
G-95926	246	G-96924	154	G-98029-EM	194	G-98772	98	G-99624	209
G-95927	246	G-97021	155	G-98120	194	G-98773	99	G-99625	209
G-95928	246	G-97022	155	G-98121-EM	194	G-98774	99	G-99626	209
G-95929	246	G-97023	156	G-98126	195	G-98800	164	G-99627	209
G-96012	25	G-97024	156	G-98127-EM	195	G-98810	164	G-99628	209
G-96013	26	G-97124	82	G-98128	195	G-98811	168	G-99629	209
G-96020	27	G-97125	82	G-98129-EM	195	G-98812	168	G-99650	211
G-96021	27	G-97126	64	G-98222	198	G-98813	168	G-99651	211
G-96022	25	G-97127	64	G-98224	198	G-98814	167	G-99652	211
G-96023	25	G-97128	84	G-98226	187	G-98815	168	G-99653	211
G-96024	26	G-97129	84	G-98227-EM	187	G-98816	168	G-99654	211
G-96025	27	G-97220	66	G-98228	187	G-98817	167	G-99660	211
G-96026	27	G-97221	66	G-98229-EM	187	G-98818	167	G-99662	211
G-96027	27	G-97320	76	G-98240	188	G-98819	167	G-99664	211
G-96028	27	G-97321	76	G-98241-EM	188	G-98821	166	G-99666	211
G-96029	27	G-97325	77	G-98242	188	G-98822	166	G-99667	211
G-96120	27	G-97326	77	G-98243-EM	188	G-98823	166	G-99670	211
G-96121	27	G-97420	79	G-98250	189	G-98824	167	G-99672	211
G-96122	27	G-97421	79	G-98251-EM	189	G-98930	30	G-99674	211
G-96123	27	G-97425	79,85	G-98252	189	G-98931	31	G-99680	211
G-96124	27	G-97426	79,85	G-98253-EM	189	G-98932	31	G-99681	211
G-96125	27	G-97525	219	G-98260	190	G-99022	85	G-99682	211
G-96126	27	G-97526	219	G-98261-EM	190	G-99023	86	G-99683	211
G-96127	29	G-97527	219	G-98262	190	G-99024	86	G-99684	211
G-96128	29	G-97528	219	G-98263-EM	190	G-99122	85	G-99700	211
G-96225	216	G-97600	218	G-98322	186	G-99123	86	G-99719	26
G-96226	216	G-97601	218	G-98323-EM	186	G-99124	86	G-99720	212
G-96227	216	G-97602	218	G-98324	186	G-99221	67	G-99721	212
G-96228	217	G-97603	218	G-98325-EM	186	G-99222	67	G-99722	212
G-96229	217	G-97604	218	G-98326	196	G-99223	68	G-99723	212
G-96230	208	G-97608	218	G-98327-EM	196	G-99224	68	G-99733	212
G-96231	208	G-97612	219	G-98328	196	G-99321	67	G-99920	215
G-96232	208	G-97615	218	G-98329-EM	196	G-99322	67	G-99921	216
G-96233	208	G-97620	219	G-98410	161	G-99323	68	G-99922	216
G-96234	208	G-97621	219	G-98411	161	G-99324	68		
G-96235	208	G-97622	219	G-98412	161	G-99420	205		
G-96236	208	G-97623	219	G-98413	161	G-99421	205		



CONTACT INFO

369 Essex Rd
Tinton Falls NJ 07753

 sales@gllite.com

 www.gllite.com

 718 697 7502

 718 697 7503

 718 697 7502



Goodlite