SPRING

2026

Product Catalog



Goodlite



CONTACT INFO

369 Essex Rd
Tinton Falls NJ 07753

sales@gllite.com
www.gllite.com

718 697 7502
718 697 7503
718 697 7502


INDEX


Silent Series	Silent	4
Aster Series	Mini interchangeable module	8
	1" interchangeable module	10
	2" interchangeable module	17
	3" interchangeable module	24
	3.5" interchangeable module	36
	4" interchangeable module	44
	5" interchangeable module	53
	6" interchangeable module	56
Venus Series	Venus	59
Saturn Series	Trimless regress	59
	Trimless regress multiple	61
	Trimmed flushed	69
	Trimmed regress	73
	Trimmed regress multiple	81
Ellipse Series	3" Ellipse	87
	3.5" Ellipse	90
Pura Series	Pura	94
Altair Series	Trimmed regress	96
	Trimless regress	98
Flarion Series	Round floating gimbal	100
	Multiple floating gimbal	101
Pulsar Series	Trimmed pulsar	107
	Trimless pulsar	109
Dipper Series	Fixed	112
	Combo	114
	Retractable	115
Jupiter Series	Cylinder	117
	Beam adjustable	125
Moon Series	Moon	133
Horizon Series	Horizon	135
Regulus Series	Trimmed	136
	Trimless	139
Star Series	Round	141
Fabulon Series	Round	146
Star Series	Square	147
Fabulon Series	Square	150
Star Series	Trimless	151
	Fire rated	153
Commercial Series	Commercial	158
Downlight accessories	Accessories	161
	Plates	164
Glimmer Series	Edgeless surface mount	169
Accretion Series	Slim surface mount	171
Spica Series	Disk surface mount	173
Glawre' Series	Surface mount	174
Rectangular Slim Series	Rectangular flushed slim	178
Nebula Series	Linkable linear	180
Orion Series	Linear	183
Troffers	Butterfly fixture	185
	Bevel fixture	186
	Focused fixture	187
	Vault fixture	188
	Center net basket fixture	191
	Center square basket fixture	192
	Center basket fixture	193
	Square	194
	Center line fixture	194
	Center indirect line	195
	Regress panel fixture	196
	Backlit flat panel fixture	197
	Frame panel fixture	199
Stellar	Mini puck light	200
	1" Puck light	201
Step light	Eclipse	202
	Trimmed	203
	Trimless	204
Tape light	Tape light	205
	Profile	213
	Power supply	218
Retrofit's	Astrofit	220
	Space	224
Tube Series	T5	227
	T8	228
	U-bend	231
A Series	A series	232
MR Series	MR series	235
PAR Series	Par series	237
BR Series	BR series	239
Miniature Series	Miniature	240
Candelabra Series	Candelabra	244
Decorative Series	Decorative	247
G Series	G series	251
Alphabetical Index		255
Contact Information		259


Silent
1" Aperture Module

1"
Cut Out: 5.85"

G-11120
ST/1/M/15W/LED/5CCT







Lumens	1200
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	50° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire Length	30FT
Pack	6

15W Driver's (Sold separately)

1 Channel



G-48302
15W/277V/Driver

5 Channel (5 X 15W)



G-11105
15W/277V/5CH/Driver

10 Channel (5 X 15W)



G-11110
15W/277V/10CH/Driver

Frosted Lens



G-11722
ST/L/FR/80-DEGREE

Flushed Lens

Frosted



G-11820
ST/L/FL/FR/60°

Clear



G-11822
ST/L/FL/CLR/60°

Extractor

G-11724
ST/EXTRAC

Silent Led Diode's

5CCT — Included



G-11723
ST/DIODE/5CCT

DTW



G-11118
ST/DIODE/DTW

27k



G-11127
ST/DIODE/27K

30k



G-11130
ST/DIODE/30K

35k



G-11135
ST/DIODE/35K

41k



G-11140
ST/DIODE/41K

50k



G-11150
ST/DIODE/50k

Selectable Color · CRI 90° True Colors · Wet Location · Changing Lens · Dimmable · IC Rated


JA8 TITLE 24

Accessories

NC Plate	G-98800 (9)

1"


Silent
1" Round Trimmed Kits




G-11121
ST/KT/RD/WT/TM
White




G-11122
ST/KT/RD/BK/TM
Black



G-11123
ST/KT/RD/BZ/TM
Bronze



G-11124
ST/KT/RD/BN/TM
Brushed Nickel




G-11125
ST/KT/RD/BB/TM
Brushed Brass

Pack 100

1"


Silent
1" Square Trimmed Kits




G-11220
ST/KT/SQ/WT/TM
White




G-11221
ST/KT/SQ/BK/TM
Black



G-11222
ST/KT/SQ/BZ/TM
Bronze



G-11223
ST/KT/SQ/BN/TM
Brushed Nickel



G-11224
ST/KT/SQ/BB/TM
Brushed Brass

Pack 100

1"



G-11320
ST/KT/RD/WT/TS
White




G-11321
ST/KT/RD/BK/TS
Black



G-11322
ST/KT/RD/BZ/TS
Bronze



G-11323
ST/KT/RD/BN/TS
Brushed Nickel




G-11324
ST/KT/RD/BB/TS
Brushed Brass


Pack 100

Silent
1" Square Trimless Kits


1"




G-11420
ST/KT/SQ/WT/TS
White




G-11421
ST/KT/SQ/BK/TS
Black



G-11422
ST/KT/SQ/BZ/TS
Bronze



G-11423
ST/KT/SQ/BN/TS
Brushed Nickel



G-11424
ST/KT/SQ/BB/TS
Brushed Brass

Pack	100

Silent
1" Round Drop Trim Kits

1"




G-11520
ST/KT/RD/WT/DT
White




G-11521
ST/KT/RD/BK/DT
Black



G-11522
ST/KT/RD/BZ/DT
Bronze



G-11523
ST/KT/RD/BN/DT
Brushed Nickel



G-11524
ST/KT/RD/BB/DT
Brushed Brass

Pack	100

Silent
1" Square Drop Trim Kits

1"




G-11620
ST/KT/SQ/WT/DT
White




G-11621
ST/KT/SQ/BK/DT
Black



G-11622
ST/KT/SQ/BZ/DT
Bronze




G-11623
ST/KT/SQ/BN/DT
Brushed Nickel



G-11624
ST/KT/SQ/BB/DT
Brushed Brass


Pack	100




Silent

1″ Multi Head Interchangeable Trimless Kits


1″




G-11102
1/SLT/2H/TL/MK
Double Kit




G-11103
1/SLT/3H/TL/MK
Triple Kit





G-11104
1/SLT/4H/TL/MK
Quadruple Kit





G-11100
1/SLT/SQ-4H/TL/MK
Square Kit













Style	Cut out	Plate	Pack
2 Heads	5.75" X 11.26"	G-98824 (0)	36
3 Heads	5.75" X 16.77"	G-98824 (1)	36
4 Heads	5.75" X 22.28"	G-98824 (2)	36
4 Heads Square	11.26" X 11.26"	G-98818 (6)	12

Goodlite

Aster Series



Aster
Mini Interchangeable Module New Item

Mini



G-15005

MM/4W/LED/5CCT


Lumens	320
Wattage	4W
Voltage	120V
CRI	90>
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Clear Lens		Diffusser	Lens Cover	
				
G-15091 L/MINI/24-DEGREE	G-15093 L/MINI/60-DEGREE	G-15099 M/HEX/HC/DIFFUSER	G-15097 M/SOLITE LENS	G-15098 M/PRISMATIC LENS

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Aster
Mini Interchangeable Trims New Item



G-15010
T/MINI/R/W
White



G-15020
T/MINI/SQ/W
White



G-15011
T/MINI/R/BL
Black




G-15021
T/MINI/SQ/BL
Black



G-15012
T/MINI/R/BZ
Bronze




G-15022
T/MINI/SQ/BZ
Bronze



G-15013
T/MINI/R/BN
Brushed Nickel




G-15023
T/MINI/SQ/BN
Brushed Nickel



G-15014
T/MINI/R/BB
Brushed Brass




G-15024
T/MINI/SQ/BB
Brushed Brass



G-15015
T/MINI/R/BC
Brushed Copper




G-15025
T/MINI/SQ/BC
Brushed Copper




Style	Cut out	Plate	Pack
Trimmed	1.38″	G-98800 (0)	64

Aster
Mini Interchangeable Trimless Round New Item


Mini



G-15030
K/MINI/RD/W/TL
White




G-15031
K/MINI/RD/BL/TL
Black




Style	Cut out	Plate	Pack
Trimless Round	1.65″	G-98800 (1)	36

Aster
Mini Interchangeable Trimless Square New Item


Mini



G-15040
K/MINI/SQ/W/TL
White



G-15041
K/MINI/SQ/BL/TL
Black



Style	Cut out	Plate	Pack
Trimless Square	2.95″	G-98800 (4)	36

Aster
1" Interchangeable Shallow Module
New Item

1"



G-48170

M1/5W/LED/5CCT

Lumens	350	Beam Angle	40° Clear (Default)
Wattage	5W	CCT	27, 30, 35, 41, 50k
Voltage	120V	Dimmable	Yes
CRI	90>	Pack	18

Clear Lens			Frosted Lens	Diffusser	Lens Cover		
							
G-10951 L1/24-DEGREE G2	G-10952 L1/40-DEGREE G2	G-10953 L1/60-DEGREE G2	G-10950 L1/FROSTED G2	G-21751 1/HEX/HC/DIFFUSER	G-10942 1/SOLITE LENS	G-10943 1/PRISMETAC LENS	G-10938 1/BEAMSPLIT LENS

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

Multi Light	G-95823 5W

Aster
1" Interchangeable Module

1"

G-48470

M1/7W/LED/5CCT



G-48171 New Item

M1/7W/TLU/LED/5CCT

Trimless Use

Lumens	600	Beam Angle	40° Clear (Default)
Wattage	7W	CCT	27, 30, 35, 41, 50k
Voltage	120/277V	Dimmable	Yes
CRI	90>	Pack	18

Clear Lens			Frosted Lens	Diffusser	Lens Cover		
							
G-10951 L1/24-DEGREE G2	G-10952 L1/40-DEGREE G2	G-10953 L1/60-DEGREE G2	G-10950 L1/FROSTED G2	G-21751 1/HEX/HC/DIFFUSER	G-10942 1/SOLITE LENS	G-10943 1/PRISMETAC LENS	G-10938 1/BEAMSPLIT LENS

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

Accessories

Multi Light	G-95823 7W

Aster
1" Interchangeable HO Module

1"

G-48468

M1/15W/LED/5CCT



G-48172 New Item

M1/15W/TLU/LED/5CCT

Trimless Use

Lumens	1100	CCT	27, 30, 35, 41, 50k
Wattage	15W	Dimmable	Triac or 0-10V
Voltage	120/277V	Pack	18
CRI	90>	NOT IC RATED	
Beam Angle	60° Clear (Default)		

Clear Lens			Frosted Lens	Diffusser	Lens Cover		
							
G-10951 L1/24-DEGREE G2	G-10952 L1/40-DEGREE G2	G-10953 L1/60-DEGREE G2	G-10950 L1/FROSTED G2	G-21751 1/HEX/HC/DIFFUSER	G-10942 1/SOLITE LENS	G-10943 1/PRISMETAC LENS	G-10938 1/BEAMSPLIT LENS


Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

Accessories

Multi Light	G-95825 14W

Aster
1" Interchangeable Trims

1"



G-48471
T1/R/W
White



G-48472
T1/SQ/W
White




G-48473
T1/R/B
Black



G-48474
T1/SQ/B
Black



G-48475
T1/R/BW
Two-tone



G-48476
T1/SQ/BW
Two-tone



G-48477
T1/R/BZ
Bronze



G-48478
T1/SQ/BZ
Bronze




G-48479
T1/R/BN
Brushed Nickel




G-48480
T1/SQ/BN
Brushed Nickel



G-48481
T1/R/BB
Brushed Brass



G-48482
T1/SQ/BB
Brushed Brass




G-22210
T1/R/W/BF
White Baffle




G-23791
T1/R/CSTM
Ready to paint
New Item


G-48468



G-48470




G-48170



Style	Cut out	Plate	Pack
Trimmed	1.90"	G-98800 (2)	8/128

Aster
1" Interchangeable Shallow Trims New Item

1"




G-48190
T1/R/SHLW/W
White




G-48191
T1/R/SHLW/BK
Black


G-48468



G-48470



G-48170




Style	Cut out	Plate	Pack
Shallow	1.90"	G-98800 (2)	64

Aster
1" Interchangeable Wave Trims New Item

1"




G-20710
T1/R/W/WA
White




G-20711
T1/R/BL/WA
Black


G-48468



G-48470



G-48170



Style	Cut out	Plate	Pack
Wave	2.08"	G-98800 (2)	128

Aster
1" Interchangeable Adjustable Trims
New Item


1"



G-29710
T/GL/RG/1/RD/WT
White




G-29711
T/GL/RG/1/RD/BK
Black




Style	Cut out	Plate	Pack
Adjustable	2.95"	G-19969 (0)	36

Aster
1" Interchangeable Trimless Round


1"



G-10900
K1/RD/W/TL
White




G-10901
K1/RD/BL/TL
Black




G-10902
K1/RD/BN/TL
Nickel



G-10903
K1/RD/BZ/TL
Bronze




G-10904
K1/RD/BB/TL
Brass



Style	Cut out	Plate	Pack
Trimless Round	2.30"	G-98800 (3)	36

Aster
1" Interchangeable Trimless Square


1"




G-10906
K1/SQ/W/TL
White




G-10907
K1/SQ/BL/TL
Black




G-10908
K1/SQ/BN/TL
Nickel



G-10909
K1/SQ/BZ/TL
Bronze




G-10910
K1/SQ/BB/TL
Brass



Style	Cut out	Plate	Pack
Trimless Square	Sq 2.72" / Rd 3.82"	G-98800 (6)	36

1″

Aster
1″ Interchangeable Round Millwork Trimless Kits




G-21710
TL/MLW/1/RD/WT
White



G-21711
TL/MLW/1/RD/BK
Black




G-21712
TL/MLW/1/RD/BZ
Bronze



G-21713
TL/MLW/1/RD/BN
Brushed Nickel




G-21714
TL/MLW/1/RD/BB
Brushed Brass



Style	Cut out	Pack
Millwork	2.32″	64

1″

Aster
1″ Interchangeable Square Millwork Trimless Kits New Item




G-21810
TL/MLW/1/SQ/WT
White



G-21811
TL/MLW/1/SQ/BK
Black




G-21812
TL/MLW/1/SQ/BZ
Bronze




G-21813
TL/MLW/1/SQ/BN
Brushed Nickel



G-21814
TL/MLW/1/SQ/BB
Brushed Brass



Style	Cut out	Pack
Millwork	2.60″	64




Aster

1″ Multi Head Interchangeable Trimless Kits


1″

Round options


G-10900
K1/RD/W/TL
Single Kit




G-90102
1/RD/2H/W/TL/MK
Double Kit




G-90103
1/RD/3H/W/TL/MK
Triple Kit




G-90104
1/RD/4H/W/TL/MK
Quadruple Kit



G-90100
1/RD/4H-SQ/W/TL/MK
Square Kit







G-48172

G-48171

G-48170



Style	Cut out	Plate	Pack
1 Head	2.30"	G-98800 (3)	36
2 Heads	2.28" X 5.75"	G-98821 (1)	36
3 Heads	2.28" X 9.21"	G-48449 (0)	36
4 Heads	2.28" X 12.68"	G-98821 (5)	36
4 Heads Square	5.75" X 5.75"	G-98818 (0)	12




Aster

1″ Multi Head Interchangeable Trimless Kits


1″

Square options


G-91101
1/SQ/1H/W/TL/MK
Single Kit




G-91102
1/SQ/2H/W/TL/MK
Double Kit




G-91103
1/SQ/3H/W/TL/MK
Triple Kit





G-91104
1/SQ/4H/W/TL/MK
Quadruple Kit



G-91100
1/SQ/4H-SQ/W/TL/M
Square Kit








Style	Cut out	Plate	Pack
1 Head	SQ 2.57" X 2.57" RD 3.64"	G-98800 (5)	36
2 Heads	2.58" X 6.30"	G-98821 (1)	12
3 Heads	2.58" X 10.00"	G-98822 (2)	12
4 Heads	2.58" X 13.72"	G-98822 (4)	12
4 Heads Square	6.30" X 6.30"	G-98818 (1)	12


Aster
1" Ultra Narrow Trimless Multiple Kit


1"


G-22801
R1/TL/1H/MLT/KIT
White



G-22811
R1/TL/1H/MLT/KIT-BK
Black










Style	Cut out	Plate	Pack
1 Head	Rd 3.52" Sq 2.24" X 2.95"	G-98800 (5)	24


G-22802
R1/TL/2H/MLT/KIT
White



G-22812
R1/TL/2H/MLT/KIT-BK
Black










Style	Cut out	Plate	Pack
2 Heads	2.24" X 4.92"	G-98821 (0)	24


G-22803
R1/TL/3H/MLT/KIT
White



G-22813
R1/TL/3H/MLT/KIT-BK
Black










Style	Cut out	Plate	Pack
3 Heads	2.24" X 6.89"	G-98821 (2)	24


G-22804
R1/TL/4H/MLT/KIT
White



G-22814
R1/TL/4H/MLT/KIT-BK
Black







Style	Cut out	Plate	Pack
4 Heads	2.24" X 9.88"	G-98821 (4)	24

Aster
2″ Interchangeable Shallow Module
New Item

2″



G-48240
M2/7W/LED/5CCT

Lumens	700	Beam Angle	40° Clear (Default)
Wattage	7W	CCT	27, 30, 35, 41, 50k + DTW
Voltage	120V	Dimmable	Yes
CRI	90>	Pack	18
		DTW	Multi Select

Clear Lens			Frosted Lens	Diffuser	Lens Cover		
							
G-10946 L2/24-DEGREE	G-10947 L2/40-DEGREE	G-10948 L2/60-DEGREE	G-10944 L2/FROSTED/80°	G-21752 2/HEX/HC/DIFFUSER	G-10918 2/SOLITE LENS	G-10919 2/PRISMETAC LENS	G-10920 2/BEAMSPLIT LENS

5CCT+DTW Dim to Warm · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

Multi Light	G-95823 7W

Aster
2″ Interchangeable Module

2″



G-48340
M2/8W/LED/5CCT

G-48241 New Item
M2/8W/TLU/LED/5CCT
Trimless Use

Lumens	800	Beam Angle	40° Clear (Default)
Wattage	8W	CCT	27, 30, 35, 41, 50k + DTW
Voltage	120-277V	Dimmable	Triac or 0-10V
CRI	90>	Pack	18
		DTW	Multi Select

Clear Lens			Frosted Lens	Diffuser	Lens Cover		
							
G-10946 L2/24-DEGREE	G-10947 L2/40-DEGREE	G-10948 L2/60-DEGREE	G-10944 L2/FROSTED/80°	G-21752 2/HEX/HC/DIFFUSER	G-10918 2/SOLITE LENS	G-10919 2/PRISMETAC LENS	G-10920 2/BEAMSPLIT LENS

5CCT+DTW Dim to Warm · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

Multi Light	G-95823 8W

Aster
2″ Interchangeable Module

2″



G-20215
M2/14W/WS2/LED/5CCT

G-48242 New Item
M2/14W/TLU/LED/5CCT
Trimless Use

Lumens	1200/750	Beam Angle	60° Clear (Default)
Wattage	14W/8W	CCT	27, 30, 35, 41, 50k + DTW
Voltage	120/277V	Dimmable	Triac or 0-10V
CRI	90>	Pack	18

Clear Lens			Frosted Lens	Diffuser	Lens Cover		
							
G-10946 L2/24-DEGREE	G-10947 L2/40-DEGREE	G-10948 L2/60-DEGREE	G-10944 L2/FROSTED/80°	G-21752 2/HEX/HC/DIFFUSER	G-10918 2/SOLITE LENS	G-10919 2/PRISMETAC LENS	G-10920 2/BEAMSPLIT LENS

5CCT+DTW Dim to Warm · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

Multi Light	G-95823 8W
	G-95825 14W

Aster
2″ Interchangeable HO Module

2″



G-20213

M2/20W/WS2/LED/5CCT

Lumens	1700/1200
Wattage	20W/14W
Voltage	120/277V
CRI	90>
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 14W	

Clear Lens			Frosted Lens	Diffusser	Lens Cover		
							
G-10946 L2/24-DEGREE	G-10947 L2/40-DEGREE	G-10948 L2/60-DEGREE	G-10944 L2/FROSTED/80°	G-21752 2/HEX/HC/DIFFUSER	G-10918 2/SOLITE LENS	G-10919 2/PRISMETAC LENS	G-10920 2/BEAMSPLIT LENS

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24

Accessories

Multi Light	G-95825 14W
	G-95826 20W

Aster
2″ Interchangeable Trims

2″




G-48341
T2/R/W
White




G-48342
T2/SQ/W
White




G-48343
T2/R/B
Black



G-48344
T2/SQ/B
Black




G-48345
T2/R/BW
Two-tone



G-48346
T2/SQ/BW
Two-tone




G-48347
T2/R/BZ
Bronze



G-48348
T2/SQ/BZ
Bronze




G-48354
T2/R/BN
Brushed Nickel



G-48355
T2/SQ/BN
Brushed Nickel



G-48349
T2/R/BB
Brushed Brass



G-48356
T2/SQ/BB
Brushed Brass




G-22220
T2/R/W/BF
White Baffle



G-23792
T2/R/CSTM
Ready to paint
New Item


G-20215
G-20213



Style	Cut out	Plate	Pack
Trimmed	2.50″	G-98800 (3)	8/64

Aster
2″ Interchangeable Narrow Trims New Item


2″



G-21520
NT2/R/WT
White




G-21521
NT2/R/BK
Black




Style	Cut out	Plate	Pack
Narrow	2.55″	G-98800 (3)	64

Aster
2″ Interchangeable Shallow Trims New Item


2″



G-48250
T2/R/SHLW/W
White




G-48251
T2/R/SHLW/BK
Black




Style	Cut out	Plate	Pack
Shallow	2.50″	G-98800 (3)	64

Aster
2″ Interchangeable Ultra Shallow Trims New Item


2″



G-48260
T2/R/ULTR-SHLW/W
White



G-48261
T2/R/ULTR-SHLW/BK
Black



Style	Cut out	Plate	Pack
Ultra Shallow	2.50″	G-98800 (3)	64

Aster
2″ Interchangeable Wave Trims
New Item


2″



G-20720
T2/R/W/WA
White



G-20721
T2/R/BL/WA
Black



Style	Cut out	Plate	Pack
Wave	2.55″	G-98800 (3)	64

Aster
2″ Interchangeable Adjustable Trims
New Item


2″



G-29720
T/GL/RG/2/RD/WT
White



G-29721
T/GL/RG/2/RD/BK
Black



Style	Cut out	Plate	Pack
Adjustable	3.15″	G-98800 (4)	36

Aster
2″ Interchangeable Round Millwork Trimless Kits

2″




G-21720
TL/MLW/2/RD/WT
White




G-21721
TL/MLW/2/RD/BK
Black




G-21722
TL/MLW/2/RD/BZ
Bronze



G-21723
TL/MLW/2/RD/BN
Brushed Nickel



G-21724
TL/MLW/2/RD/BB
Brushed Brass




Style	Cut out	Pack
Millwork	2.76″	64

Aster
2″ Interchangeable Square Millwork Trimless Kits

New Item


2″



G-21820
TL/MLW/2/SQ/WT
White




G-21821
TL/MLW/2/SQ/BK
Black



G-21822
TL/MLW/2/SQ/BZ
Bronze




G-21823
TL/MLW/2/SQ/BN
Brushed Nickel




G-21824
TL/MLW/2/SQ/BB
Brushed Brass


G-48240



G-48241




G-48242
G-20213



Style	Cut out	Pack
Millwork	3.07″	36

Aster
2″ Interchangeable Trimless Round


2″



G-10913
K2/RD/W/TL
White




G-10914
K2/RD/BL/TL
Black



G-10915
K2/RD/BN/TL
Nickel




G-10916
K2/RD/BR/TL
Bronze




G-10917
K2/RD/BB/TL
Brass


G-48240



G-48241




G-48242
G-20213




Style	Cut out	Plate	Pack
Trimless Round	2.80″	G-98800 (4)	36

Aster
2″ Interchangeable Trimless Square


2″




G-91201
2/SQ/1H/W/TL/MK
White
Push & Release




G-10922
K2/SQ/BL/TL
Black



G-10923
K2/SQ/BN/TL
Nickel




G-10924
K2/SQ/BR/TL
Bronze




G-10925
K2/SQ/BB/TL
Brass


G-48240



G-48241




G-48242
G-20213



Style	Cut out	Plate	Pack
Trimless Square	Sq 3.10″ Rd 4.32″	G-19969 (1)	36

* White trimless square option have diferent values. Check product specifications sheet.



Aster

2″ Multi Head Interchangeable Trimless Kits


2″

Round options

G-10913
K2/RD/W/TL
Single Kit




G-90202
2/RD/2H/W/TL/MK
Double Kit




G-90203
2/RD/3H/W/TL/MK
Triple Kit

G-90204
2/RD/4H/W/TL/MK
Quadruple Kit


G-90200
2/RD/4H-SQ/W/TL/MK
Square Kit







G-48242
G-20213

G-48240




G-48241





Style	Cut out	Plate	Pack
1 Head	2.80"	G-98800 (4)	36
2 Heads	2.72" X 6.61"	G-48318 (2)	36
3 Heads	2.72" X 10.51"	G-98821 (4)	36
4 Heads	2.72" X 14.41"	G-98822 (4)	36
4 Heads Square	6.61" X 6.61"	G-98818 (1)	12




Aster


2″ Multi Head Interchangeable Trimless Kits

2″


Square options




G-91201
2/SQ/1H/W/TL/MK
Single Kit




G-91202
2/SQ/2H/W/TL/MK
Double Kit




G-91203
2/SQ/3H/W/TL/MK
Triple Kit




G-91204
2/SQ/4H/W/TL/MK
Quadruple Kit



G-91200
2/SQ/4H-SQ/W/TL/MK
Square Kit



G-48242
G-20213



Style	Cut out	Plate	Pack
1 Head	SQ 3.04" X 3.04" RD 4.30"	G-98800 (7)	36
2 Heads	3.05" X 7.24"	G-48318 (2)	12
3 Heads	3.03" X 11.38"	G-98822 (3)	12
4 Heads	3.03" X 15.55"	G-98822 (5)	12
4 Heads Square	7.20" X 7.20"	G-98818 (2)	12

Aster Pro

3" 12W 98CRI Architectural Spec Downlight

New Item

3"



G-27327	27k Soft White	Lumens: 1066	AP/M3/12W/LED/98CRI/27K
G-27330	30k Warm White	Lumens: 1042	AP/M3/12W/LED/98CRI/30K
G-27335	35k Neutral White	Lumens: 1144	AP/M3/12W/LED/98CRI/35K
G-27318	30K-1800K DTW	Lumens: 1027	AP/M3/12W/LED/95CRI/DTW

Wattage	12W
Voltage	120/277V
CRI	98
Dimmable	Triac or 0-10V

Engine**



Clear Lens*			Reflector Lens*		Frosted Lens*	Diffusser	Lens Cover		
									
G-98922 L3/24-DEGREE	G-98923 L3/40-DEGREE	G-98924 L3/60-DEGREE	G-98925 L3/REFLECTOR/30°	G-98926 L3/REFLECTOR/60°	G-98920 L3/FROSTED/80°	G-21753 3/HEX/HC/DIFFUSER	G-98927 3/SOLITE LENS	G-98928 3/PRISMETAC LENS	G-98929 3/BEAMSPLIT LENS

CRI 98* True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Aster Pro

3" 15/28W 98CRI Architectural Spec Downlight

New Item

3"



G-28327	27k Soft White	Lumens: 1347 / 2449	AP/M3/15-28W/LED/98CRI/27K
G-28330	30k Warm White	Lumens: 1390 / 2540	AP/M3/15-28W/LED/98CRI/30K
G-28335	35k Neutral White	Lumens: 1474 / 2666	AP/M3/15-28W/LED/98CRI/35K
G-28318	26K-1800K DTW	Lumens: 1243	AP/M3/15W/LED/98CRI/DTW

Wattage	15/28W
Voltage	120/277V
CRI	98
Dimmable	Triac or 0-10V
IC rated-at 15W	

Engine**



Clear Lens*			Reflector Lens*		Frosted Lens*	Diffusser	Lens Cover		
									
G-98922 L3/24-DEGREE	G-98923 L3/40-DEGREE	G-98924 L3/60-DEGREE	G-98925 L3/REFLECTOR/30°	G-98926 L3/REFLECTOR/60°	G-98920 L3/FROSTED/80°	G-21753 3/HEX/HC/DIFFUSER	G-98927 3/SOLITE LENS	G-98928 3/PRISMETAC LENS	G-98929 3/BEAMSPLIT LENS

CRI 98* True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24

Aster
3″ Interchangeable Shallow Module

3″



G-96012

M3/8W/LED/5CCT

8W

Clear Lens



G-98922 L3/24-DEGREE | G-98923 L3/40-DEGREE | G-98924 L3/60-DEGREE

Reflector Lens



G-98925 L3/REFLECTOR/30° | G-98926 L3/REFLECTOR/60°

Frosted Lens

G-98920 L3/FROSTED/80°

Diffusser



G-21753 3/HEX/HC/DIFFUSER

Lens Cover

G-98927 3/SOLITE LENS

G-98928 3/PRISMETAC LENS

G-98929 3/BEAMSPLIT LENS

Lumens	800
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	18

5CCT+DTW Dim to Warm | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

Multi Light	G-95823 8W

Aster
3″ Interchangeable Module

3″



G-96022

M3/9W/LED/5CCT

9W

Clear Lens



G-98922 L3/24-DEGREE | G-98923 L3/40-DEGREE | G-98924 L3/60-DEGREE

Reflector Lens



G-98925 L3/REFLECTOR/30° | G-98926 L3/REFLECTOR/60°

Frosted Lens

G-98920 L3/FROSTED/80°

Diffusser



G-21753 3/HEX/HC/DIFFUSER

Lens Cover

G-98927 3/SOLITE LENS

G-98928 3/PRISMETAC LENS

G-98929 3/BEAMSPLIT LENS

Lumens	850
Wattage	9W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	18

5CCT+DTW Dim to Warm | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

Multi Light	G-95824 9W

Aster
3″ Interchangeable HO Module

3″



G-96023

M3/15W/LED/5CCT

15W

Clear Lens



G-98922 L3/24-DEGREE | G-98923 L3/40-DEGREE | G-98924 L3/60-DEGREE

Reflector Lens



G-98925 L3/REFLECTOR/30° | G-98926 L3/REFLECTOR/60°

Frosted Lens

G-98920 L3/FROSTED/80°

Diffusser



G-21753 3/HEX/HC/DIFFUSER

Lens Cover

G-98927 3/SOLITE LENS

G-98928 3/PRISMETAC LENS

G-98929 3/BEAMSPLIT LENS

Lumens	1400
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	18

5CCT+DTW Dim to Warm | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

Multi Light	G-95825 14W

Aster
3″ Interchangeable HO Module

3″



G-96024
M3/24W/LED/
5CCT NON-IC
24W

Clear Lens



G-98922 L3/24-DEGREE | G-98923 L3/40-DEGREE | G-98924 L3/60-DEGREE

Reflector Lens



G-98925 L3/REFLECTOR/30° | G-98926 L3/REFLECTOR/60°

Frosted Lens | **Diffusser** | **Lens Cover**



G-98920 L3/FROSTED/80° | G-21753 3/HEX/HC/DIFFUSER | G-98927 3/SOLITE LENS | G-98928 3/PRISMETAC LENS | G-98929 3/BEAMSPLIT LENS

Lumens	2100
Wattage	24W
Voltage	120/277V
CRI	90>
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
NOT IC RATED	

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable

JA8 TITLE 24

Aster
3″ Interchangeable RGBWW Module

3″



G-30330
M3/15W/LED/RGBWW
15W



G-99719
Remote

Clear Lens



G-98922 L3/24-DEGREE | G-98923 L3/40-DEGREE | G-98924 L3/60-DEGREE

Reflector Lens



G-98925 L3/REFLECTOR/30° | G-98926 L3/REFLECTOR/60°

Frosted Lens | **Diffusser** | **Lens Cover**



G-98920 L3/FROSTED/80° | G-21753 3/HEX/HC/DIFFUSER | G-98927 3/SOLITE LENS | G-98928 3/PRISMETAC LENS | G-98929 3/BEAMSPLIT LENS

Lumens	1400 AT CCT
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	60° Clear (Default)
CCT	RGBWW
Dimmable	Yes
App	Tuya
Pack	18

RGBWW | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated | App Compatible

JA8 TITLE 24

Aster
3″ Beam Adjustable Module New Item

3″



G-96013
M3/9W/ADJ/LED/5CCT
9W

Lumens	600/750
Wattage	9W
Voltage	120/277V
CRI	90
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Adjustable Beam Angle | Dimmable | IC Rated


JA8 TITLE 24


Accessories

Multi Light	G-95824 9W

Aster
3″ Interchangeable Trims

3″



G-96025
T3/R/W
White


G-96026
T3/SQ/W
White



G-96027
T3/R/B
Black



G-96028
T3/SQ/B
Black



G-96029
T3/R/BW
Two-tone


G-96120
T3/SQ/BW
Two-tone



G-96121
T3/R/BZ
Bronze



G-96122
T3/SQ/BZ
Bronze



G-96123
T3/R/BN
Brushed Nickel


G-96124
T3/SQ/BN
Brushed Nickel



G-96125
T3/R/BB
Brushed Brass


G-96126
T3/SQ/BB
Brushed Brass


G-96020
T3/RD/BC
Brushed Copper



G-96021
T3/SQ/BC
Brushed Copper


G-22230
T3/R/W/BF
White Baffle


G-23793
T3/R/CSTM
Ready to Paint
New Item


G-21870
T3/R/RED
Strawberry Red


G-21871
T3/R/OG
Tangerine Orange


G-21872
T3/R/YL
Lemon Yellow


G-21873
T3/R/GN
Apple Green



G-21874
T3/R/BU
Blueberry Blue


G-21953
T3/R/HZ
Haze


Aster
3″ Interchangeable Pinhole Trims


3″



G-21640
T/PH/3/RD/W
White



G-21650
T/PH/3/RD/BK
White



G-21641
T/PH/3/SQ/W
Black


G-21651
T/PH/3/SQ/BK
Black










Style	Cut out	Plate	Pack
Trimmed	2.95″	G-98800 (4)	8/64

Aster
3″ Interchangeable Narrow Trims


3″



G-21530
NT3/R/W
White



G-21531
NT3/R/BK
Black



Style	Cut out	Plate	Pack
Narrow	2.95″	G-19969 (0)	8/64

Aster
3″ Interchangeable Shallow Trims


3″



G-23030
T3/R/SHLW/W
White



G-23031
T3/R/SHLW/BK
Black



Style	Cut out	Plate	Pack
Shallow	2.95″	G-98800 (4)	8/64

Aster
3″ Interchangeable Ultra Shallow Trims


3″



G-23130
T3/R/ULTR-SHLW/W
White



G-23131
T3/R/ULTR-SHLW/BK
Black



Style	Cut out	Plate	Pack
Ultra shallow	2.95″	G-98800 (4)	8/64

Aster
3″ Interchangeable Wave Round


3″



G-20730
T3/R/W/WA/G2
White




G-20731
T3/R/BL/WA
Black




Style	Cut out	Plate	Pack
Wave	2.95″	G-98800 (4)	64

Aster
3″ Interchangeable Bevel Square Trims
New Item


3″



G-22730
T3/BVL/SQ/WT
White




G-22731
T3/BVL/SQ/BK
Black



Style	Cut out	Plate	Pack
Square bevel	3.15″	G-98814 (0)	64

Aster
3″ Interchangeable Wall Wash Trims


3″



G-96127
T3/R/WW/W
White



G-96128
T3/SQ/WW/W
White



Style	Cut out	Plate	Pack
Wall wash trims	2.95″	G-98800 (4)	8/64

Aster
3″ Round Trimless Wall Wash Kit


3″



G-29830
K3/R/WW/W/TL
White




G-29831
K3/R/WW/B/TL
Black




Style	Cut out	Plate	Pack
Wall wash trimless round	3.15″	G-98800 (4)	36

Aster
3″ Square Trimless Wall Wash Kit


3″



G-29930
K3/SQ/WW/W/TL
White



G-29931
K3/SQ/WW/B/TL
Black




Style	Cut out	Plate	Pack
Wall wash trimless square	RD 4.72″ SQ 3.36″	G-98800 (8)	36

Aster
3″ Interchangeable 3/4″ Drop Trims


3″



G-21250
DT3/R/WT/3/4IN
White




G-21251
DT3/R/BK/3/4IN
Black



Style	Cut out	Plate	Pack
Drop trim 3/4″	2.95″	G-98800 (4)	36

Aster
3″ Interchangeable 2″ Drop Trims


3″




G-21330
DT3/R/WT/2IN
White




G-21331
DT3/R/BK/2IN
Black



G-21335
DT3/SQ/WT/2IN
White



G-21336
DT3/SQ/BK/2IN
Black




Style	Cut out	Plate	Pack
Drop trim 2″	2.95″	G-98800 (4)	36

Aster
3″ Interchangeable Drop Lens Trim New Item

3″



G-98930
DL/3/R/FR
White



Style	Cut out	Plate	Pack
Drop lens	2.95″	G-98800 (4)	36

Aster
3″ Interchangeable Architectural Drop Lens
New Item

3″




G-98931
DL/ARC/3/R/CR
Clear




G-98932
DL/ARC/3/R/FR
Frosted


G-96012



Pro 12W
G-96022



Pro 15/18W
G-96023
G-96024
G-30330



Style	Cut out	Plate	Pack
Drop lens	2.95″	G-98800 (4)	36

Aster
3″ Interchangeable Adjustable Trims
New Item

3″

G-29730
T/GL/RTBL/3/RD/WT
White



G-29731
T/GL/RTBL/3/RD/BK
Black




Pro 15/18W
G-96023
G-96024
G-30330

Pro 12W
G-96022

G-96013

G-96012



Style	Cut out	Plate	Pack
Rotatable	3.35″	G-98800 (5)	36

Aster
3″ Interchangeable Adjustable Trimless Kits
New Item

3″

G-29630
TL/ADJ/3/RD/WT
White



G-29631
TL/ADJ/3/RD/BK
Black




Pro 15/18W
G-96023
G-96024
G-30330

Pro 12W
G-96022

G-96013


G-96012




Style	Cut out	Plate	Pack
Rotatable	3.65″	G-98800 (5)	24

Aster
3″ Interchangeable Gimbal Trims

3″






Style	Cut out	Plate	Pack
Gimbal	3.62″	G-98800 (5)	36

Aster
3″ Interchangeable Gimbal Trimless Kits

New Item

3″






Style	Cut out	Plate	Pack
Gimbal trimless	3.70″	G-98800 (5)	24

Aster
3″ Interchangeable Round Millwork Trimless Kits

3″





Style	Cut out	Pack
Millwork	3.09″	36

Aster
3″ Interchangeable Square Millwork Trimless Kits

New Item


3″



G-21830
TL/MLW/3/SQ/WT
White




G-21831
TL/MLW/3/SQ/BK
Black




G-21832
TL/MLW/3/SQ/BZ
Bronze



G-21833
TL/MLW/3/SQ/BN
Brushed Nickel




G-21834
TL/MLW/3/SQ/BB
Brushed Brass




Style	Cut out	Pack
Millwork	3.39″	36

Aster
3″ Interchangeable Trimless Round

3″



G-10927
K3/RD/W/TL
White




G-10928
K3/RD/BL/TL
Black




G-10929
K3/RD/BN/TL
Nickel



G-10930
K3/RD/BR/TL
Bronze




G-10931
K3/RD/BB/TL
Brushed Brass




Style	Cut out	Plate	Pack
Trimless round	3.10″	G-98800 (4)	36

Aster
3″ Interchangeable Trimless Square


3″




G-10933
K3/SQ/W/TL
White




G-10934
K3/SQ/BL/TL
Black




G-10935
K3/SQ/BN/TL
Nickel




G-10936
K3/SQ/BR/TL
Bronze



G-10937
K3/SQ/BB/TL
Brushed Brass



Style	Cut out	Plate	Pack
Trimless square	Sq 3.46″ Rd 4.90″	G-98800 (8)	36



Aster


3” Multi Head Interchangeable Trimless Kits

3”


Round options




G-10927
K3/RD/W/TL
Single Kit




G-90302
3/RD/2H/W/TL/MK
Double Kit




G-90303
3/RD/3H/W/TL/MK
Triple Kit



G-90304
3/RD/4H/W/TL/MK
Quadruple Kit




G-90300
3/RD/4H-SQ/W/TL/MK
Square Kit







G-96012



Pro 12W
G-96022




Pro 15/18W
G-96023
G-96024
G-30330



G-96013

Style	Cut out	Plate	Pack
1 Head	3.10"	G-98800 (4)	36
2 Heads	3.05" X 7.28"	G-48318 (2)	36
3 Heads	3.05" X 11.52"	G-48449 (1)	36
4 Heads	3.05" X 15.75"	G-98822 (5)	36
4 Heads Square	7.28" X 7.28"	G-98818 (2)	12




Aster


3” Multi Head Interchangeable Trimless Kits

3”


Square options




G-91301
3/SQ/1H/W/TL/MK
Single Kit




G-91302
3/SQ/2H/W/TL/MK
Double Kit




G-91303
3/SQ/3H/W/TL/MK
Triple Kit




G-91304
3/SQ/4H/W/TL/MK
Quadruple Kit




G-91300
3/SQ/4H-SQ/W/TL/M
Square Kit







G-96012



Pro 12W
G-96022



Pro 15/18W
G-96023
G-96024
G-30330



G-96013

Style	Cut out	Plate	Pack
1 Head	SQ 3.35" X 3.35" RD 4.73"	G-98800 (8)	36
2 Heads	3.36" X 7.86"	G-98817 (0)	12
3 Heads	3.35" X 12.32"	G-48449 (1)	12
4 Heads	3.35" X 16.81"	G-98817 (3)	12
4 Heads Square	7.83" X 7.83"	G-98818 (3)	12

Aster
3.5″ Shallow Interchangeable Module
New Item

3.5″



G-23501

M3.5/10W/LED/5CCT

10W

Lumens	900	DTW	Multi select
Wattage	10W	Dimmable	Triac or 0-10V
Voltage	120/277V	Beam Angle	40° Clear (Default)
CRI	90>	Pack	18
CCT	27, 30, 35, 41, 50k + DTW		

Clear Lens			Frosted Lens	Reflector Lens		Diffusser	Lens Cover		
									
G-23632 L3.5/24-DEGREE	G-23633 L3.5/40-DEGREE	G-23634 L3.5/60-DEGREE	G-23630 L3.5/FROSTED	G-23636 L3.5/REFLECTOR/38″	G-23637 L3.5/REFLECTOR/60″	G-21750 3.5/HEX/HC/DIFFUSER	G-23641 SOLITE/COVER	G-23642 PRISMETAC/COVER	G-23643 BEAMSPLIT/COVER

5CCT+DTW Dim to Warm · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

Multi Light	G-95824 10W

Aster
3.5″ Interchangeable Module

3.5″



G-23500

M3.5/9/15W/WS2/LED/5CCT

9/15W

Lumens	900/1400	DTW	2600k To 1800k
Wattage	9/15W	Dimmable	Triac or 0-10V
Voltage	120/277V	Beam Angle	40° Clear (Default)
CRI	90>	Pack	18
CCT	27, 30, 35, 41, 50k + DTW		

Clear Lens			Frosted Lens	Reflector Lens		Diffusser	Lens Cover		
									
G-23632 L3.5/24-DEGREE	G-23633 L3.5/40-DEGREE	G-23634 L3.5/60-DEGREE	G-23630 L3.5/FROSTED	G-23636 L3.5/REFLECTOR/38″	G-23637 L3.5/REFLECTOR/60″	G-21750 3.5/HEX/HC/DIFFUSER	G-23641 SOLITE/COVER	G-23642 PRISMETAC/COVER	G-23643 BEAMSPLIT/COVER

5CCT+DTW Dim to Warm · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

Multi Light	G-95824 9W
	G-95825 14W

Aster
3.5″ Interchangeable HO Module

3.5″



G-23505

M3.5/18/30W/WS2/LED/5CCT

18/30W

Lumens	1700/2700	DTW	2600k To 1800k
Wattage	18/30W	Dimmable	Triac or 0-10V
Voltage	120/277V	Beam Angle	60° Clear (Default)
CRI	90>	Pack	18
CCT	27, 30, 35, 41, 50k + DTW	IC Rated-at 18W	

Clear Lens			Frosted Lens	Reflector Lens		Diffusser	Lens Cover		
									
G-23632 L3.5/24-DEGREE	G-23633 L3.5/40-DEGREE	G-23634 L3.5/60-DEGREE	G-23630 L3.5/FROSTED	G-23639 L3.5/HO/REFLECT/38″	G-23640 L3.5/HO/REFLECT/60″	G-21750 3.5/HEX/HC/DIFFUSER	G-23641 SOLITE/COVER	G-23642 PRISMETAC/COVER	G-23643 BEAMSPLIT/COVER

5CCT+DTW Dim to Warm · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24 · ETL LISTED c US

Accessories

Multi Light	G-95825 18W

Aster
3.5″ Beam Adjustable Module
New Item

3.5″



G-23502

M3.5/12W/ADJ/LED/5CCT

12W

Lumens	1000-1150	CCT	27,30, 35, 41, 50k
Wattage	12W	Dimmable	Triac or 0-10V
Voltage	120/277V	Beam Angle	20-55°
CRI	90	Pack	18

5 Selectable Color | 90° CRI 90+ True Colors | Wet Location | Adjustable Beam Angle | Dimmable | IC Rated

JA8 TITLE 24

Accessories


Multi Light	G-95824 12W

Aster
3.5″ Interchangeable Trims

3.5″



G-23510
T3.5/R/W/G2
White



G-23520
T3.5/SQ/W/G2
White



G-23511
T3.5/R/BL/G2
Black




G-23521
T3.5/SQ/B/G2
Black



G-23512
T3.5/R/BW/G2
Two-tone




G-23522
T3.5/SQ/BW/G2
Two-tone




Style	Cut out	Plate	Pack
Trimmed	3.75″	G-98800 (5)	36




G-23513
T3.5/R/BZ/G2
Bronze



G-23523
T3.5/SQ/BZ/G2
Bronze




G-23514
T3.5/R/BN/G2
Brushed Nickel



G-23524
T3.5/SQ/BN/G2
Brushed Nickel




G-23515
T3.5/R/BB/G2
Brushed Brass




G-23525
T3.5/SQ/BB/G2
Brushed Brass



G-23516
T3.5/R/BC/G2
Brushed Copper



G-23526
T3.5/SQ/BC/G2
Brushed Copper




G-22200
T3.5/R/W/BF
White Baffle



G-23790
T3.5/R/CSTM
Ready to paint
New Item

Aster
3.5″ Interchangeable Narrow Trims


3.5″



G-23570
NT3.5/R/W
White



G-23571
NT3.5/R/BK
Black



Style	Cut out	Plate	Pack
Narrow	3.75″	G-98800 (5)	36

Aster
3.5″ Interchangeable Shallow Trims New Item


3.5″



G-23590
T3.5/R/SHLW/W
White




G-23591
T3.5/R/SHLW/BK
Black




Style	Cut out	Plate	Pack
Shallow	3.75″	G-98800 (5)	36

Aster
3.5″ Interchangeable Ultra Shallow Trims New Item


3.5″



G-23600
T3.5/R/ULTR-SHLW/W
White



G-23601
T3.5/R/ULTR-SHLW/BK
Black



Style	Cut out	Plate	Pack
Ultra shallow	3.75″	G-98800 (5)	36

Aster
3.5″ Interchangeable Wave Round New Item


3.5″



G-20700
T3.5/R/W/WA
White




G-20701
T3.5/R/BL/WA
Black



Style	Cut out	Plate	Pack
Wave	3.75″	G-98800 (5)	36

Aster
3.5″ Interchangeable Round Wall Wash Trims


3.5″



G-23550
T3.5/R/WW/W/G2
White




G-23551
T3.5/R/WW/BL/G2
Black



Style	Cut out	Plate	Pack
Wall Wash Round	3.75″	G-98800 (5)	36

Aster
3.5″ Interchangeable Square Wall Wash Trims


3.5″



G-23560
T3.5/SQ/WW/W/G2
White



G-23561
T3.5/SQ/WW/BL/G2
Black




Style	Cut out	Plate	Pack
Wall Wash Square	3.75″	G-98800 (5)	36


Aster
3.5" Round Trimless Wall Wash Kit

New Item


3.5″



G-23610
K3.5/R/WW/W/TL
White



G-23611
K3.5/R/WW/BK/TL
Black




Style	Cut out	Plate	Pack
Wall Wash Round	4.25″	G-98800 (6)	24


Aster
3.5" Square Trimless Wall Wash Kit

New Item


3.5″



G-23620
K3.5/SQ/WW/W/TL
White



G-23621
K3.5/SQ/WW/BK/TL
Black



Style	Cut out	Plate	Pack
Wall Wash Square	SQ 4.55″ X 3.8″- RD 5.63″	G-98800 (9)	24

Aster
3.5″ Interchangeable Adjustable Trims
New Item


3.5″



G-29700
T/GL/RG/3.5/RD/WT
White



G-29701
T/GL/RG/3.5/RD/BK
Black



Style	Cut out	Plate	Pack
Adjustable	4.15″	G-98800 (6)	36

Aster
3.5″ Interchangeable Round Millwork Trimless Kits

3.5″




G-21700
TL/MLW/3.5/RD/WT
White



G-21701
TL/MLW/3.5/RD/BK
Black




G-21702
TL/MLW/3.5/RD/BZ
Bronze



G-21703
TL/MLW/3.5/RD/BZ
Brushed Nickel




G-21704
TL/MLW/3.5/RD/BB
Brushed Brass



Style	Cut out	Pack
Round Millwork	3.78″	36

Aster
3.5″ Interchangeable Square Millwork Trimless Kits
New Item

3.5″



G-21800
TL/MLW/3.5/SQ/WT
White



G-21801
TL/MLW/3.5/SQ/BK
Black




G-21802
TL/MLW/3.5/SQ/BZ
Bronze



G-21803
TL/MLW/3.5/SQ/BN
Brushed Nickel




G-21804
TL/MLW/3.5/SQ/BB
Brushed Brass




Style	Cut out	Pack
Square Millwork	3.80″	36


Aster
3.5″ Interchangeable Trimless Round




G-23530
K3.5/RD/W/TL
White




G-23531
K3.5/RD/BL/TL
Black




G-23532
K3.5/RD/BN/TL
Brushed Nickel




G-23533
K3.5/RD/BZ/TL
Bronze



G-23534
K3.5/RD/BB/TL
Brushed Brass




G-23535
K3.5/RD/BC/TL
Brushed Copper




Style	Cut out	Plate	Pack
Trimless Round	3.85″	G-98800 (6)	24


Aster
3.5″ Interchangeable Trimless Square




G-23540
K3.5/SQ/W/TL
White




G-23541
K3.5/SQ/BL/TL
Black




G-23542
K3.5/SQ/BN/TL
Brushed Nickel




G-23543
K3.5/SQ/BZ/TL
Bronze



G-23544
K3.5/SQ/BB/TL
Brushed Brass



Style	Cut out	Plate	Pack
Trimless Square	Sq 3.77″/ Rd 5.35″	G-98800 (8)	24




Aster

3.5″ Multi Head Interchangeable Trimless Kits


3.5″

Round options

G-23530
K3.5/RD/W/TL
Single Kit




G-90002
3.5/RD/2H/W/TL/MK
Double Kit





G-90003
3.5/RD/3H/W/TL/MK
Triple Kit

G-90004
3.5/RD/4H/W/TL/MK
Quadruple Kit


G-90000
3.5/RD/4H-SQ/W/TL/MK
Square Kit







Style	Cut out	Plate	Pack
1 Head	3.85″	G-98800 (6)	24
2 Heads	3.74" X 9.45"	G-98817 (1)	36
3 Heads	3.74" X 15.16"	G-98817 (2)	36
4 Heads	3.74" X 20.87"	G-98817 (4)	24
4 Heads Square	9.45" X 9.45"	G-98818 (4)	12




Aster


3.5″ Multi Head Interchangeable Trimless Kits

3.5″


Square options




G-23540
K3.5/SQ/W/TL
Single Kit




G-91002
3.5/SQ/2H/W/TL/MK
Double Kit




G-91003
3.5/SQ/3H/W/TL/MK
Triple Kit




G-91004
3.5/SQ/4H/W/TL/MK
Quadruple Kit



G-91000
3.5/SQ/4H-SQ/W/TL/MK
Square Kit





Style	Cut out	Plate	Pack
1 Head	Sq 3.77″/ Rd 5.35″	G-98800 (8)	24
2 Heads	3.72" X 9.37"	G-48448 (1)	12
3 Heads	3.72" X 15.02"	G-98817 (2)	12
4 Heads	3.74" X 20.69"	G-98817 (4)	6
4 Heads Square	9.39" X 9.39"	G-98818 (4)	6

Aster

4" Interchangeable Shallow Module New Item

4"



G-10010

M4/12W/LED/5CCT

12W

Lumens	1100
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	18

Clear Lens			Reflector Lens		Frosted Lens	Diffusser	Lens Cover		
									
G-11022 L4/24-DEGREE	G-11023 L4/40-DEGREE	G-11024 L4/60-DEGREE	G-11025 L4/REFLECTOR/30°	G-11026 L4/REFLECTOR/60°	G-11020 L4/FROSTED/80°	G-21440 4/HEX/HC/DIFFUSER	G-21427 4/SOLITE LENS	G-21428 4/PRISMETAC LENS	G-21429 4/BEAMSPLIT LENS

5CCT+DTW Dim to Warm · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

Multi Light	G-95824 12W

Aster

4" Interchangeable Module

4"



G-10020

M4/15W/WS2/LED/5CCT

9/15W

Lumens	950/1550
Wattage	9/15W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k + DTW
DTW	Multi select
Dimmable	Triac or 0-10V
Pack	12

Clear Lens			Reflector Lens		Frosted Lens	Diffusser	Lens Cover		
									
G-11022 L4/24-DEGREE	G-11023 L4/40-DEGREE	G-11024 L4/60-DEGREE	G-11025 L4/REFLECTOR/30°	G-11026 L4/REFLECTOR/60°	G-11020 L4/FROSTED/80°	G-21440 4/HEX/HC/DIFFUSER	G-21427 4/SOLITE LENS	G-21428 4/PRISMETAC LENS	G-21429 4/BEAMSPLIT LENS

5CCT+DTW Dim to Warm · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

Multi Light	G-95824 9W
	G-95825 14W

Aster
4″ Interchangeable HO Module

4″



G-10025

M4/32W/WS2/LED/5CCT

20/32W

Lumens	2000/3000
Wattage	20/32W
Voltage	120/277V
CRI	90>
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at 20W	

Clear Lens



G-11022	G-11023	G-11024
L4/24-DEGREE	L4/40-DEGREE	L4/60-DEGREE

Reflector Lens



G-11027	G-11028
L4/REFLECTOR/30°	L4/REFLECTOR/60°

Frosted Lens

G-11020
L4/FROSTED/80°

Diffusser



G-21440
4/HEX/HC/DIFFUSER

Lens Cover

G-21427	G-21428	G-21429
4/SOLITE LENS	4/PRISMETAC LENS	4/BEAMSPLIT LENS

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24

Accessories

Multi Light	G-95826 20W

Aster
4″ Beam Adjustable Module New Item

4″



G-10011

M4/14W/ADJ/LED/5CCT

14W

Lumens	1200-1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Adjustable Beam Angle · Dimmable · IC Rated


JA8 TITLE 24

Accessories

Multi Light	G-95825 14W

Aster
4″ Interchangeable Trims


4″



G-10120
T4/R/W/G2
White



G-10220
T4/SQ/W/G2
White





G-10121
T4/R/BL/G2
Black




G-10221
T4/SQ/B/G2
Black

Style	Cut out	Plate	Pack
Trimmed	4.25″	G-98800 (6)	36




G-10122
T4/R/BW/G2
Two-tone



G-10222
T4/SQ/BW/G2
Two-tone



G-10123
T4/R/BZ/G2
Bronze



G-10223
T4/SQ/BZ/G2
Bronze



G-10124
T4/R/BN/G2
Brushed Nickel




G-10224
T4/SQ/BN/G2
Brushed Nickel




G-10125
T4/R/BB/G2
Brushed Brass



G-10225
T4/SQ/BB/G2
Brushed Brass




G-22240
T4/R/W/BF-NG
White Baffle



G-23794
T4/R/CSTM
Ready to paint
New Item

Aster
4″ Interchangeable Narrow Trims


4″



G-21540
NT4/R/WT
White



G-21541
NT4/R/BK
Black



Style	Cut out	Plate	Pack
Narrow	4.25″	G-98800 (6)	36


Aster
4″ Interchangeable Shallow Trims
New Item

4″

G-10140
T4/R/SHLW/W
White



G-10141
T4/R/SHLW/BK
Black



Style	Cut out	Plate	Pack
Shallow	4.25″	G-98800 (6)	36


Aster
4″ Interchangeable Ultra Shallow Trims
New Item

4″

G-10150
T4/R/ULTR-SHLW/W
White



G-10151
T4/R/ULTR-SHLW/BK
Black



Style	Cut out	Plate	Pack
Ultra Shallow	4.25″	G-98800 (6)	36

Aster
4″ Interchangeable Wave Trims
New Item


4″



G-20740
T4/R/W/WA
White




G-20741
T4/R/BL/WA
Black



Style	Cut out	Plate	Pack
Wave	4.25″	G-98800 (6)	36

Aster
4″ Interchangeable Wall Wash Trims

4″




G-10520
T4/R/WW/W/G2
White




G-10521
T4/R/WW/BL/G2
Black



G-10620
T4/SQ/WW/WG2
White




G-10621
T4/SQ/WW/BL/G2
Black



Style	Cut out	Plate	Pack
Wall Wash	4.25″	G-98800 (6)	36

Aster
4" Round Trimless Wall Wash Kit New Item


4″



G-10540
K4/R/WW/W/TL
White




G-10541
K4/R/WW/BK/TL
Black




Style	Cut out	Plate	Pack
Wall Wash Trimless Round	4.70″	G-98800 (8)	24

Aster
4" Square Trimless Wall Wash Kit New Item


4″



G-10640
K4/SQ/WW/W/TL
White



G-10641
K4/SQ/WW/BK/TL
Black



Style	Cut out	Plate	Pack
Wall Wash Trimless Square	Sq 4.95" x 4.25" - Rd 6.50"	G-19982 (7)	24

4″


Aster
4″ Interchangeable Adjustable Trims New Item



G-29740
T/GL/RG/4/RD/WT
White



G-29741
T/GL/RG/4/RD/BK
Black



Style	Cut out	Plate	Pack
Adjustable	4.65″	G-98800 (7)	36

4″

Aster
4″ Interchangeable Round Millwork Trimless Kits




G-21740
TL/MLW/4/RD/WT
White



G-21741
TL/MLW/4/RD/BK
Black




G-21742
TL/MLW/4/RD/BZ
Bronze



G-21743
TL/MLW/4/RD/BN
Brushed Nickel




G-21744
TL/MLW/4/RD/BB
Brushed Brass



Style	Cut out	Pack
Round Millwork	4.23″	36

4″

Aster
4″ Interchangeable Square Millwork Trimless Kits New Item



G-21840
TL/MLW/4/SQ/WT
White




G-21841
TL/MLW/4/SQ/BK
Black




G-21842
TL/MLW/4/SQ/BZ
Bronze



G-21843
TL/MLW/4/SQ/BN
Brushed Nickel




G-21844
TL/MLW/4/SQ/BB
Brushed Brass




Style	Cut out	Pack
Square Millwork	4.13″	36

Aster
4″ Interchangeable Trimless Round


4″




G-10320
K4/RD/W/TL
White




G-10321
K4/RD/BL/TL
Black



G-10322
K4/RD/BN/TL
Nickel




G-10323
K4/RD/BZ/TL
Bronze




G-10324
K4/RD/BB/TL
Brass


G-10010




G-10020



G-10025




G-10011




Style	Cut out	Plate	Pack
Trimless Round	4.25″	G-98800 (6)	36

Aster
4″ Interchangeable Trimless Square


4″




G-10420
K4/SQ/W/TL
White




G-10421
K4/SQ/BL/TL
Black



G-10422
K4/SQ/BN/TL
Nickel




G-10423
K4/SQ/BZ/TL
Bronze




G-10424
K4/SQ/BB/TL
Brass


G-10010




G-10020




G-10025



G-10011



Style	Cut out	Plate	Pack
Trimless Square	Sq 4.80″/ Rd 6.75″	G-98800 (8)	36



Aster


4″ Multi Head Interchangeable Trimless Kits

4″


Round options




G-10320
K4/RD/W/TL
Single Kit




G-90402
4/RD/2H/W/TL/MK
Double Kit




G-90403
4/RD/3H/W/TL/MK
Triple Kit




G-90404
4/RD/4H/W/TL/MK
Quadruple Kit




G-90400
4/RD/4H-SQ/W/TL/MK
Square Kit





Style	Cut out	Plate	Pack
1 Head	4.25"	G-98800 (6)	36
2 Heads	4.19" X 10.75"	G-98817 (1)	36
3 Heads	4.19" X 17.30"	G-98817 (3)	36
4 Heads	4.19" X 23.86"	G-98817 (5)	24
4 Heads Square	10.75" X 10.75"	G-98818 (4)	12




Aster


4″ Multi Head Interchangeable Trimless Kits

4″


Square options




G-91401
4/SQ/1H/W/TL/MK
Single Kit




G-91402
4/SQ/2H/W/TL/MK
Double Kit




G-91403
4/SQ/3H/W/TL/MK
Triple Kit




G-91404
4/SQ/4H/W/TL/MK
Quadruple Kit




G-91400
4/SQ/4H-SQ/W/TL/MK
Square Kit







G-10010



G-10020



G-10025



G-10011

Style	Cut out	Plate	Pack
1 Head	SQ 4.09x 4.09 RD 5.79"	G-98800 (9)	12
2 Heads	4.13" X 10.55"	G-98817 (1)	12
3 Heads	4.09" X 16.93"	G-98817 (3)	12
4 Heads	4.09" X 23.35"	G-98817 (5)	6
4 Heads Square	10.51" X 10.51"	G-98818 (5)	6

5″

Aster
5" Interchangeable Shallow Module

New Item



G-22505

M5/18W/LED/5CCT

18W

Lumens	1800
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	60° (Default)
CCT	27, 30, 35, 41, 50k+DTW
DTW	Multi Select
Dimmable	Triac or 0-10V
IC Rated	Yes
Pack	18

Clear Lens



G-21630	G-21631	G-21632
L5/15-DEGREE	L5/24-DEGREE	L5/40-DEGREE

Frosted Lens



G-22570
5/FROSTED LENS/50°

Diffusser



G-22579
5/HC/HEX/LOUVR

Lens Cover

G-22580	G-22581	G-22582
5/PRISMATAC COVER	5/SOLITE COVER	5/BEAMSPLIT LENS

5CCT+DTW Dim to Warm · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

5″

Aster
5″ Interchangeable Module



G-22500

M5/50W/WS2/LED/5CCT

Lumens	2200/5000
Wattage	23/50W
Voltage	120/277V
CRI	90>
Beam Angle	50° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC Rated-at 32W	

Reflector Lens



G-22572	G-22573
5/24-DGREE	5/38-DGREE

Frosted Lens

G-22570
5/FROSTED LENS/50°

Diffusser



G-22579
5/HC/HEX/LOUVR

Lens Cover


G-22580	G-22581	G-22582
5/PRISMATAC COVER	5/SOLITE COVER	5/BEAMSPLIT LENS

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24

Aster
5″ Interchangeable Trims Round

5″



G-22510
T5/R/W/G2
White




G-22511
T5/R/BK/G2
Black



G-22512
T5/R/BW/G2
Two-tone




G-22513
T5/R/BZ/G2
Bronze




G-22514
T5/R/BN/G2
Brushed Nickel




G-22515
T5/R/BB/G2
Brushed Brass



G-22516
T5/R/BC/G2
Brushed Copper




G-22517
T5/R/HZ/G2
Haze



G-23795
T5/R/CSTM
Ready To Paint
New Item

G-22500


G-22505



Style	Cut out	Plate	Pack
Trimmed Round	5.10″	G-98800 (8)	12

Aster
5″ Interchangeable Trims Square


5″



G-22520
T5/SQ/W/G2
White




G-22521
T5/SQ/BK/G2
Black




G-22522
T5/SQ/BW/G2
Two-tone



G-22523
T5/SQ/BZ/G2
Bronze




G-22524
T5/SQ/BN/G2
Brushed Nickel



G-22525
T5/SQ/BB/G2
Brushed Brass




G-22526
T5/SQ/BC/G2
Brushed Copper



G-22527
T5/SQ/HZ/G2
Haze

G-22500

G-22505



Style	Cut out	Plate	Pack
Trimmed Square	5.10″	G-98800 (8)	24

Aster
5" Interchangeable Shallow Trims
New Item

5″




G-22550
T5/R/SHLW/W
White



G-22551
T5/R/SHLW/BK
Black

G-22500

G-22505



Style	Cut out	Plate	Pack
Shallow	5.10"	G-98800 (8)	36

Aster
5" Interchangeable Ultra Shallow Trims
New Item


5″



G-22560
T5/R/SHLW/W
White



G-22561
T5/R/SHLW/BK
Black




Style	Cut out	Plate	Pack
Ultra Shallow	5.10"	G-98800 (8)	36

Aster
5″ Interchangeable Trimless Round


5″




G-22530
K5/RD/W/TL
White




G-22531
K5/RD/BL/TL
Black




G-22532
K5/RD/BZ/TL
Bronze




G-22533
K5/RD/BN/TL
Brushed Nickel



G-22534
K5/RD/BB/TL
Brushed Brass




G-22535
K5/RD/BC/TL
Brushed Copper




Style	Cut out	Plate	Pack
Trimless Round	5.15″	G-98800 (8)	12

Aster
5″ Interchangeable Trimless Square


5″




G-22540
K5/SQ/W/TL
White




G-22541
K5/SQ/BL/TL
Black




G-22542
K5/SQ/BZ/TL
Bronze



G-22543
K5/SQ/BN/TL
Brushed Nickel



G-22544
K5/SQ/BB/TL
Brushed Brass



Style	Cut out	Plate	Pack
Trimless Square	Sq 5.10″/ Rd 7.20″	G-19982 (8)	12

Aster

6" Interchangeable Shallow Module

New Item

6"



G-22605

M6/25W/LED/5CCT

25W

Lumens	2400
Wattage	25W
Voltage	120/277V
CRI	90>
Beam Angle	60° (Default)
CCT	27, 30, 35, 41, 50k+DTW
DTW	Multi Select
Dimmable	Triac or 0-10V
IC Rated	Yes
Pack	18

Frosted Lens

G-22670
L6/FROSTED

Diffusser



G-22679
6/HEX/HC/DIFFUSER

Lens Cover

G-22680
6/PRISMETAC LENS



G-22681
6/SOLITE LENS

G-22682
6/BEAMSPLIT LENS

5CCT+DTW Dim to Warm | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Aster

6" Interchangeable Module

6"



G-22600

M6/82W/WS2/LED/5CCT

40/82W

Lumens	3800/7200
Wattage	40/82W
Voltage	120/277V
CRI	90>
Beam Angle	60° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC Rated-at 40W	

Reflector Lens



G-22676
L6/24-DEGREE

G-22677
L6/40-DEGREE

G-22678
L6/60-DEGREE

Frosted Lens

G-22670
L6/FROSTED

Diffusser



G-22679
6/HEX/HC/DIFFUSER

Lens Cover

G-22680
6/PRISMETAC LENS



G-22681
6/SOLITE LENS

G-22682
6/BEAMSPLIT LENS

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable

JA8 TITLE 24

Aster
6″ Interchangeable Trims Round

6″



G-22610
T6/R/W/G2
White




G-22611
T6/R/BK/G2
Black



G-22612
T6/R/BW/G2
Two-tone




G-22613
T6/R/BZ/G2
Bronze



G-22614
T6/R/BN/G2
Brushed Nickel



G-22615
T6/R/BB/G2
Brushed Brass



G-22616
T6/R/BC/G2
Brushed Copper




G-22617
T6/R/HZ/G2
Haze



G-23796
T6/R/CSTM
Ready To Paint
New Item

G-22600


G-22605



Style	Cut out	Plate	Pack
Trimmed Round	6.35″	G-98800 (9)	12

Aster
6″ Interchangeable Trims Square

6″



G-22620
T6/SQ/W/G2
White



G-22621
T6/SQ/BK/G2
Black




G-22623
T6/SQ/BZ/G2
Bronze




G-22624
T6/SQ/BN/G2
Brushed Nickel



G-22625
T6/SQ/BB/G2
Brushed Brass




G-22626
T6/SQ/BC/G2
Brushed Copper



G-22627
T6/SQ/HZ/G2
Haze

G-22600

G-22605



Style	Cut out	Plate	Pack
Trimmed Square	6.35″	G-98800 (9)	12

Aster
6″ Shallow Round Trims New Item

6″




G-22650
T6/R/SHLW/W
White



G-22651
T6/R/SHLW/BK
Black

G-22600

G-22605



Style	Cut out	Plate	Pack
Shallow	6.35"	G-98800 (9)	36

Aster
6″ Ultra Shallow Round Trims
New Item

6″




G-22660
T6/R/ULTR-SHLW/W
White



G-22661
T6/R/ULTR-SHLW/BK
Black

G-22600

G-22605




Style	Cut out	Plate	Pack
Ultra Shallow	6.35"	G-98800 (9)	36


Aster
6″ Interchangeable Trimless Round

6″

G-22600




G-22630
K6/RD/W/TL
White



G-22631
K6/RD/BL/TL
Black

G-22605




Style	Cut out	Plate	Pack
Trimless Round	6.77″	G-19982 (7)	12


Aster
6″ Interchangeable Trimless Square

6″

G-22600




G-22640
K6/SQ/W/TL
White



G-22641
K6/SQ/BK/TL
Black

G-22605



Style	Cut out	Plate	Pack
Trimless Square	SQ 6.45" - RD 9.06"	G-19982 (9)	12


Venus
5" Regress Luminaire

5"
Cut Out: 5.00"

G-20216
R5/40W/WS3/R/LED/5CCT
White

G-20195
R5/40W/WS3/R/LED/5CCT/BK
Black





Lumens	2000/2600/3500
Wattage	23/30/40W
Voltage	120/277V
CRI	90>
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 23W	

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95826 22W


Venus
5" Regress Luminaire

5"
Cut Out: 5.00"

G-20218
R5/40W/WS3/SQ/LED/5CCT
White

G-20196
R5/40W/WS3/SQ/LED/5CCT/BK
Black





Lumens	2000/2600/3500
Wattage	23/30/40W
Voltage	120/277V
CRI	90>
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 23W	

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95826 22W


Saturn
1.5" Trimless Gimbal

1.5"
Cut Out: 2.56"

G-48428
R1.5/12W/GR/LED/TL/5
White

G-48429
R1.5/12W/GR/LED/TL/5CCT BK
Black





Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories


NC Plate	G-98800 (3)

Saturn
2" Trimless Gimbal White

2"
Cut Out: 3.10"



G-24020
R2/8W/GR/LED/TL/5CCT-G2
White



Lumens	800
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac Or 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL c US


Accessories
NC Plate G-98800 (4)

Saturn
2" Trimless Gimbal Black

2"
Cut Out: 2.94"



G-48403
R2/8W/GR/LED/TL/5CCT/BK
Black



Lumens	600
Wattage	8W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18


Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL c US


Accessories
NC Plate G-98800 (4)

Saturn
2" Round HO Trimless Gimbal-WH

2"
Cut Out: 2.95"



G-24120
R2/12W/GR/LED/TL/5CCT G2
White



Lumens	1000
Wattage	11W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac / 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Dimmable · IC Rated

JA8 TITLE 24 · ETL c US

Accessories
NC Plate G-98800 (4)

Saturn
2" HO Trimless Gimbal


2"
Cut Out: 2.94"



G-48431

R2/12W/GR/LED/TL/5CCT/BK

Black



Lumens	1000
Wattage	12W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (4)

Saturn
3.5" Trimless Gimbal

3.5"
Cut Out: 3.65"



G-95626

R3.5/14W/GR/LED/TL/5CCT


White



G-95726

R3.5/14W/GR/LED/TL/5CCT BK

Black



Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95825 14W

Saturn
4" Trimless Gimbal


4"
Cut Out: 4.50"

G-48404
R4/13W/GR/LED/TL/5CCT
White



G-48405
R4/13W/GR/LED/TL/5CCT BK
Black





Lumens	1000
Wattage	13W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (7)

Saturn
4" HO Trimless Gimbal


4"
Cut Out: 4.50"

G-95820
R4/17W/GR/LED/TL/5CCT
White



G-95821
R4/17W/GR/LED/TL/5CCT
Black





Lumens	1500
Wattage	17W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (7)

Saturn
3″ Single Head Trimless Regress Multiple


3″

Cut Out: SQ 3.50″ - RD 5″

G-95620

R3/8W/GRS/LED/TL/5CCT

White




G-95720

R3/8W/GRS/LED/TL/5CCT B

Black





Lumens	700
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°



Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Saturn
3″ Double Head Trimless Regress Multiple

3″

Cut Out: 3.35″ X 6.30″

G-95621

R3/15W/GR/LED/M2/TL/5CCT

White




G-95721

R3/15W/GR/LED/M2/TL/5CCT B

Black





Lumens	1400 (700 each head)
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-48318 (1)
Lens	G-01420 24°/G-01421 40°/G-01422 60°




Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

Saturn
3″ Triple Head Trimless Regress Multiple

3″

Cut Out: 3.35″X 9.45″


G-95622



R3/23W/GR/LED/M3/TL/5CCT

White





G-95722



R3/23W/GR/LED/M3/TL/5CCT B

Black

Lumens	1800 (600 each head)
Wattage	23W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated



Accessories


NC Plate	G-48318 (3)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Saturn
3″ Four Head Trimless Regress Multiple

3″


Cut Out: 3.35″ X 12.50″


G-97126



R3/30W/GR/M4/LED/TL/5CCT

White





G-97127



R3/30W/GR/M4/LED/TL/5CCT BK

Black

Lumens	2800 (700 each head)
Wattage	30W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated



Accessories

NC Plate	G-48449 (1)
Lens	G-01420 24°/G-01421 40°/G-01422 60°


Saturn
3.5″ Single Head Trimless Regress Multiple

3.5″
Cut Out: Sq 3.95″ - Rd 5.70″

G-95623
R3.5/14W/GRS/LED/TL/5CCT
White

G-95723
R3.5/14W/GRS/LED/TL/5CCT B
Black





Lumens	1200
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95825 14W
Lens	G-25621 40°/G-25622 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated


Saturn
3.5″ Double Head Trimless Regress Multiple

3.5″
Cut Out: 3.95″X 7.68″

G-95624
RR3.5/28W/GR/LED/M2/TL/5CCT
White

G-95724
R3.5/28W/GR/LED/M2/TL/ 5CCT B
Black





Lumens	2800 (1400 each head)
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories


NC Plate	G-48448 (0)
Lens	G-25621 40°/G-25622 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated


Saturn
3.5″ Triple Head Trimless Regress Multiple

3.5″
Cut Out: 3.95″X 11.85″

G-95625



R3.5/42W/GR/LED/M3/TL/5CCT
White



G-95725



R3.5/42W/GR/LED/M3/TL/5CCT B
Black

Lumens	3300 (1100 each head)
Wattage	42W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	12

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

Accessories

NC Plate	G-48448 (1)
Lens	G-25621 40°/G-25622 60°


Saturn
3.5″ Four Head Trimless Regress Multiple

3.5″
Cut Out: 3.95″ X 15.30″

G-97220



R3.5/52W/GR/M4/LED/TL/5CCT
White



G-97221



R3.5/52W/GR/M4/LED/TL/5CCT BK
Black

Lumens	4800 (1200 each head)
Wattage	52W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated


Accessories

NC Plate	G-48449 (2)
Lens	G-25621 40°/G-25622 60°

Saturn
4" Single Head Trimless Regress Multiple

4"


Cut Out: Sq 4.56" - Rd 6.46"



G-99221

SN28W/GR/M1/5CCT/TL/WH


White



G-99321

SN28W/GR/M1/5CCT/TL/BK

Black



Lumens	1800/2700
Wattage	20/28W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC rated-at 20W	

Accessories

NC Plate	G-19982 (7)
Multi Light	G-95826 20W
Lens	G-25631 40°/G-25632 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24



Saturn
4" Double Head Trimless Regress Multiple

4"

Cut Out: 4.56"X 9.60"

G-99222

SN56W/GR/M2/5CCT/TL/WH

White




G-99322

SN56W/GR/M2/5CCT/TL/BK

Black





Lumens	3200/5200
Wattage	36/56W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at 36W	

Accessories

NC Plate	G-98823 (1)
Lens	G-25631 40°/G-25632 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24



Saturn
4" Triple Head Trimless Regress Multiple

4"

Cut Out: 4.56"X 14.65"


G-99223



SN84W/GR/M3/5CCT/TL/WH


White

G-99323



SN84W/GR/M3/5CCT/TL/BK

Black



Lumens	4800/7800
Wattage	54/84W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at 54W	

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable

JA8 TITLE 24



Accessories


NC Plate	G-98823 (3)
Lens	G-25631 40°/G-25632 60°

Saturn
4" Four Head Trimless Regress Multiple

4"

Cut Out: 4.56" X 19.70"


G-99224



SN112W/GR/M4/5CCT/TL/WH


White

G-99324



SN112W/GR/M4/5CCT/TL/BK

Black



Lumens	6400/10400
Wattage	72/112W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	2
IC rated-at 72W	

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable

JA8 TITLE 24



Accessories

NC Plate	G-98823 (5)
Lens	G-25631 40°/G-25632 60°


Saturn
2″ Flushed Gimbal

2″
Cut Out: 2.00″


G-19833
R2/5W/GR/LED/5CCT
White



G-19834
R2/5W/GR/LED/B/5CCT
120/277V Triac/0-10
Black



G-19835
R2/5W/GR/LED/BN/5CCT
Brushed Nickel




G-19836
R2/5W/GR/LED/BZ/5CCT
120/277V Triac/0-10
Bronze



G-19837
R2/5W/GR/LED/BB/5CCT
120/277V Triac/0-10
Brushed Brass





Lumens	450
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories


NC Plate	G-98800 (2)
Multi Light	G-95823 5W

Saturn
2″ Flushed Gimbal

2″
Cut Out: 2.00″

G-19839
R2/5W/GS/LED/5CCT





Lumens	450
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 5W


Saturn
2" HO Flushed Gimbal

2"
Cut Out: 2.00"



G-24520
R2/14W/GR/LED/2WS/5CCT
White

G-24521
R2/14W/GR/LED/2WS/5CCT/BK
Black



Lumens	700/1100
Wattage	8/14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 8W	

Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 8W / G-95825 14W
Lens	G-25600 24°/G-25601 40°/G-25602 60°

5 Selectable Color · 90 CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24 · ETL LISTED c US



Saturn
3" Flushed Gimbal

3"
Cut Out: 2.75"




G-19845
R3/8W/GR/LED/5CCT
120/277V Triac/0-10
White



G-19846
R3/8W/GR/LED/B/5CCT
120/277V Triac/0-10
Black



G-19847
R3/8W/GR/LED/BN/5CCT
Brushed Nickel





G-19848
R3/8W/GR/LED/BZ/5CCT
120/277V Triac/0-10
Bronze



G-19849
R3/8W/GR/LED/BB/5CCT
120/277V Triac/0-10
Brushed Brass

Lumens	800
Wattage	8W
Voltage	120V
CRI	90
Beam Angle	40°Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

5 Selectable Color · 90 CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US




Saturn
3″ Flushed Gimbal

3″
Cut Out: 2.75″



G-19851
R3/8W/GS/LED/5CCT
White



Lumens	650
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Saturn
3″ HO Flushed Gimbal

3″
Cut Out: 2.75″



G-19855
R3/11W/GR/LED/5CCT
White

G-19856
R3/11W/GR/LED/B/5CCT
Black



Lumens	1050
Wattage	11W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95824 10W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Saturn
3.5″ Flushed Gimbal

3.5″
Cut Out: 3.62″



G-19999
R3.5/14W/GR/LED/5CCT
White

G-20000
R3.5/14W/GR/LED/5CCT BK
Black



Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95825 14W
Lens	G-25621 40°/G-25622 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Saturn
4" Flushed Gimbal

4"
Cut Out: 4.00"

G-20001
R4/14W/GR/LED/5CCT
120/277V Triac/0-10
White



G-48357
R4/14W/GR/B/LED/5CCT
120/277V Triac/0-10
Black



G-48358
R4/14W/GR/BN/LED/5CCT
Brushed Nickel




G-48359
R4/14W/GR/BZ/LED/5CCT
120/277V Triac/0-10
Bronze



G-20005
R4/14W/GR/BB/LED/5CCT
120/277V Triac/0-10
Brushed Brass





Lumens	1200
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W
Lens	G-25631 40°/G-25632 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Saturn
4" Flushed Gimbal

4"
Cut Out: 4.00"

G-20006
R4/14W/SQ/LED/5CCT
White





Lumens	1100
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W
Lens	G-25631 40°/G-25632 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Saturn
4" HO Flushed Gimbal

4"
Cut Out: 4.00"



G-20007
R4/20W/GR/LED/5CCT
White

G-20008
R4/20W/GR/LED/BK/5CCT
Black



Lumens	1750
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories


NC Plate	G-98800 (6)
Multi Light:	G-95826 20W
Lens:	G-25631 40°/G-25632 60°

Saturn
6" Flushed Gimbal

6"
Cut Out: 6.25"



G-20004
R6/18W/GR/LED/5CCT



Lumens	1400
Wattage	18W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	12

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (9)


Saturn
2" Rregress Gimbal

2"
Cut Out: 2.45"



G-20087
R2/5W/GRR/LED/5CCT
120/277V Triac/0-10
White

G-20080
RR2/5W/GRR/LED/5CCT B
Black



Lumens	400
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24


Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 5W


Saturn
2″ Regress Gimbal


2″
Cut Out: 2.45″

G-20088
R2/5W/GSR/LED/5CCT
White



G-20083
R2/5W/GSR/LED/5CCT B
Black





Lumens	400
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 5W

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL

Saturn
2″ HO Regress Gimbal


2″
Cut Out: 2.45″

G-24920
R2/14W/GRR/LED/2WS/5CCT
White



G-24921
R2/14W/GRR/LED/2WS/5CCT/BK
Black





Lumens	700/1100
Wattage	8W/14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 8W	

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W / G-95825 14W
Lens	G-25600 24°/G-25601 40°/G-25602 60°

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL




Saturn
2″ HO Regress Gimbal

2″
Cut Out:2.45″

G-25120
R2/14W/GSR/LED/2WS/5CCT
White

G-25121
R2/14W/GSR/LED/2WS/5CCT/BK
Black





Lumens	700/1100
Wattage	8W/14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 8W	

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W / G-95825 14W
Lens	G-25600 24°/G-25601 40°/G-25602 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24



Saturn
3″ Regress Gimbal

3″
Cut Out: 3.35″


G-20089
R3/8W/GRR/LED/5CCT
White




G-48360
R3/8W/GRR/LED/B/5CCT
Black



G-48361
R3/8W/GRR/LED/BN/5CCT
Brushed Nickel





G-48362
R3/8W/GRR/LED/BZ/5CCT
Bronze



G-48368
R3/8W/GRR/LED/BB/5CCT
Brushed Brass



Lumens	750
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Saturn
3″ Regress Gimbal

3″
Cut Out: 3.35″

G-20090
R3/8W/GSR/LED/5CCT
White



G-48363
R3/8W/GSR/LED/B/5CCT
Black



G-48364
R3/8W/GSR/LED/BN/5CCT
Brushed Nickel




G-48365
R3/8W/GRR/LED/BZ/5CCT
Bronze



G-48369
R3/8W/GSR/LED/BB/5CCT
Brushed Brass





Lumens	700
Wattage	8W
Voltage	120/277
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°



Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24


Saturn
3″ HO Regress Gimbal

3″
Cut Out: 3.35″

G-97320
R3/11W/GRR/LED/5CCT
White

G-97321
R3/11W/GRR/LED/5CCT BK
Black





Lumens	1050
Wattage	11W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W
Lens	G-01420 24°/G-01421 40°/G-01422 60°



Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Saturn
3″ HO Regress Gimbal

3″
Cut Out: 3.35″

G-97325

R3/11W/GSR/LED/5CCT

White




G-97326

R3/11W/GSR/LED/5CCT BK

Black





Lumens	1050
Wattage	11W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Saturn
3.5″ Sloped Ceiling Gimbal

3.5″
Cut Out: 4.72″

G-26000

R3.5/14W/SLP/GRR/LED/5CCT

White




G-26001

R3.5/14W/SLP/GRR/LED/5CCT-BK

Black





Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
pack	18

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 14W
Lens	G-25621 40°/G-25622 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Saturn
3.5" Regress Gimbal

3.5"
Cut Out: 4.00"



G-19997
R3.5/14W/GRR/LED/5CCT
White

G-19998
R3.5/14W/GRR/LED/BK/5CCT
Black



Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W
Lens	G-25621 40°/G-25622 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Saturn
4" Regress Gimbal

4"
Cut Out: 4.55"



G-20091
R4/14W/GRR/LED/5CCT
120/277V Triac/0-10
White

G-48366
R4/14W/GRR/LED/BK/5CCT
Black



Lumens	1100
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95825 14W
Lens	G-25631 40°/G-25632 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Saturn
4" HO Regress Gimbal

4"
Cut Out: 4.55"



G-97420
R4/20W/GRR/LED/5CCT
White

G-97421
R4/20W/GRR/LED/5CCT BK
Black



Lumens	1750
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95826 20W
Lens	G-25631 40°/G-25632 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Saturn
4" Regress Gimbal

4"
Cut Out: 4.55"



G-20092
R4/14W/GSR/LED/5CCT
White

G-48367
R4/14W/GSR/LED/BK/5CCT
Black



Lumens	1200
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95825 14W
Lens	G-25631 40°/G-25632 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Saturn
4" HO Regress Gimbal

4"
Cut Out: 4.55"



G-97425
R4/20W/GSR/LED/5CCT
White

G-97426
R4/20W/GSR/LED/5CCT BK
Black



Lumens	1750
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95826 20W
Lens	G-25631 40°/G-25632 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Saturn
6" Regress Gimbal


6"
Cut Out: 6.00"

G-20093
R6/22W/GRR/LED/5CCT
White



G-20095
R6/22W/GRR/LED/5CCT BK
Black





Lumens	2200
Wattage	22W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95826 22W

Saturn
6" Regress Gimbal

6"
Cut Out: SQ 6.00" RD 6.80"

G-20094
R6/22W/GRS/LED/5CCT
White




Lumens	2200
Wattage	22W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

G-20096
R6/22W/GRS/LED/5CCT BK
White



Lumens	2200/3400
Wattage	22/40W
Voltage	120/277V
CRI	90
Beam Angle	60°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at 22W	



Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-19982 (7)
Multi Light	G-95826 22W


Saturn
2″ Double Head Regress Multiple


2″

Cut Out: 2.70″-5.12″

G-48314

R2/10W/GR/M2/LED/5CCT





Lumens	900 (450 each head)
Wattage	10W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-48318 (0)

Saturn
2″ Triple Head Regress Multiple


2″

Cut Out: 2.70″-7.48″

G-48315

R2/15W/GR/M3/LED/5CCT





Lumens	1200 (400 each head)
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-48318 (2)

Saturn
3" Double Head Regress Multiple

3"

Cut Out: 3.35"x 6.30"

G-48316

R3/15W/GR/M2/LED/5CCT


White

G-48464

R3/15W/GR/M2/LED/5CCT B

Black





Lumens	1400 (700 each head)
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate G-48318 (1)

Lens G-01420 24°/G-01421 40°/G-01422 60°

Saturn
3" Double Head Regress Multiple

3"

Cut Out: 3.35"x 9.45"

G-48317

R3/23W/GR/M3/LED/5CCT


White

G-48465

R3/23W/GR/M3/LED/5CCT B

Black





Lumens	1800 (600 each head)
Wattage	23W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate G-48318 (3)

Lens G-01420 24°/G-01421 40°/G-01422 60°

Saturn
3" Four Head Regress Multiple

3"

Cut Out: 3.5" x 12.5"

G-97124

R3/30W/GR/M4/LED/5CCT


White

G-97125

R3/30W/GR/M4/LED/5CCT BK

Black





Lumens	2800 (700 each head)
Wattage	30W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate G-48449 (1)

Lens G-01420 24°/G-01421 40°/G-01422 60°

Saturn
3.5″ Single Head Regress Multiple

3.5″

Cut Out: SQ 4.00″ - RD 5.15″

G-48441

R3.5/14W/GR/M1/LED/5CCT

White




G-48440

R3.5/14W/GR/M1/LED/5CCT BK

Black





Lumens	1400
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 14W
Lens	G-25621 40°/G-25622 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Saturn
3.5″ Double Head Regress Multiple

3.5″

Cut Out: 3.94″x 7.68″

G-48442

R3.5/28W/GR/M2/LED/5CCT

White




G-48444

R3.5/28W/GR/M2/LED/5CCT B

Black





Lumens	2400 (1200 each head)
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-48448 (0)
Lens	G-25621 40°/G-25622 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Saturn
3.5″ Triple Head Regress Multiple


3.5″
Cut Out: 3.94″ x 11.42″



G-48443
R3.5/42W/GR/M3/LED/5CCT
120/277V Triac/0-10
White



G-48445
R3.5/42W/GR/M3/LED/5CCT B
Black



Lumens	3300 (1100 each head)
Wattage	42W
Voltage	120V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	12

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-48448 (1)
Lens	G-25621 40°/G-25622 60°

Saturn
3.5″ Four Head Regress Multiple


3.5″
Cut Out: 4″ X 15.3″



G-97128
R3.5/52W/GR/M4/LED/5CCT
White



G-97129
R3.5/52W/GR/M4/LED/5CCT BK
Black



Lumens	4800 (1200 each head)
Wattage	52W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-48449 (2)
Lens	G-25621 40°/G-25622 60°

Saturn
4" Single Head Regress Multiple

4"

Cut Out: 4.55"



G-97425

R4/20W/GSR/LED/5CCT


White



G-97426

R4/20W/GSR/LED/5CCT BK

Black



Lumens	1750
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95826 20W
Lens	G-25631 40°/G-25632 60°

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Dimmable | IC Rated

JA8 TITLE 24



Saturn
4" Double Head Regress Multiple

4"


Cut Out: 4.65"X 9.37"



G-99022

SN/4/56W/GR/M2/5CCT/WH

White





G-99122

SN/4/56W/GR/M2/5CCT/BK

Black

Lumens	3200/5200
Wattage	36/56W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at 36W	

Accessories

NC Plate	G-98823 (1)
Lens	G-25621 40°/G-25622 60°

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Dimmable | IC Rated

JA8 TITLE 24



Saturn
4" Triple Head Regress Multiple

4"

Cut Out: 4.65"X 14.40"

G-99023

SN/4/84W/GR/M3/5CCT/WH

White




G-99123

SN/4/84W/GR/M3/5CCT/BK

Black





Lumens	4800/7800
Wattage	54/84W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at 54W	

Accessories

NC Plate	G-98823 (3)
Lens	G-25621 40°/G-25622 60°

5 Selectable Color | 90 CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable

JA8 TITLE 24

Saturn
4" Four Head Regress Multiple

4"

Cut Out: 4.65"X 19.50"

G-99024

SN4/112W/GR/M4/5CCT/WH

White




G-99124

SN/4/112W/GR/M4/5CCT/BK

Black





Lumens	6400/10400
Wattage	72/112W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	2
IC rated-at 72W	

Accessories

NC Plate	G-98823 (5)
Lens	G-25621 40°/G-25622 60°

5 Selectable Color | 90 CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable

JA8 TITLE 24

Ellipse
3″ Narrow Round Regress Gimbal


New Item

3″
Cut Out: 2.51″



G-23300
R3/8W/GR/NT/LED/5CCT
White

G-23310
R3/8W/GR/NT/LED/5CCT/BK
Black



Lumens	750
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-19969 (0)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Ellipse
3″ Oval Double Head Multiple


New Item

3″
Cut Out: 3.00″ X 6.14″ Oval



G-23302
R3/15W/GR/OVL/M2/LED/5CCT
White

G-23312
R3/15W/GR/OVL/M2/LED/5CCT/BK
Black



Lumens	1400
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Accessories

NC Plate	G-98812 (1)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Ellipse

3″ Oval Triple Head Multiple

New Item

3″


Cut Out: 3.00″ X 9.29″ Oval

G-23303

R3/23W/GR/OVL/M3/LED/5CCT

White





G-23313

R3/23W/GR/OVL/M3/LED/5CCT/BK

Black



Lumens	2100
Wattage	23W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24



Accessories

NC Plate	G-98812 (2)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Ellipse

3″ Oval Four Head Multiple

New Item

3″


Cut Out: 3.00″ X 12.44″ Oval

G-23304

R3/30W/GR/OVL/M4/LED/5CCT

White





G-23314

R3/30W/GR/OVL/M4/LED/5CCT/BK

Black



Lumens	2800
Wattage	30W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24



Accessories

NC Plate	G-98812 (3)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Ellipse

3″ Oval Double Head Trimless Multiple

New Item


3″

Cut Out: 3.23″ X 6.38″ Oval

G-23322

R3/15W/GR/OVL/M2/LED/5CCT/TL

White





G-23332

R3/15W/GR/OVL/M2/LED/5CCT/BK/TL

Black







Lumens	1400
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98813 (0)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Ellipse

3″ Oval Triple Head Trimless Multiple

New Item


3″

Cut Out: 3.23″ X 9.50″ Oval

G-23323

R3/23W/GR/OVL/M3/LED/5CCT/TL


White





G-23333

R3/23W/GR/OVL/M3/LED/5CCT/BK/TL

Black







Lumens	2100
Wattage	23W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98813 (1)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Ellipse
3″ Oval Four Head Trimless Multiple

New Item


3″


Cut Out: 3.23″ X 12.68″ Oval


G-23324

R3/30W/GR/OVL/M4/LED/5CCT/TL

White








G-23334

R3/30W/GR/OVL/M4/LED/5CCT/BK/TL

Black



Lumens	2800
Wattage	30W
Voltage	120/277V
CRI	90
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98813 (2)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Ellipse
3.5″ Narrow Round Regress Gimbal

New Item

3.5″

Cut Out: 3.70″

G-23340

R3.5/14W/GR/NT/LED/5CCT


White

G-23350

R3.5/14W/GR/NT/LED/5CCT/BK

Black





Lumens	1350
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95825 14W
Lens	G-25621 40°/G-25622 60°

Ellipse

3.5" Oval Double Head Multiple

New Item

3.5"

Cut Out: 3.70" X 7.40" Oval



G-23342


R3.5/28W/GR/OVL/M2/LED/5CCT

White

G-23352

R3.5/28W/GR/OVL/M2/LED/5CCT/BK

Black



Lumens	2700
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98811 (1)
Lens	G-25621 40°/G-25622 60°

Ellipse

3.5" Oval Triple Head Multiple

New Item

3.5"

Cut Out: 3.70" X 11.20" Oval



G-23343


R3.5/40W/GR/OVL/M3/LED/5CCT

White

G-23353

R3.5/40W/GR/OVL/M3/LED/5CCT/BK

Black



Lumens	3800
Wattage	40W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98811 (2)
Lens	G-25621 40°/G-25622 60°

Ellipse
3.5″ Oval Four Head Multiple

New Item

3.5″


Cut Out: 3.70″ X 14.96″ Oval


G-23344

R3.5/52W/GR/OVL/M4/LED/5CCT

White







G-23354

R3.5/52W/GR/OVL/M4/LED/5CCT/BK

Black



Lumens	4800
Wattage	52W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Accessories

NC Plate	G-98811 (3)
Lens	G-25621 40°/G-25622 60°

Ellipse
3.5″ Oval Double Head Trimless Multiple

New Item

3.5″


Cut Out: 3.86″ X 7.56″ Oval


G-23362

R3.5/28W/GR/OVL/M2/LED/5CCT/TL

White







G-23372

R3.5/28W/GR/OVL/M2/LED/5CCT/BK/TL

Black



Lumens	2700
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Accessories

NC Plate	G-98815 (1)
Lens	G-25621 40°/G-25622 60°


Ellipse


3.5″ Oval Triple Head Trimless Multiple

New Item

3.5″

Cut Out: 3.86″ X 11.30″ Oval







G-23363

R3.5/40W/GR/OVL/M3/LED/5CCT/TL

White





G-23373

R3.5/40W/GR/OVL/M3/LED/5CCT/BK/TL

Black

Lumens	3800
Wattage	40W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98815 (2)
Lens	G-25621 40°/G-25622 60°


Ellipse


3.5″ Oval Four Head Trimless Multiple

New Item

3.5″

Cut Out: 3.86″ X 15.04″ Oval







G-23364

R3.5/52W/GR/OVL/M4/LED/5CCT/TL

White





G-23374

R3.5/52W/GR/OVL/M4/LED/5CCT/BK/TL

Black

Lumens	4800
Wattage	52W
Voltage	120/277V
CRI	90
Beam Angle	60° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98815 (3)
Lens	G-25621 40°/G-25622 60°


Pura
3.5" Round Gimbal

3.5″
Cut Out: 3.50″

G-98720
PR/3.5/19W/GRR/5CCT/WH
White

G-98725
PR/3.5/19W/GRR/5CCT/BK
Black





Lumens	1400/1850
Wattage	14/19W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC Rated-at	14W

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95825 14W / G-95825 18W
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°



Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24 · ETL LISTED c US


Pura
3.5″ Single Head Multiple

3.5″
Cut Out: 3.50″

G-98721
PR/3.5/19W/GR/M1/5CCT/WH
White

G-98726
PR/3.5/19W/GR/M1/5CCT/BK
Black





Lumens	1400/1850
Wattage	14/19W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC Rated-at	14W

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95825 14W / G-95825 18W
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°



Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24 · ETL LISTED c US


Pura
3.5″ Double Head Multiple

3.5″
Cut Out: 3.50″ x 7.10″

G-98722
PR/3.5/40W/GR/M2/5CCT/WH
White

G-98727
PR3.5/40W/M2/WS2/BL/5CCT
Black





Lumens	2600/3600
Wattage	27/40W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC Rated-at	27W

Accessories

NC Plate	G-98822 (0)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°



Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24 · ETL LISTED c US

Pura
3.5″ Triple Head Multiple


3.5″

Cut Out: 3.50″ x 10.70″

G-98723

PR/3.5/60W/GR/M3/5CCT/WH

White




G-98728

PR/3.5/60W/GR/M3/5CCT/BK

Black





Lumens	3750/5250
Wattage	60/39W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC Rated-at 39W	

Accessories

NC Plate	G-98822 (2)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°



Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable

JA8 TITLE 24

Pura
3.5″ Four Head Multiple


3.5″

Cut Out: 3.50″ x 14.30″

G-98724

PR/3.5/80W/GR/M4/5CCT/WH

White




G-98729

PR/3.5/80W/GR/M4/5CCT/BK

Black





Lumens	4900/6800
Wattage	50/80W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC Rated-at 50W	

Accessories

NC Plate	G-98822 (4)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°




Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable


JA8 TITLE 24

Altair
3.5″ Square Regress Gimbal
New Item


3.5″
Cut Out: 3.77″ X 3.77″



G-98741
AL/3.5/20W/GR/M1/5CCT/WH
White



G-98751
AL3.5/20W/GR/M1/5CCT/BK
Black



Lumens	1400/1850
Wattage	14/20W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 14W	

Accessories



NC Plate	G-98814 (1)
Multi Light	G-95825 14W / G-95826 20W
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24

Altair
3.5″ Double Head Regress Gimbal
New Item


3.5″
Cut Out: 7.44″ X 3.70″



G-98742
AL/3.5/40W/GR/M2/5CCT/WH
White



G-98752
AL3.5/40W/GR/M2/5CCT/BK
Black



Lumens	2600/3600
Wattage	27/40W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at 27W	

Accessories



NC Plate	G-98814 (2)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24

Altair

3.5″ Triple Head Regress Gimbal

New Item

3.5″


Cut Out: 11.18″ X 3.70″




G-98743

AL/3.5/60W/GR/M3/5CCT/WH

White







G-98753

AL3.5/60W/GR/M3/5CCT/BK

Black

Lumens	3750/5250
Wattage	39/60W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at 36W	

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24



Accessories

NC Plate	G-98814 (3)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°

Altair

3.5″ Four Head Regress Gimbal

New Item

3.5″


Cut Out: 14.92″ X 3.70″




G-98744

AL/3.5/80W/GR/M4/5CCT/WH

White







G-98754

AL3.5/80W/GR/M4/5CCT/BK

Black

Lumens	4900/6800
Wattage	50/80W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at 50W	

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24



Accessories

NC Plate	G-98814 (4)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°


Altair

3.5″ Trimless Square Regress Gimbal

New Item

3.5″


Cut Out: Sq 4″x4″ Rd 5.59″



G-98761

AL/3.5/20W/GR/M1/5CCT/WH/TL


White



G-98771

AL3.5/20W/GR/M1/5CCT/BK/TL

Black



Lumens	1400/1850
Wattage	14/20W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC rated-at 14W	

Accessories



NC Plate	G-98800 (9)
Multi Light	G-95825 14W / G-95826 20W
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24


Altair


3.5″ Trimless Double Head Regress Gimbal

New Item

3.5″

Cut Out: 7.70″ X 3.94″






G-98762

AL/3.5/40W/GR/M2/5CCT/WH/TL


White



G-98772

AL3.5/40W/GR/M2/5CCT/BK/TL

Black



Lumens	2600/3600
Wattage	27/40W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at 27W	

Accessories



NC Plate	G-48448 (0)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24


Altair

3.5″ Trimless Triple Head Regress Gimbal

New Item

3.5″


Cut Out: 111.42″ X 3.94″



G-98763

AL/3.5/60W/GR/M3/5CCT/WH/TL


White



G-98773

AL3.5/60W/GR/M3/5CCT/BK/TL

Black



Lumens	3750/5250
Wattage	39/60W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6
IC rated-at 36W	

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24



Accessories

NC Plate	G-48448 (1)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°


Altair

3.5″ Trimless Four Head Regress Gimbal

New Item

3.5″

Cut Out: 15.12″ X 3.94″



G-98764

AL/3.5/80W/GR/M4/5CCT/WH/TL


White



G-98774

AL3.5/80W/GR/M4/5CCT/BK/TL

Black



Lumens	4900/6800
Wattage	50/80W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4
IC rated-at 50W	

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable

JA8 TITLE 24



Accessories

NC Plate	G-98817 (2)
Clear	G-98825 24°/G-98826 40°/G-98827 60°
Reflector	G-98828 30°/G-98829 40°


Flarion
3″ Floating Round Gimbal

3″
Cut Out: 2.95″

G-00820
FL/3/8W/GRR/5CCT/WH
White

G-00920
FL/3/8W/GRR/5CCT/BK
Black





Lumens	700
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Flarion
3.5″ Floating Round Gimbal

3.5″
Cut Out: 3.65″

G-01020
FL/3.5/10W/GRR/5CCT/WH
White

G-01120
FL/3.5/10W/GRR/5CCT/BK
Black





Lumens	850
Wattage	10W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95823 10W
Lens	G-01425 24°/G-01426 40°/G-01427 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24




Flarion
4″ Floating Round Gimbal

4″
Cut Out: 4.25″

G-01220
FL/4/13W/GRR/5CCT/WH
White

G-01320
FL/4/13W/GRR/5CCT/BK
Black





Lumens	1200
Wattage	13W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W
Lens	G-01520 24°/G-01521 40°/G-01522 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Flarion
3″ Floating Single Head Multiple


3″
Cut Out: 2.95″

G-00821
FL/3/8W/GR/M1/5CCT/WH
White



G-00921
FL/3/8W/GR/M1/5CCT/BK
Black





Lumens	700
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated


JA8 TITLE 24



Flarion
3″ Floating Double Head Multiple


3″
Cut Out: 2.95 X 6.15″

G-00822
FL/3/15W/GR/M2/5CCT/WH
White



G-00922
FL/3/15W/GR/M2/5CCT/BK
Black





Lumens	1400 (700 each head)
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98821 (1)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Flarion
3″ Floating Triple Head Multiple

3″

Cut Out: 2.95″ X 9.45″

G-00823

FL/3/23W/GR/M3/5CCT/WH

White




G-00923

FL/3/23W/GR/M3/5CCT/BK

Black





Lumens	2100 (700 each head)
Wattage	23W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98821 (3)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Flarion
3″ Floating Four Head Multiple

3″

Cut Out: 2.95″ X 13.05″

G-00824

FL/3/32W/GR/M4/5CCT/WH

White




G-00924

FL/3/32W/GR/M4/5CCT/BK

Black





Lumens	2800 (700 each head)
Wattage	32W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98821 (5)
Lens	G-01420 24°/G-01421 40°/G-01422 60°

Flarion
3.5″ Floating Single Head Multiple


3.5″
Cut Out: 3.65″

G-01021
FL/3.5/10W/GR/M1/5CCT/WH
White



G-01121
FL/3.5/10W/GR/M1/5CCT/BK
Black





Lumens	850
Wattage	10W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W
Lens	G-01425 24°/G-01426 40°/G-01427 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Flarion
3.5″ Floating Double Head Multiple


3.5″
Cut Out: 3.65″ X 7.60″

G-01022
FL/3.5/20W/GR/M2/5CCT/WH
White



G-01122
FL/3.5/20W/GR/M2/5CCT/BK
Black





Lumens	1600 (800 each head)
Wattage	20W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98822 (1)
Lens	G-01425 24°/G-01426 40°/G-01427 60°

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Flarion
3.5″ Floating Triple Head Multiple


3.5″
Cut Out: 3.65″ X 11.85″



G-01023
FL/3.5/27W/GR/M3/5CCT/WH
White



G-01123
FL/3.5/27W/GR/M3/5CCT/BK
Black



Lumens	2400 (800 each head)
Wattage	27W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Accessories

NC Plate	G-98822 (3)
Lens	G-01425 24°/G-01426 40°/G-01427 60°

Flarion
3.5″ Floating Four Head Multiple


3.5″
Cut Out: 3.65″ X 16.15″



G-01024
FL/3.5/36W/GR/M4/5CCT/WH
White



G-01124
FL/3.5/36W/GR/M4/5CCT/BK
Black



Lumens	3200 (800 each head)
Wattage	36W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24



Accessories

NC Plate	G-98822 (5)
Lens	G-01425 24°/G-01426 40°/G-01427 60°

Flarion
4" Floating Single Head Multiple

4"

Cut Out: 4.25"

G-01221

FL/4/13W/GR/M1/5CCT/WH


White



G-01321

FL/4/13W/GR/M1/5CCT/BK

Black



Lumens	1200
Wattage	13W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W
Lens	G-01520 24°/G-01521 40°/G-01522 60°

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24



Flarion
4" Floating Double Head Multiple

4"

Cut Out: 4.25" X 8.95"

G-01222

FL/4/26W/GR/M2/5CCT/WH

White




G-01322

FL/4/26W/GR/M2/5CCT/BK

Black





Lumens	2400 (1200 each head)
Wattage	26W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Accessories

NC Plate	G-98823 (0)
Lens	G-01520 24°/G-01521 40°/G-01522 60°

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24



Flarion
4" Floating Triple Head Multiple

4"

Cut Out: 4.25" X 13.85"



G-01223

FL/4/36W/GR/M3/5CCT/WH


White



G-01323

FL/4/36W/GR/M3/5CCT/BK

Black



Lumens	3600 (1200 each head)
Wattage	36W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24



Accessories

NC Plate	G-98823 (2)
Lens	G-01520 24°/G-01521 40°/G-01522 60°

Flarion
4" Floating Four Head Multiple

4"


Cut Out: 4.25" X 18.80"



G-01224

FL/4/48W/GR/M4/5CCT/WH

White





G-01324

FL/4/48W/GR/M4/5CCT/BK

Black

Lumens	4600 (1150 each head)
Wattage	48W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24



Accessories

NC Plate	G-98823 (4)
Lens	G-01520 24°/G-01521 40°/G-01522 60°


Pulsar
3″ Round Retractable Downlight New Item

3″
Cut Out: 4.00″

G-32500
PL/3/RD/12W/5CCT/WT
White

G-32510
PL/3/RD/12W/5CCT/BK
Black





Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Adjustable Beam Angle | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W


Pulsar
3″ Square Retractable Downlight New Item

3″
Cut Out: 3.55″ X 4.05″

G-32501
PL/3/SQ/12W/5CCT/WT
White

G-32511
PL/3/SQ/12W/5CCT/BK
Black





Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Adjustable Beam Angle | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98816 (0)
Multi Light	G-95824 12W

Pulsar

3″ Double Head Retractable Multiple New Item

3″

Cut Out: 4.10″ X 8.15″



G-32502


PL/3/M2/24W/5CCT/WT

White

G-32512

PL/3/M2/24W/5CCT/BK

Black



Lumens	1900 (950 each head)
Wattage	24W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Adjustable Beam Angle | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98816 (1)

Pulsar

3″ Triple Head Retractable Multiple New Item

3″

Cut Out: 4.10″ X 13.00″



G-32503


PL/3/M3/36W/5CCT/WT

White

G-32513

PL/3/M3/36W/5CCT/BK

Black



Lumens	2800 (930 each head)
Wattage	36W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Adjustable Beam Angle | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98816 (2)

Pulsar

3″ Four Head Retractable Multiple New Item


3″


Cut Out: 4.10″ X 17.75″

G-32504

PL/3/M4/48W/5CCT/WT

White





G-32514

PL/3/M4/48W/5CCT/BK

Black



Lumens	3800 (950 each head)
Wattage	48W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Adjustable Beam Angle | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98816 (3)

Pulsar

3″ Round Retractable Trimless Downlight New Item

3″

Cut Out: 3.85″

G-32520

PL/3/RD/12W/5CCT/WT/TL

White




G-32530

PL/3/RD/12W/5CCT/BK/TL

Black





Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Adjustable Beam Angle | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W

Pulsar

3″ Square Retractable Trimless Downlight New Item

3″

Cut Out: RD 5.00″ SQ 3.60″

G-32521

PL/3/SQ/12W/5CCT/WT/TL

White




G-32531

PL/3/SQ/12W/5CCT/BK/TL

Black





Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Adjustable Beam Angle | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98816 (0)
Multi Light	G-95824 12W

Pulsar

3″ Double Head Retractable Trimless Multiple New Item

3″

Cut Out: 3.75″ X 8.40″

G-32522

PL/3/M2/24W/5CCT/WT/TL


White




G-32532

PL/3/M2/24W/5CCT/BK/TL

Black





Lumens	1900 (950 each head)
Wattage	24W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Adjustable Beam Angle | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98816 (1)

Pulsar

3″ Triple Head Retractable Trimless Multiple

New Item

3″

Cut Out: 3.75″ X 13.10″



G-32523


PL/3/M3/36W/5CCT/WT/TL

White

G-32533

PL/3/M3/36W/5CCT/BK/TL

Black



Lumens	2800 (930 each head)
Wattage	36W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Adjustable Beam Angle · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98816 (2)


Pulsar

3″ Four Head Retractable Trimless Multiple

New Item

3″

Cut Out: 3.75″ X 17.90″



G-32524

PL/3/M4/48W/5CCT/WT/TL


White

G-32534

PL/3/M4/48W/5CCT/BK/TL

Black





Lumens	3800 (950 each head)
Wattage	48W
Voltage	120/277V
CRI	90>
Beam Angle	20°-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Adjustable Beam Angle · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98816 (3)

Dipper
2″ Round Fixed Downlight


2″
Cut Out: 2.00″

G-21170
DP/2/RD/FXD/3W/5CCT/WT
White



G-21190
DP/2/RD/FXD/3W/5CCT/BK
Black





Lumens	200
Wattage	3W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

5 Selectable Color · 90+ CRI 90+ True Colors · Damp Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (2)

Dipper
2″ Single Head Fixed


2″
Cut Out: 1.77″ X 1.93″

G-21171
DP/2/SQ/FXD/3W/5CCT/WT
White



G-21191
DP/2/SQ/FXD/3W/5CCT/BK
Black





Lumens	200
Wattage	3W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

5 Selectable Color · 90+ CRI 90+ True Colors · Damp Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-21062 (0)

Dipper
2″ Three Head Fixed

2″

Cut Out: 1.77″ X 4.92″

G-21173

DP/2/M3/FXD/9W/5CCT/WT

White




G-21193

DP/2/M3/FXD/9W/5CCT/BK

Black





Lumens	600 (200 each head)
Wattage	9W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

5 Selectable Color · 90+ CRI 90+ True Colors · Damp Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-21062 (1)

Dipper
2″ Six Head Fixed

2″

Cut Out: 1.77″ X 9.41″

G-21176

DP/2/M6/FXD/18W/5CCT/WT

White




G-21196

DP/2/M6/FXD/18W/5CCT/BK

Black





Lumens	1200 (200 each head)
Wattage	18W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

5 Selectable Color · 90+ CRI 90+ True Colors · Damp Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-21062 (3)

Dipper
2″ Three Head Combo

2″

Cut Out: 1.77″ X 4.92″



G-21133

DP/2/M3/CMB/9W/5CCT/WT


White



G-21153

DP/2/M3/CMB/9W/5CCT/BK

Black



Lumens	600 (200 each head)
Wattage	9W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

5 Selectable Color · 90° CRI 90° True Colors · Damp Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · c ETL LISTED us

Accessories

NC Plate	G-21062 (1)

Dipper
2″ Five Head Combo

2″

Cut Out: 1.77″ X 9.41″



G-21135

DP/2/M6/CMB/15W/5CCT/WT


White



G-21155

DP/2/M6/CMB/15W/5CCT/BK

Black



Lumens	1000 (200 each head)
Wattage	15W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

5 Selectable Color · 90° CRI 90° True Colors · Damp Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · c ETL LISTED us

Accessories

NC Plate	G-21062 (3)

Dipper
2″ Round Retractable


2″
Cut Out: 1.92″


G-21050
DP2/RD/3W/5CCT/WT
White



G-21064
DP2/RD/3W/5CCT/BK
Black







Lumens	170
Wattage	3W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (2)

Dipper
2″ Single Head Retractable


2″
Cut Out: 1.70″ X 1.85″


G-21051
DP2/SQ/3W/5CCT/WT
White



G-21065
DP2/SQ/3W/5CCT/BK
Black







Lumens	170
Wattage	3W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-21062 (0)

Dipper
2″ Double Head Retractable


2″

Cut Out: 1.70″ X 4.85″

G-21052

DP2/M2/6W/5CCT/WT

White




G-21066

DP2/M2/6W/5CCT/BK

Black





Lumens	400 (200 each head)
Wattage	6W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-21062 (1)

Dipper
2″ Five Head Retractable


2″

Cut Out: 1.70″ X 9.33″

G-21055

DP2/M5/15W/5CCT/WT

White




G-21069

DP2/M5/15W/5CCT/BK

Black





Lumens	980 (196 each head)
Wattage	15W
Voltage	120V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-21062 (3)

Jupiter
2.5″ Round Universal Cylinder Module New Item

2.5″



G-12500
CYD/25/12W/RD/LED/5CCT/WH
White



G-12501
CYD/25/12W/RD/LED/5CCT/BK
Black



G-12502
CYD/25/12W/RD/LED/5CCT/BZ
Bronze



G-12503
CYD/25/12W/RD/LED/5CCT/BN
Brushed Nickel



G-12504
CYD/25/12W/RD/LED/5CCT/BB
Brushed Brass



G-12505
CYD/25/12W/RD/LED/5CCT/BC
Brushed Copper



G-12506
CYD/25/12W/RD/LED/5CCT/ORB
Oil Rubbed Bronze

Lumens	1150
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	40°
CCT	27, 30, 35, 41, 50k
Dimmable	YES
Pack	18

Reflector Lens



G-12590
CYD/L25/24-DEGREE

G-12591
CYD/L25/40-DEGREE

Diffusser



G-12594
HEX/HC/25/DIFFUSER

Lens Cover


G-12592
25/PRISMETAC LENS

G-12593
25/SOLITE LENS


Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Jupiter
4″ J-Box Mud-in Plate (2.5″) New Item



G-25051
25/CYD/25/TL/MP



Style	Mounting	Pack
Surface mount	4" J-Box	36


Jupiter
2.5″ Recessed Mount J-Box

New Item



G-25050

CYD/25/RCM/JB



Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (2)	24

Jupiter
2.5″ Surface Mount Canopy

New Item

2.5″



G-12510

CYD/25/RD/SM/WH

White



G-12511

CYD/25/RD/SM/BK

Black



G-12512

CYD/25/RD/SM/BZ

Bronze



G-12513

CYD/25/RD/SM/BN

Brushed Nickel



G-12514

CYD/25/RD/SM/BB

Brushed Brass



G-12515

CYD/25/RD/SM/BC


Brushed Copper



G-12516

CYD/25/RD/SM/ORB

Oil Rubbed Bronze



Style	Mounting	Pack
Canopy	4" J-Box	36

Jupiter
2.5″ Conduit Mount Canopy
New Item


2.5″



G-12550
CYD/25/RD/CM/WH
White



G-12551
CYD/25/RD/CM/BK
Black




Style	Mounting	Pack
Canopy	Conduit mount	18

Jupiter
2.5″ Surface Mount Pendant
New Item

2.5″



G-12520
CYD/25/RD/SM/PDT/WH
White



G-12521
CYD/25/RD/SM/PDT/BK
Black



G-12522
CYD/25/RD/SM/PDT/BZ
Bronze



G-12523
CYD/25/RD/SM/PDT/BN
Brushed Nickel




G-12524
CYD/25/RD/SM/PDT/BB
Brushed Brass



G-12525
CYD/25/RD/SM/PDT/BC
Brushed Copper



G-12526
CYD/25/RD/SM/PDT/ORB
Oil Rubbed Bronze



Style	Mounting	Pack
Pendant	4" J-Box	18

Jupiter
2.5″ Recessed Mount Pendant
New Item

2.5″



G-12530
CYD/25/RD/RCM/PDT/WH
White



G-12531
CYD/25/RD/RCM/PDT/BK
Black



G-12532
CYD/25/RD/RCM/PDT/BZ
Bronze



G-12533
CYD/25/RD/RCM/PDT/BN
Brushed Nickel




G-12534
CYD/25/RD/RCM/PDT/BB
Brushed Brass



G-12535
CYD/25/RD/RCM/PDT/BC
Brushed Copper



G-12536
CYD/25/RD/RCM/PDT/ORB
Oil Rubbed Bronze



Style	Mounting	Plate	Pack
Recessed Pendant	Recessed mount	G-98800 (2)	18

Jupiter
2.5″ Surface Mount Stem
New Item


2.5″



G-12540
CYD/25/RD/SM/STM/WH
White




G-12541
CYD/25/RD/SM/STM/BK
Black




G-12542
CYD/25/RD/SM/STM/BZ
Bronze



G-12543
CYD/25/RD/SM/STM/BN
Brushed Nickel




G-12544
CYD/25/RD/SM/STM/BB
Brushed Brass



G-12545
CYD/25/RD/SM/STM/BC
Brushed Copper



G-12546
CYD/25/RD/SM/STM/ORB
Oil Rubbed Bronze



Style	Mounting	Pack
Stem	4" J-Box	18

Jupiter
3″ Round Universal Cylinder



G-05020
CYD/3/20W/RD/LED/5CCT/WH
White



G-05021
CYD/3/20W/RD/LED/5CCT/BK
Black



G-05022
CYD/3/20W/RD/LED/5CCT/BZ
Bronze



G-05023
CYD/3/20W/RD/LED/5CCT/BN
Brushed Nickel



G-05024
CYD/3/20W/RD/LED/5CCT/BB
Brushed Brass



G-05025
CYD/3/20W/RD/LED/5CCT/BC
Brushed Copper



G-05026
CYD/3/20W/RD/LED/5CCT/ORB
Oil Rubbed Bronze

Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90>
Beam Angle	40° Clear (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Clear Lens



G-05821 CYD/L3/24-DEGREE
G-05822 CYD/L3/40-DEGREE

Frosted Lens



G-05820 CYD/L3/FROSTED/50°

Diffusser



G-21440 HEX/HC/DIFFUSER

Lens Cover

G-21427 4/SOLITE LENS

G-21428 4/PRISMETAC LENS

G-21429 4/BEAMSPLIT LENS


Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated


JA8 TITLE 24

Jupiter
4″ J-Box Mud Plate

3″

G-05228
CYD/3/TL/MP





Style	Mounting	Pack
J-Box	4" J-Box	36


Jupiter
Recessed Mount Junction Box

3″



G-05229

CYD/3/RCM/JB



Style	Cut out	Plate	Pack
Junction Box	2.36″	G-98800 (3)	36

Jupiter
3″ Surface Mount Canopy

3″



G-05320

CYD/3/RD/SM/WH

White



G-05420

CYD/3/RD/SM/BK

Black



G-05250

CYD/3/RD/SM/BZ

Bronze



G-05260

CYD/3/RD/SM/BN

Brushed Nickel



G-05270

CYD/3/RD/SM/BB

Brushed Brass



G-05280

CYD/3/RD/SM/BC


Brushed Copper



G-05290

CYD/3/RD/SM/ORB

Oil Rubbed Bronze



Style	Mounting	Pack
Canopy	4" J-Box	18

Jupiter
3″ Conduit Mount Canopy

New Item

3″



G-05324

CYD/3/RD/CM/WH


White



G-05325

CYD/3/RD/CM/BK

Black



Style	Mounting	Pack
Canopy	Conduit mount	18

Jupiter
3″ Surface Mount Pendant

3″



G-05321

CYD/3/RD/SM/PDT/WH

White



G-05421

CYD/3/RD/SM/PDT/BK

Black



G-05251

CYD/3/RD/SM/PDT/BZ

Bronze



G-05261

CYD/3/RD/SM/PDT/BN

Brushed Nickel



G-05271

CYD/3/RD/SM/PDT/BB

Brushed Brass



G-05281

CYD/3/RD/SM/PDT/BC


Brushed Copper



G-05291

CYD/3/RD/SM/PDT/ORB

Oil Rubbed Bronze



Style	Mounting	Pack
Pendant	4" J-Box	8/128

Jupiter
3″ Recessed Mount Pendant

3″



G-05322
CYD/3/RD/RCM/PDT/WH
White



G-05422
CYD/3/RD/RCM/PDT/BK
Black



G-05252
CYD/3/RD/RCM/PDT/BZ
Bronze



G-05262
CYD/3/RD/RCM/PDT/BN
Brushed Nickel




G-05272
CYD/3/RD/RCM/PDT/BB
Brushed Brass



G-05282
CYD/3/RD/RCM/PDT/BC
Brushed Copper



G-05292
CYD/3/RD/RCM/PDT/ORB
Oil Rubbed Bronze



Style	Cut out	Plate	Pack
Recessed Pendant	2.36″	G-98800 (3)	18

Jupiter
3″ Surface Mount Stem

3″



G-05323
CYD/3/RD/SM/STM/WH
White



G-05423
CYD/3/RD/SM/STM/BK
Black




G-05253
CYD/3/RD/SM/STM/BZ
Bronze



G-05263
CYD/3/RD/SM/STM/BN
Brushed Nickel




G-05273
CYD/3/RD/SM/STM/BB
Brushed Brass



G-05283
CYD/3/RD/SM/STM/BC
Brushed Copper



G-05293
CYD/3/RD/SM/STM/ORB
Oil Rubbed Bronze



Style	Mounting	Pack
Stem	4" J-Box	8/128

Jupiter
2.5″ Beam Adjustable Cylinder
New Item

2.5″



G-25000

CYD/25/12W/ADJ/RD/LED/5CCT/WH

White



G-25001

CYD/25/12W/ADJ/RD/LED/5CCT/BK

Black

Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	24

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24


Jupiter
2.5″ Recessed Mount J-Box
New Item

2.5″
Cut Out:2.00″



G-25050

CYD/25/RCM/JB




Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (2)	24


Jupiter
4″ J-Box Mud Plate (2.5″)
New Item

2.5″

G-25051

25/CYD/25/TL/MP






Style	Mounting	Pack
Surface mount	4" J-Box	36

Jupiter
2.5″ Surface Mount Monopoint
New Item


2.5″

G-25070
CYD/25/RD/MP/SM/WH
White



G-25071
CYD/25/RD/MP/SM/BK
Black





Style	Mounting	Pack
Monopoint	Surface mount	24

Jupiter
2.5″ Recessed Mount Monopoint
New Item


2.5″
Cut Out: 2.00″

G-25060
CYD/25/RD/MP/RCM/WH
White



G-25061
CYD/25/RD/MP/RCM/BK
Black





Style	Mounting	Plate	Pack
Monopoint	Recessed mount	G-98800 (2)	24

Jupiter
2.5″ H Track Adapter
New Item


2.5″

G-25080
TR/25/H/ADAPTER WH
White



G-25081
TR/25/H/ADAPTER BK
Black





Style	Mounting	Pack
Track	H Track	24

Jupiter
3″ Beam Adjustable Cylinder
New Item

3″



G-30000

CYD/3/18W/ADJ/RD/LED/5CCT/WH

White



G-30001

CYD/3/18W/ADJ/RD/LED/5CCT/BK

Black

Lumens	1600
Wattage	18W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	24

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Jupiter
3″ Recessed Mount J-Box
New Item


3″

Cut Out:2.36″



G-05229

CYD/3/RCM/JB




Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (3)	36


Jupiter
4″ J-Box Mud Plate (3″)
New Item

3″

G-05228

CYD/3/TL/MP






Style	Mounting	Pack
Surface mount	4" J-Box	36

Jupiter
3″ Surface Mount Monopoint
New Item


3″

G-30070
CYD/3/RD/MP/SM/WH
White



G-30071
CYD/3/RD/MP/SM/BK
Black





Style	Mounting	Pack
Monopoint	Surface mount	24

Jupiter
3″ Recessed Mount Monopoint
New Item


3″
Cut Out:2.36″

G-30060
CYD/3/RD/MP/RCM/WH
White



G-30061
CYD/3/RD/MP/RCM/BK
Black





Style	Mounting	Plate	Pack
Monopoint	Recessed mount	G-98800 (3)	24

Jupiter
3″ H Track Adapter
New Item


3″

G-30080
TR/3/H/ADAPTER WH
White



G-30081
TR/3/H/ADAPTER BK
Black





Style	Mounting	Pack
Track	H Track	24

Jupiter
3.3″ Beam Adjustable Cylinder
New Item

3.3″



G-33000

CYD/33/22W/ADJ/RD/LED/5CCT/WH

White



G-33001

CYD/33/22W/ADJ/RD/LED/5CCT/BK

Black

Lumens	2000
Wattage	22W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	24

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24


Jupiter
3.3″ Recessed Mount J-Box
New Item

3.3″
Cut Out:2.36″



G-33050

CYD/33/RCM/JB




Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (3)	24


Jupiter
4″ J-Box Mud Plate (3.3″)
New Item

3.3″

G-33051

CYD/33/TL/MP





Style	Mounting	Pack
Surface mount	4" J-Box	36

Jupiter
3.3″ Surface Mount Monopoint

New Item

3.3″

G-33070

CYD/33/RD/MP/SM/WH

White




G-33071

CYD/33/RD/MP/SM/BK

Black





Style	Mounting	Pack
Monopoint	Surface mount	24

Jupiter
3.3″ Recessed Mount Monopoint

New Item

3.3″

Cut Out: 2.36″

G-33060

CYD/33/RD/MP/RCM/WH

White




G-33061

CYD/33/RD/MP/RCM/BK

Black





Style	Mounting	Plate	Pack
Monopoint	Recessed mount	G-98800 (3)	24

Jupiter
3.3″ H Track Adapter

New Item

3.3″

G-33080

TR/33/H/ADAPTER WH

White




G-33081

TR/33/H/ADAPTER BK

Black





Style	Mounting	Pack
Track	H Track	24

Jupiter
3.7″ Beam Adjustable Cylinder
New Item

3.7″



G-37000

CYD/37/28W/ADJ/RD/LED/5CCT/WH

White



G-37001

CYD/37/28W/ADJ/RD/LED/5CCT/BK

Black

Lumens	2600
Wattage	28W
Voltage	120/277V
CRI	90
Beam Angle	20-55°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	24

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Changing Lens | Dimmable | IC Rated

JA8 TITLE 24

Jupiter
3.7″ Recessed Mount J-Box
New Item


3.7″

Cut Out:2.36″



G-37050

CYD/37/RCM/JB




Style	Mounting	Plate	Pack
Junction Box	Recessed mount	G-98800 (3)	24


Jupiter
4″ J-Box Mud Plate (3.7″)
New Item

3.7″

G-37051

CYD/37/TL/MP





Style	Mounting	Pack
Surface mount	4" J-Box	36

Jupiter
3.7″ Surface Mount Monopoint


New Item

3.7″

G-37070

CYD/37/RD/MP/SM/WH

White




G-37071

CYD/37/RD/MP/SM/BK

Black





Style	Mounting	Pack
Monopoint	Surface mount	24

Jupiter
3.7″ Recessed Mount Monopoint

New Item

3.7″

Cut Out:2.36″

G-37060

CYD/37/RD/MP/RCM/WH

White




G-37061

CYD/37/RD/MP/RCM/BK

Black





Style	Mounting	Plate	Pack
Monopoint	Recessed mount	G-98800 (3)	24

Jupiter
3.7″ H Track Adapter

New Item

3.7″

G-37080

TR/37/H/ADAPTER WH

White




G-37081

TR/37/H/ADAPTER BK

Black






Style	Mounting	Pack
Track	H Track	24

Moon
2″ Round Trimless Drop Lens

2″
Cut Out: 2.28″



G-20452
DL2/12W/RD/2WS/5CCT/TL



Lumens	550/850
Wattage	8W/12W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	8W

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24 · c ETL US LISTED

Accessories


NC Plate	G-98800 (3)
Multi Light	G-95823 8W / G-95824 12W

Moon
3″ Round Trimless Drop Lens

3″
Cut Out: 2.95″



G-20453
DL3/15W/RD/2WS/5CCT/TL



Lumens	700/1000
Wattage	10W/15W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	10W

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24 · c ETL US LISTED

Accessories


NC Plate	G-98800 (4)
Multi Light	G-95824 10W / G-95825 15W

Moon
4″ Round Trimless Drop Lens

4″
Cut Out:4.17″



G-20454
DL4/20W/RD/2WS/5CCT/TL



Lumens	1200/1700
Wattage	15W/20W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	15W

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24 · c ETL US LISTED

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 15W
	G-95826 20W


Moon
3″ Square Trimless Drop Lens


3″

Cut Out: Sq 2.45″ - Rd 3.24″

G-20463

DL3/15W/SQ/2WS/5CCT/TL





Lumens	700/1000
Wattage	10W/15W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	10W

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W / G-95825 15W


Moon
4″ Square Trimless Drop Lens


4″

Cut Out: Sq 3.23″ - Rd 4.40″

G-20464

DL4/20W/SQ/2WS/5CCT/TL





Lumens	1200/1700
Wattage	15W/20W
Voltage	120/277V
CRI	90
Beam Angle	130°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	15W

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24

Accessories

NC Plate	G-98800 (7)
Multi Light	G-95825 15W / G-95826 20W


Horizon
4″ Round Flat Gimbal

4″
Cut Out: 4.25″

G-25240

R/4/FL/GBL/10W/5CCT





Lumens	900
Wattage	10W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 10W


Horizon
6″ Round Flat Gimbal

6″
Cut Out: 6.30″

G-25260

R/6/FL/GBL/20W/5CCT





Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95826 20W

Regulus
2″ Regress Slim


2″
Cut Out: 2.08″



G-48508
RS2/8W/R/LED/5CCT
Round



G-48509
RS2/8W/SQ/LED/5CCT
Square



Lumens	500
Wattage	8W
Voltage	120/277V Triac/0-10
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Color Covers

Black
G-22020
T/RL/2/R/CV/BK

Bronze
G-22021
T/RL/2/R/CV/BZ

Brushed Nickel
G-22022
T/RL/2/R/CV/BN

Brushed Brass
G-22023
T/RL/2/R/CV/BB

Brushed Copper
G-22024
T/RL/2/R/CV/BC

Black
G-22120 Square
T/RL/2/SQ/CV/BK

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 8W

Regulus
3″ Regress Slim


3″
Cut Out: 2.91″



G-48337
RS3/10W/R/LED/5CCT
Round



G-48338
RS3/10W/SQ/LED/5CCT
Square



Lumens	750
Wattage	10W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black
G-22030
T/RL/3/R/CV/BK

Bronze
G-22031
T/RL/3/R/CV/BZ

Brushed Nickel
G-22032
T/RL/3/R/CV/BN

Brushed Brass
G-22033
T/RL/3/R/CV/BB

Brushed Copper
G-22034
T/RL/3/R/CV/BC

Black
G-22130 Square
T/RL/3/SQ/CV/BK

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95824 10W

Regulus
4" Regress Slim HO


4"
Cut Out: 4.25"



G-22241

RS4/20W/3WS/R/LED/5CCT

Round



Lumens	1100/1550/2050
Wattage	10/15/20W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	10/15W

Color Covers

Black	Bronze	Brushed Nickel	Brushed Brass	Brushed Copper
G-48460 T/RL/4/R/CV/BK	G-22041 T/RL/4/R/CV/BZ	G-22042 T/RL/4/R/CV/BN	G-22043 T/RL/4/R/CV/BB	G-22044 T/RL/4/R/CV/BC

Selectable Color · CRI 90+ True Colors · Wet Location · Dimmable

JA8 TITLE 24 · ETL LISTED c US

Accessories

NC Plate	G-98800 (6)

Regulus
4" Regress Slim


4"
Cut Out: 4.25"



G-20244

RS4/15W/SQ/LED/5CCT

Square



Lumens	1400
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black
G-48461 Square T/RL/4/SQ/CV/BK

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W


Regulus
4" Regress Slim RGBWW

4"
Cut Out: 4.25"



G-20441

RS4/15W/R/LED/RGBWW



Lumens	1400 @ CCT
Wattage	15W
Voltage	120V
CRI	90
Beam Angle	100°
CCT	RGB + Tunable white
Dimmable	Yes
Pack	18

Color Covers

Black	Bronze	Brushed Nickel	Brushed Brass	Brushed Copper
G-48460 T/RL/4/R/CV/BK	G-22041 T/RL/4/R/CV/BZ	G-22042 T/RL/4/R/CV/BN	G-22043 T/RL/4/R/CV/BB	G-22044 T/RL/4/R/CV/BC

RGBWW · CRI 90+ True Colors · Wet Location · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W

Regulus
5″ Regress Slim


5″
Cut Out: 5.20″

G-20242
RS5/23W/R/LED/5CCT
Round



G-20245
RS5/23W/SQ/LED/5CCT
Square





Lumens	1800
Wattage	23W
Voltage	120V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Color Covers

Black
G-22050
T/RL/5/R/CV/BK



Bronze
G-22051
T/RL/5/R/CV/BZ



Brushed Nickel
G-22052
T/RL/5/R/CV/BN



Brushed Brass
G-22053
T/RL/5/R/CV/BB



Brushed Copper
G-22054
T/RL/5/R/CV/BC



Black
G-22150 Square
T/RL/5/SQ/CV/BK



Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Dimmable | IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95826 22W

Regulus
6″ Regress Slim


6″
Cut Out: 6.29″

G-20243
RS6/28W/R/LED/5CCT
Round



G-20246
RS6/28W/SQ/LED/5CCT
Square





Lumens	950/1750/2700
Wattage	10W/18W/28W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Color Covers

Black
G-22060
T/RL/6/R/CV/BK



Bronze
G-22061
T/RL/6/R/CV/BZ



Brushed Nickel
G-22062
T/RL/6/R/CV/BN



Brushed Brass
G-22063
T/RL/6/R/CV/BB



Brushed Copper
G-22064
T/RL/6/R/CV/BC



Black
G-22160 Square
T/RL/6/SQ/CV/BK



Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Dimmable | IC Rated


JA8 TITLE 24

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95824 10W / G-95825 18W


Regulus
2″ Round Trimless Regress Slim

2″
Cut Out: 2.28″



G-96720

RS2/WS2/R/LED/TL/5CCT



Lumens	550/825
Wattage	8W/12W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 8W	

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24 · ETL LISTED c US

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95823 8W / G-95824 12W


Regulus
3″ Round Trimless Regress Slim

3″
Cut Out: 2.72″



G-96721

RS3/10W/R/LED/TL/5CCT



Lumens	750
Wattage	10W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

NC Plate	G-98800 (3)
Multi Light	G-95824 10W

Regulus
4″ Round Trimless Regress Slim


4″

Cut Out: 3.85″



G-96722

RS4/15W/R/LED/TL/5CCT



Lumens	1300	Beam Angle	100°
Wattage	15W	CCT	27, 30, 35, 41, 50k
Voltage	120/277V	Dimmable	Triac or 0-10V
CRI	90	Pack	18

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24


Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W

Regulus
3″ Square Trimless Regress Slim


3″

Cut Out: SQ 2.45″ RD 3.24″



G-96821

RS3/10W/SQ/LED/TL/5CCT



Lumens	750	Beam Angle	100°
Wattage	10W	CCT	27, 30, 35, 41, 50k
Voltage	120/277V	Dimmable	Triac or 0-10V
CRI	90	Pack	18

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24


Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W

Regulus
4″ Square Trimless Regress Slim


4″

Cut Out: SQ 3.23″ RD 4.40″



G-96822

RS4/15W/SQ/LED/TL/5CCT



Lumens	1400	Beam Angle	100°
Wattage	15W	CCT	27, 30, 35, 41, 50k
Voltage	120/277V	Dimmable	Triac or 0-10V
CRI	90	Pack	18

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories


NC Plate	G-98800 (7)
Multi Light	G-95825 14W


Star
2″ Round Flushed Slim

2″
Cut Out: 2.08″

G-20219

S2/5W/R/LED/5CCT





Lumens	300
Wattage	5W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black G-97920 T2/RD/CV/BK	Brushed Nickel G-97921 T2/RD/CV/BN	Bronze G-97922 T2/RD/CV/BZ	Brushed Brass G-97923 T2/RD/CV/BB	Red G-23720 T2/RD/CV/RD
Orange G-23721 T2/RD/CV/OG	Yellow G-23722 T2/RD/CV/YL	Green G-23723 T2/RD/CV/GN	Blue G-23724 T2/RD/CV/BLU	Rose Blush G-23725 T2/R/COVER/ROSE

Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 5W

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED


Star
3″ Round Flushed Slim

3″
Cut Out: 2.94″

G-20220

S3/8W/R/LED/5CCT





Lumens	600
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black G-48370 T3/RD/CV/BK	Brushed Nickel G-48371 T3/RD/CV/BN	Bronze G-48372 T3/RD/CV/BZ	Brushed Brass G-48382 T3/RD/CV/BB	Red G-23730 T3/RD/CV/RD
Orange G-23731 T3/RD/CV/OG	Yellow G-23732 T3/RD/CV/YL	Green G-23733 T3/RD/CV/GN	Blue G-23734 T3/RD/CV/BLU	Rose Blush G-23735 T3/R/COVER/ROSE

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED


Star
4″ Round Flushed Slim

4″
Cut Out: 4.25″



G-20221

S4/12W/R/LED/5CCT



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass	Red
G-48373 T4/RD/CV/BK	G-48374 T4/RD/CV/BN	G-48375 T4/RD/CV/BZ	G-48383 T4/RD/CV/BB	G-23740 T4/RD/CV/RD
Orange	**Yellow**	**Green**	**Blue**	**Rose Blush**
G-23741 T4/RD/CV/OG	G-23742 T4/RD/CV/YL	G-23743 T4/RD/CV/GN	G-23744 T4/RD/CV/BLU	G-23745 T4/R/COVER/ROSE

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL c US

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W


Star
5″ Round Flushed Slim

5″
Cut Out: 5.25″



G-20222

S5/15W/R/LED/5CCT



Lumens	1350
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass	Red
G-48376 T5/RD/CV/BK	G-48377 T5/RD/CV/BN	G-48378 T5/RD/CV/BZ	G-48384 T5/RD/CV/BB	G-23750 T5/RD/CV/RD
Orange	**Yellow**	**Green**	**Blue**	**Rose Blush**
G-23751 T5/RD/CV/OG	G-23752 T5/RD/CV/YL	G-23753 T5/RD/CV/GN	G-23754 T5/RD/CV/BLU	G-23755 T5/R/COVER/ROSE

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL c US

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 14W


Star
6″ Round Flushed Slim

6″
Cut Out: 6.20″



G-20223

S6/20W/R/LED/5CCT



Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass	Red
G-48379 T6/RD/CV/BK	G-48380 T6/RD/CV/BN	G-48381 T6/RD/CV/BZ	G-48408 T6/RD/CV/BB	G-23760 T6/RD/CV/RD
Orange	Yellow	Green	Blue	Rose Blush
G-23761 T6/RD/CV/OG	G-23762 T6/RD/CV/YL	G-23763 T6/RD/CV/GN	G-23764 T6/RD/CV/BLU	G-23765 T6/R/COVER/ROSE

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED US

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95826 20W


Star
7″ Round Flushed Slim

7″
Cut Out: 6.80″



G-02227

S7/25W/R/LED/5CCT



Lumens	2400
Wattage	25W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated


JA8 TITLE 24 · ETL LISTED US

Accessories

NC Plate	G-19982 (7)


Star
8″ Round Flushed Slim

8″
Cut Out: 8.25″



G-20224

S8/30W/R/LED/5CCT



Lumens	2800
Wattage	30W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories	
NC Plate	G-19982 (8)


Star
12″ Round Flushed Slim

12″
Cut Out: 11.90″



G-02320

S12/45W/R/LED/5CCT



Lumens	4000
Wattage	45W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24


Star
4″ Eco Round Flushed Slim

4″
Cut Out: 4.25″

G-96521

S4/10W/R/LED/5CCT





Lumens	750
Wattage	10W
Voltage	120V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Color Covers

Black G-48373 T4/RD/CV/BK	Brushed Nickel G-48374 T4/RD/CV/BN	Bronze G-48375 T4/RD/CV/BZ	Brushed Brass G-48383 T4/RD/CV/BB	Red G-23740 T4/RD/CV/RD
Orange G-23741 T4/RD/CV/OG	Yellow G-23742 T4/RD/CV/YL	Green G-23743 T4/RD/CV/GN	Blue G-23744 T4/RD/CV/BLU	Rose Blush G-23745 T4/R/COVER/ROSE

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 10W

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated


JA8 TITLE 24 · ETL LISTED c US


Star
6″ Eco Round Flushed Slim

6″
Cut Out: 6.20″

G-96523

S6/16W/R/LED/5CCT





Lumens	1300
Wattage	16W
Voltage	120V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Color Covers

Black G-48379 T6/RD/CV/BK	Brushed Nickel G-48380 T6/RD/CV/BN	Bronze G-48381 T6/RD/CV/BZ	Brushed Brass G-48408 T6/RD/CV/BB	Red G-23760 T6/RD/CV/RD
Orange G-23761 T6/RD/CV/OG	Yellow G-23762 T6/RD/CV/YL	Green G-23763 T6/RD/CV/GN	Blue G-23764 T6/RD/CV/BLU	Rose Blush G-23765 T6/R/COVER/ROSE

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 16W

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US


Fabulon
4″ Round Baffle Slim

4″
Cut Out: 4.20″



G-97822

SB4/12W/R/LED/5CCT



Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W


Fabulon
6″ Round Baffle Slim

6″
Cut Out: 6.20″



G-97824

SB6/20W/R/LED/5CCT



Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories


NC Plate	G-98800 (9)
Multi Light	G-95826 20W


Star
2″ Square Flushed Slim

2″
Cut Out: 2.08″

G-20217

S2/5W/SQ/LED/5CCT





Lumens	300
Wattage	5W
Voltage	120V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass
G-97925 T2/SQ/CV/BK	G-97926 T2/SQ/CV/BN	G-97927 T2/SQ/CV/BZ	G-97928 T2/SQ/CV/BB

Accessories

NC Plate	G-98800 (2)
Multi Light	G-95823 5W

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated


JA8 TITLE 24 · c ETL LISTED us


Star
3″ Square Flushed Slim

3″
Cut Out: 2.94″

G-20225

S3/8W/SQ/LED/5CCT





Lumens	500
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass
G-48385 T3/SQ/CV/BK	G-48386 T3/SQ/CV/BN	G-48387 T3/SQ/CV/BZ	G-48397 T3/SQ/CV/BB

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated


JA8 TITLE 24 · c ETL LISTED us


Star
4″ Square Flushed Slim

4″
Cut Out: 4.25″

G-20226

S4/12W/SQ/LED/5CCT





Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass
G-48388 T4/SQ/CV/BK	G-48389 T4/SQ/CV/BN	G-48390 T4/SQ/CV/BZ	G-48398 T4/SQ/CV/BB

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W


Star
5″ Square Flushed Slim

5″
Cut Out: 5.25″

G-20227

S5/15W/SQ/LED/5CCT





Lumens	1350
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass
G-48391 T5/SQ/CV/BK	G-48392 T5/SQ/CV/BN	G-48393 T5/SQ/CV/BZ	G-48399 T5/SQ/CV/BB

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED c US

Accessories


NC Plate	G-98800 (8)
Multi Light	G-95825 14W


Star
6″ Square Flushed Slim

6″
Cut Out: 6.20″

G-20228

S6/18W/SQ/LED/5CCT





Lumens	1400
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass
G-48394 T6/SQ/CV/BK	G-48395 T6/SQ/CV/BN	G-48396 T6/SQ/CV/BZ	G-48409 T6/SQ/CV/BB

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED US

Accessories


NC Plate	G-98800 (9)
Multi Light	G-95825 18W


Star
8″ Square Flushed Slim

8″
Cut Out: 8.30″

G-20229

S8/30W/SQ/LED/5CCT





Lumens	2800
Wattage	30W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED US

Accessories

NC Plate	G-19982 (8)

Fabulon
4″ Square Baffled Slim


New Item


4″

Cut Out: 4.25″

G-97812

SB4/12W/SQ/LED/5CCT





Lumens	1000
Wattage	12W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W

Fabulon
6″ Square Baffled Slim


New Item

6″

Cut Out: 6.25″

G-97814

SB6/20W/SQ/LED/5CCT





Lumens	1800
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated


JA8 TITLE 24

Accessories


NC Plate	G-98800 (9)
Multi Light	G-95826 20W

Star
2″ Round Trimless Flushed

2″
Cut Out: 2.28″



G-96620
SR2/WS2/R/5CCT/TL
Round



Lumens	550/825
Wattage	8W/12W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 8W	

Accessories


NC Plate	G-98800 (3)
Multi Light	G-95823 8W / G-95824 12W

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable


JA8 TITLE 24 · ETL LISTED c US

Star
3″ Round Trimless Flushed

3″
Cut Out: 2.83″



G-96621
SR3/15W/R/5CCT/TL
Round



Lumens	800/1200
Wattage	10/15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at 10W	

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95824 10W / G-95825 14W


5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24 · ETL LISTED c US

Star
4" Round Trimless Flushed

4"


Cut Out: 4.17"



G-96622

SR4/20W/R/5CCT/TL

Round



Lumens	1400/1700
Wattage	15/20W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	15W

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W / G-95826 20W


5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24 · ETL LISTED

Star
3" Square Trimless Flushed

3"


Cut Out: Sq 2.45" - Rd 3.39"



G-96625

SR3/15W/SQ/5CCT/TL

Square



Lumens	750/1100
Wattage	10/15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	10W

Accessories

NC Plate	G-98800 (5)
Multi Light	G-95824 10W / G-95825 14W


5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED

Star
4" Square Trimless Flushed

4"


Cut Out: Sq 2.95" - Rd 4.25"



G-96626

SR4/20W/SQ/5CCT/TL

Square



Lumens	1400/1700
Wattage	15/20W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	15W

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W / G-95826 20W

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

JA8 TITLE 24 · ETL LISTED

Fire Rated
3" Fire Rated Round Slim


3"
Cut Out: 2.85"

G-96921

S3/8W/R/LED/5CCT FR

Fire Rated





Lumens	600
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass	Red
G-48370 T3/RD/CV/BK	G-48371 T3/RD/CV/BN	G-48372 T3/RD/CV/BZ	G-48382 T3/RD/CV/BB	G-23730 T3/RD/CV/RD

Orange	Yellow	Green	Blue	Rose Blush
G-23731 T3/RD/CV/OG	G-23732 T3/RD/CV/YL	G-23733 T3/RD/CV/GN	G-23734 T3/RD/CV/BLU	G-23735 T3/RD/CV/RB

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95823 8W

Fire Rated
4" Fire Rated Round Slim


4"
Cut Out: 3.90"

G-96922

S4/12W/R/LED/5CCT FR

Fire Rated





Lumens	925
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass	Red
G-48373 T4/RD/CV/BK	G-48374 T4/RD/CV/BN	G-48375 T4/RD/CV/BZ	G-48383 T4/RD/CV/BB	G-23740 T4/RD/CV/RD

Orange	Yellow	Green	Blue	Rose Blush
G-23741 T4/RD/CV/OG	G-23742 T4/RD/CV/YL	G-23743 T4/RD/CV/GN	G-23744 T4/RD/CV/BLU	G-23745 T4/RD/CV/RB

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W

Fire Rated
5" Fire Rated Round Slim


5"
Cut Out: 4.90"

G-96923

S5/15W/R/LED/5CCT FR

Fire Rated





Lumens	1200
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass	Red
G-48376 T5/RD/CV/BK	G-48377 T5/RD/CV/BN	G-48378 T5/RD/CV/BZ	G-48384 T5/RD/CV/BB	G-23750 T5/RD/CV/RD

Orange	Yellow	Green	Blue	Rose Blush
G-23751 T5/RD/CV/OG	G-23752 T5/RD/CV/YL	G-23753 T5/RD/CV/GN	G-23754 T5/RD/CV/BLU	G-23755 T5/RD/CV/RB

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated

JA8 TITLE 24

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 14W

Fire Rated
6" Fire Rated Round Slim


6"
Cut Out: 6.10"

G-96924

RS6/18W/R/LED/5CCT FR

Fire Rated





Lumens	1600
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass	Red
G-48379 T6/RD/CV/BK	G-48380 T6/RD/CV/BN	G-48381 T6/RD/CV/BZ	G-48408 T6/RD/CV/BB	G-23760 T6/RD/CV/RD

Orange	Yellow	Green	Blue	Rose Blush
G-23761 T6/RD/CV/OG	G-23762 T6/RD/CV/YL	G-23763 T6/RD/CV/GN	G-23764 T6/RD/CV/BLU	G-23765 T6/RD/CV/RB

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated


JA8 TITLE 24

Accessories


NC Plate	G-98800 (9)
Multi Light	G-95825 18W

Fire Rated
3″ Fire Rated Square Slim

3″
Cut Out: 2.85″



G-97021
S3/8W/SQ/LED/5CCT FR
Fire Rated



Lumens	550
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass
G-48385 T3/SQ/CV/BK	G-48386 T3/SQ/CV/BN	G-48387 T3/SQ/CV/BZ	G-48397 T3/SQ/CV/BB

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated

JA8 TITLE 24 · ETL LISTED US

Accessories


NC Plate	G-98800 (4)
Multi Light	G-95823 8W

Fire Rated
4″ Fire Rated Square Slim

4″
Cut Out: 3.95″



G-97022
S4/12W/SQ/LED/5CCT FR
Fire Rated



Lumens	850
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass
G-48388 T4/SQ/CV/BK	G-48389 T4/SQ/CV/BN	G-48390 T4/SQ/CV/BZ	G-48398 T4/SQ/CV/BB

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated

JA8 TITLE 24 · ETL LISTED US

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95824 12W

Fire Rated
5″ Fire Rated Square Slim

5″
Cut Out: 5.10″




G-97023

S5/15W/SQ/LED/5CCT FR

Fire Rated





Lumens	1200
Wattage	15W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass
G-48391 T5/SQ/CV/BK	G-48392 T5/SQ/CV/BN	G-48393 T5/SQ/CV/BZ	G-48399 T5/SQ/CV/BB

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated

JA8 TITLE 24 · ETL LISTED

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95825 18W

Fire Rated
6″ Fire Rated Square Slim


6″
Cut Out: 6.10″




G-97024

S6/18W/SQ/LED/5CCT FR

Fire Rated





Lumens	1600
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Wire	FT6 Plenum rated
Certified	UL 263 & ASTM E119
Pack	18

Color Covers

Black	Brushed Nickel	Bronze	Brushed Brass
G-48394 T6/SQ/CV/BK	G-48395 T6/SQ/CV/BN	G-48396 T6/SQ/CV/BZ	G-48409 T6/SQ/CV/BB

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated

JA8 TITLE 24 · ETL LISTED

Accessories

NC Plate	G-98800 (9)
Multi Light	G-95825 18W

Fire Rated

4″ Fire Rated Round Regress slim

New Item

4″


Cut Out: 4.15″



G-20251

RS4/14W/R/LED/5CCT FR

Fire Rated



Lumens	1000
Wattage	14W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated

Accessories

NC Plate	G-98800 (6)

Fire Rated

6″ Fire Rated Round Regress slim

New Item

6″


Cut Out: 6.30″



G-20253

RS6/18W/R/LED/5CCT FR

Fire Rated



Lumens	1350
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10v
Pack	18

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · IC Rated · Fire rated

Accessories

NC Plate	G-98800 (9)


Commercial
3″ Commercial Regress Downlight

3″
Cut Out: 2.95″



G-98521

RS3/10W-IC/15W-NIC/RD/LED/5CCT/BX



Lumens	750/1050
Wattage	10/15W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	10W

Color Covers

Black	Bronze	Brushed Nickel	Brushed Brass	Brushed Copper
G-22030 T/RL/3/R/CV/BK	G-22031 T/RL/3/R/CV/BZ	G-22032 T/RL/3/R/CV/BN	G-22033 T/RL/3/R/CV/BB	G-22034 T/RL/3/R/CV/BC

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

ENERGY STAR · JA8 TITLE 24 · c ETL LISTED us

Accessories

NC Plate	G-98800 (4)
Multi Light	G-95824 10W / G-95825 14W


Commercial
4″ Commercial Regress Downlight

4″
Cut Out: 4.20″



G-98522

RS4/15W-IC/20W-NIC/RD/LED/5CCT/BX



Lumens	1400/2000
Wattage	15/20W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	18
IC rated-at	15W

Color Covers

Black	Bronze	Brushed Nickel	Brushed Brass	Brushed Copper
G-48460 T/RL/4/R/CV/BK	G-22041 T/RL/4/R/CV/BZ	G-22042 T/RL/4/R/CV/BN	G-22043 T/RL/4/R/CV/BB	G-22044 T/RL/3/R/CV/BC

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

ENERGY STAR · JA8 TITLE 24 · c ETL LISTED us

Accessories

NC Plate	G-98800 (6)
Multi Light	G-95825 14W / G-95826 20W


Commercial
5″ Commercial Regress Downlight

5″
Cut Out: 5.20″



G-98523

RS5/23W-IC/32W-NIC/RD/LED/5CCT/BX



Lumens	2000/3000
Wattage	23/32W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC rated-at 23W	

Color Covers

Black	Bronze	Brushed Nickel	Brushed Brass	Brushed Copper
G-22050 T/RL/5/R/CV/BK	G-22051 T/RL/5/R/CV/BZ	G-22052 T/RL/5/R/CV/BN	G-22053 T/RL/5/R/CV/BB	G-22054 T/RL/5/R/CV/BC

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

ENERGY STAR · JA8 TITLE 24 · c ETL LISTED us

Accessories

NC Plate	G-98800 (8)
Multi Light	G-95826 22W


Commercial
6″ Commercial Regress Downlight

6″
Cut Out: 6.20″



G-98524

RS6/28W-IC/48W-NIC/RD/LED/5CCT/BX



Lumens	2700/5000
Wattage	28/48W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12
IC rated-at 28W	

Color Covers

Black	Bronze	Brushed Nickel	Brushed Brass	Brushed Copper
G-22060 T/RL/6/R/CV/BK	G-22061 T/RL/6/R/CV/BZ	G-22062 T/RL/6/R/CV/BN	G-22063 T/RL/6/R/CV/BB	G-22064 T/RL/6/R/CV/BC

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable

ENERGY STAR · JA8 TITLE 24 · c ETL LISTED us

Accessories

NC Plate	G-98800 (9)


Commercial
8″ Commercial Regress Downlight

8″
Cut Out: 8.00″



G-98526

RS8/50W-IC/80W-NIC/RD/LED/5CCT/BX



Lumens	5000/8000
Wattage	50/80W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac at 58W/0-10V at 58/80W
Pack	12
IC rated-at 50W	

Color Covers

Black	Bronze	Brushed Nickel	Brushed Brass	Brushed Copper
G-22080 T/RL/8/R/CV/BK	G-22081 T/RL/8/R/CV/BZ	G-22082 T/RL/8/R/CV/BN	G-22083 T/RL/8/R/CV/BB	G-22084 T/RL/8/R/CV/BC

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Dimmable

ENERGY STAR · JA8 TITLE 24 · c ETL us

Accessories

NC Plate	G-19982 (8)

Accesories
Multi Light Driver

G-95823

Multi Light Driver, 5,7,8 Watt

5-7-8W



G-95824

Multi Light Driver, 9,10,12 Watt

9-10-12W



G-95825

Multi Light Driver, 14,16,18 Watt

14-16-18W



G-95826

Multi Light Driver, 20,22,24 Watt

20-22-24W



G-95827


Quick Connect Coupling




Accessories
Mud-in Goof Ring

G-98410


TL/GF/2.2ID-4.53OD/RD






G-98411


TL/GF/2.95ID-5.31OD/RD






G-98412


TL/GF/4.5ID-7.3OD/RD






G-98413

TL/GF/6.5ID-9.3OD/RD






Pack	100

Accessories
White Goof Ring

G-98420

Goof/2.2ID-3.75OD/R/White






G-98421

Goof/2.75ID-4.5OD/R/White






G-98422

Goof/4.5ID-6.5OD/R/White






G-98423

Goof/6.5ID-8.50OD/R/White





Pack	100

Accessories
Emergency LED Driver 15W


15W

G-48410

EM/15W/14.8Vdc/2000mA







mA	2000mA
Voltage	120/347V
Illumination time	90 mins
Recharging time	24 hours
Pack	15
24″ Test Button Included	

Accessories

Item	Description	Length
G-95528	Test Button	20FT

Wet Location · Dimmable

c UL us LISTED


Accessories
Emergency LED Driver 25W

25W

G-95525

EM/120-347v /25w /170v DC/0-10





mA	3500mA
Voltage	120/347V
Illumination time	90 mins
Recharging time	24 hours
Pack	10
24″ Test Button Included	

Wet Location · Dimmable

c UL us LISTED

Accessories
Emergency LED Driver 30W


30W

G-48411

EM/30W/29.6Vdc/2000mA







mA	2000mA
Voltage	120/347V
Illumination time	90 mins
Recharging time	24 hours
Pack	15
24″ Test Button Included	

Accessories

Item	Description	Length
G-95528	Test Button	20FT

Wet Location · Dimmable


c UL us LISTED


Accessories
Emergency LED Driver 60W

60W

G-95521

EM/60W/28.8Vdc/4000mA





mA	4000mA
Voltage	120/347V
Illumination time	90 mins
Recharging time	24 hours
Pack	10
24″ Test Button Included	

Wet Location · Dimmable

c UL us LISTED

Accessories
LED Extension Cords



G-20210 6FT
Extends 6 Ft

G-20211 10FT
Extends 10 Ft




G-48328 10FT
Extends 10 Ft



G-98628 15FT
Extends 15 Ft

G-98629 30FT
Extends 30 Ft



G-20247 5FT
Extends 5 Ft

G-20248 10FT
Extends 10 Ft

G-19822 20FT
Extends 20 Ft


G-19823 30FT
Extends 30 Ft

Accessories

New Construction Plates

G-98800

New Item




Punch out	Uni.Size	Punch out	Uni.Size	Punch out	Uni.Size
0	1.38″	4	3.15″	8	5.34″
1	1.65″	5	3.75″″	9	6.35″
2	2.12″	6	4.25″		
3	2.75″	7	4.64″		

Pack	24

G-98810


New Item



Punch out	Uni.Size	Punch out	Uni.Size	Punch out	Uni.Size
0	1.38″	4	3.15″	8	5.34″
1	1.65″	5	3.75″″	9	6.35″
2	2.12″	6	4.25″		
3	2.75″	7	4.64″		

Pack	20


G-19969



Punch out	Uni.Size
0	2.95″
1	4.33″
2	6.29″

Pack	24

G-19974



4" Center to center


Punch out	Uni.Size
1	2.12″
2	2.75″
3	3.15″
4	3.75″

Pack	20

Accessories

New Construction Plates

G-19976




6" Center to center

Punch out	Uni.Size	Punch out	Uni.Size
1	2.12″	5	4.25″
2	2.75″	6	4.64″
3	3.15″	7	5.34″
4	3.75″		

Pack	20

G-19968




8" Center to center

Punch out	Uni.Size	Punch out	Uni.Size	Punch out	Uni.Size
1	2.12″	4	3.75″	7	5.34″
2	2.75″	5	4.25″″	8	6.35″
3	3.15″	6	4.64″	9	6.88″

Pack	20


G-19982



Punch out	Uni.Size	Punch out	Uni.Size	Punch out	Uni.Size
0	2.08″	4	4.33″	8	8.42″
1	2.75″	5	5.27″	9	9.33″
2	3.15″	6	6.29″	10	10.31″
3	3.7″	7	6.88″		

Pack	10


G-48318



Punch out	Uni.Size
0	5.11″ X 3.35″
1	6.29″ X 3.35″
2	7.48″ X 3.35″
3	9.44″ X 3.35″

Pack	12

G-48448




Punch out	Uni.Size
0	7.68″ X 3.94″
1	11.42″ X 3.94″

Pack	12

Accessories

New Construction Plates


G-48449



Punch out	Uni.Size
0	9.92″ X 2.83″
1	12.52″ X 3.54″
2	15.27″ X 4.33″

Pack	12


G-98821



Punch out	Uni.Size	Punch out	Uni.Size
0	5.71″ X 3.00″	3	9.49″ X 3.00″
1	6.3″ X 3.00″	4	11.73″ X 3.00″
2	8.70″ X 3.00″	5	13.23″ X 3.00″

Pack	12


G-98822



Punch out	Uni.Size	Punch out	Uni.Size
0	7.17″ X 3.7″	3	12″ X 3.7″
1	7.68″ X 3.7″	4	14.49″ X 3.7″
2	10.79″ X 3.7″	5	16.22″ X 3.7″

Pack	12


G-98823



Punch out	Uni.Size	Punch out	Uni.Size
0	9.05″ X 4.68″	3	14.76″ X 4.68″
1	9.72″ X 4.68″	4	19.13″ X 4.68″
2	14.05″ X 4.68″	5	19.80″ X 4.68″

Pack	12

G-21062




Punch out	Uni.Size	Punch out	Uni.Size
0	2″ X 1.82″	3	9.48″ X 1.82″
1	5″ X 1.82″	4	18.74″ X 1.82″
2	5.78″ X 1.82″		

Pack	24

Accessories

New Construction Plates


G-98817



Punch out	Uni.Size	Punch out	Uni.Size
0	9.61″ X 4.25″	3	17.48″ X 4.25″
1	10.83″ X 4.25″	4	21.02″ X 4.25″
2	15.28″ X 4.25″	5	23.94″ X 4.25″

Pack	20


G-98818



Punch out	Uni.Size	Punch out	Uni.Size
0	5.91″ X 5.91″	3	9.61″ X 9.61″
1	6.77″ X 6.77″	4	10.87″ X 10.87″
2	7.40″ X 7.40″		

Pack	12


G-98819



Punch out	Uni.Size
Round	2.36″
Square	2.56″ X 2.56″
Vertical	1.97″ X 3.07″
Horizontal	2.20″ X 3.39″

Pack	12

G-98824




Punch out	Uni.Size
0	5.92″ X 11.41″
1	5.92″ X 16.92″
2	5.92″ X 22.44″

Pack	12

Accessories

New Construction Plates New Item

G-98814




Punch out	Uni.Size	Punch out	Uni.Size
0	3.19″ X 3.19″	3	11.18″ X 3.70″
1	3.78″ X 3.78″	4	14.92″ X 3.70″
2	7.44″ X 3.70″		

Pack	12

Accessories

New Construction Plates New Item


G-98816



Punch out	Uni.Size
0	3.74″ X 4.13″
1	8.46″ X 4.13″
2	13.19″ X 4.13″
3	17.91″ X 4.13″

Pack	12


G-98811



Punch out	Uni.Size
0	3.70″ X 3.70″
1	7.40″ X 3.70″ Oval
2	11.20″ X 3.70″ Oval
3	15.00″ X 3.70″ Oval

Pack	12


G-98812



Punch out	Uni.Size
0	2.99″ X 2.99″
1	6.14″ X 2.99″ Oval
2	9.29″ X 2.99″ Oval
3	12.44″ X 2.99″ Oval

Pack	12


G-98813



Punch out	Uni.Size
0	6.40″ X 3.20″ Oval
1	9.50″ X 3.20″ Oval
2	12.70″ X 3.20″ Oval

Pack	12

G-98815



Punch out	Uni.Size
0	3.86″ X 3.86″
1	7.56″ X 3.86″
2	11.30″ X 3.86″
3	15.08″ X 3.86″

Pack	12


Glimmer
5″ Edgeless Surface Mount Fixture
New Item

5″

G-13050

ED5/8W/R/LED/5CCT/G2





Color Covers

Black	Oil Rubbed Bronze	Brushed Nickel
G-13051 ED/CV5/BK	G-13052 ED/CV5/ORB	G-13053 ED/CV5/BN
Brushed Brass	**Brushed Cooper**	**Red**
G-13054 ED/CV5/BB	G-13055 ED/CV5/BC	G-13056 ED/CV5/RD
Orange	**Yellow**	**Green**
G-13057 ED/CV5/OG	G-13058 ED/CV5/YL	G-13059 ED/CV5/GN
Blue	**Rose Blush**	
G-13060 ED/CV5/BL	G-13061 ED/CV5/RB	

Lumens	600
Wattage	8W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	60

Selectable Color · CRI 90° True Colors · Wet Location · Dimmable


JA8 TITLE 24 · ETL

Glimmer
7″ Edgeless Surface Mount Fixture
New Item

7″

G-13070

ED7/12W/R/LED/5CCT/G2



Color Covers

Black	Oil Rubbed Bronze	Brushed Nickel
G-13071 ED/CV7/BK	G-13072 ED/CV7/ORB	G-13073 ED/CV7/BN
Brushed Brass	**Brushed Cooper**	**Red**
G-13074 ED/CV7/BB	G-13075 ED/CV7/BC	G-13076 ED/CV7/RD
Orange	**Yellow**	**Green**
G-13077 ED/CV7/OG	G-13078 ED/CV7/YL	G-13079 ED/CV7/GN
Blue	**Rose Blush**	
G-13080 ED/CV7/BL	G-13081 ED/CV7/RB	

Lumens	950
Wattage	12W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	40

Selectable Color · CRI 90° True Colors · Wet Location · Dimmable


JA8 TITLE 24 · ETL

Glimmer
9″ Edgeless Surface Mount Fixture
New Item

9″

G-13090

ED9/18W/R/LED/5CCT/G2



Color Covers

Black	Oil Rubbed Bronze	Brushed Nickel
G-13091 ED/CV9/BK	G-13092 ED/CV9/ORB	G-13093 ED/CV9/BN
Brushed Brass	**Brushed Cooper**	**Red**
G-13094 ED/CV9/BB	G-13095 ED/CV9/BC	G-13096 ED/CV9/RD
Orange	**Yellow**	**Green**
G-13097 ED/CV9/OG	G-13098 ED/CV9/YL	G-13099 ED/CV9/GN
Blue	**Rose Blush**	
G-13100 ED/CV9/BL	G-13101 ED/CV9/RB	

Lumens	1600
Wattage	18W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10v
Pack	20

Selectable Color · CRI 90° True Colors · Wet Location · Dimmable


JA8 TITLE 24 · ETL

Glimmer
12" Edgeless Surface Mount Fixture New Item

12"

G-13120

ED12/24W/R/LED/5CCT



Lumens	2150
Wattage	24W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10v
Pack	10

Color Covers

Black	Oil Rubbed Bronze	Brushed Nickel	Brushed Brass	Brushed Cooper
G-13121 ED/CV12/BK	G-13122 ED/CV12/ORB	G-13123 ED/CV12/BN	G-13124 ED/CV12/BB	G-13125 ED/CV12/BC

Red	Orange	Yellow	Green	Blue	Rose Blush
G-13126 ED/CV12/RD	G-13127 ED/CV12/OG	G-13128 ED/CV12/YL	G-13129 ED/CV12/GN	G-13130 ED/CV12/BL	G-13131 ED/CV12/RB

5 Selectable Color · 90° CRI 90+ True Colors · Wet Location · Dimmable


JA8 TITLE 24 · ETL

Glimmer
14" Edgeless Surface Mount Fixture New Item

14"

G-13140

ED14/28W/R/LED/5CCT



Lumens	2500
Wattage	28W
Voltage	120/277V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10v
Pack	10

Color Covers

Black	Oil Rubbed Bronze	Brushed Nickel	Brushed Brass	Brushed Cooper
G-13141 ED/CV14/BK	G-13142 ED/CV14/ORB	G-13143 ED/CV14/BN	G-13144 ED/CV14/BB	G-13145 ED/CV14/BC

Red	Orange	Yellow	Green	Blue	Rose Blush
G-13146 ED/CV14/RD	G-13147 ED/CV14/OG	G-13148 ED/CV14/YL	G-13149 ED/CV14/GN	G-13150 ED/CV14/BL	G-13151 ED/CV14/RB

5 Selectable Color · 90° CRI 90+ True Colors · Wet Location · Dimmable


JA8 TITLE 24 · ETL

Accretion
8″ Slim Surface Mount Fixture
New Item

8″

G-12208

AC8/15W/R/LED/5CCT



Lumens	1000
Wattage	15W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	20

Black Cover

Black

G-12080
AC8/CV/BK



Emergency Battery



G-12210
AC8/15W/R/LED/5CCT/EM

Empty Battery



G-12209
AC8/R/LED/EM/BODY

Selectable Color | CRI 90+ True Colors | Wet Location | Dimmable


JA8 TITLE 24

Accretion
12″ Slim Surface Mount Fixture
New Item

12″

G-12212

AC12/24W/R/LED/5CCT



Lumens	1750
Wattage	24W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	10

Black Covers

Black

G-12000
AC12/CV/BK



Selectable Color | CRI 90+ True Colors | Wet Location | Dimmable


JA8 TITLE 24

Accretion
16″ Slim Surface Mount Fixture
New Item

16″

G-12216

AC16/30W/R/LED/5CCT



Lumens	2300
Wattage	30W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	6

Black Covers

Black

G-12160
AC16/CV/BK




Selectable Color | CRI 90+ True Colors | Wet Location | Dimmable

JA8 TITLE 24


Accretion
20″ Slim Surface Mount Fixture
New Item

20″



G-12220

AC20/30W/R/LED/5CCT



Lumens	3000
Wattage	30W
Voltage	120/227V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	5

Black Covers

Black


G-12200
AC20/CV/BK

Selectable Color | CRI 90° True Colors | Wet Location | Dimmable

JA8 TITLE 24


Accretion
24″ Slim Surface Mount Fixture
New Item

24″



G-12224

AC24/40W/R/LED/5CCT



Lumens	3850
Wattage	40W
Voltage	120/227V
CRI	90>
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	5

Black Covers

Black

G-12240
AC24/CV/BK

Selectable Color | CRI 90° True Colors | Wet Location | Dimmable

JA8 TITLE 24


Spica
4″ Surface Mount Disk Light

4″



G-19931

D4/12W/R/LED/5CCT



Lumens	725
Wattage	12W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	20

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Dimmable


JA8 TITLE 24

Spica
6″ Surface Mount Disk Light

6″

G-19932

D6/15W/R/LED/5CCT



Lumens	950
Wattage	15W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	20

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Dimmable

JA8 TITLE 24


Spica
8″ Surface Mount Disk Light

8″



G-19933

D8/27W/R/LED/5CCT



Lumens	1875
Wattage	27W
Voltage	120V
CRI	90>
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	10

Selectable Color | CRI 90° True Colors | Wet Location | Air Tight | Dimmable

JA8 TITLE 24


Glawre'
4"X2' Surface Mount Fixture

4"X2'

G-12042

GL/SM/4"X2'/22W/LED/5CCT







Lumens	2420LM
Wattage	22W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	10


Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable


Glawre'
4"X3' Surface Mount Fixture

4"X3'

G-12043

GL/SM/4"X3'/30W/LED/3WS/5CCT







Lumens	2200/2750/3300
Wattage	20/25/30W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	6


Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable


Glawre'
4"X4' Surface Mount Fixture

4"X4'

G-12044

GL/SM/4"X4'/40W/LED/3WS/5CCT







Lumens	2200/3300/4400
Wattage	20/30/40W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable


Glawre'


6″X2′ Surface Mount Fixture

6″X2′

G-12062

GL/SM/6″X2′/22W/LED/5CCT







Lumens	2420LM
Wattage	22W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	10

Selectable Color · CRI 80° True Colors · Wet Location · Dimmable

Glawre'


6″X3′ Surface Mount Fixture

6″X3′

G-12063

GL/SM/6″X3′/30W/LED/3WS/5CCT







Lumens	2200/2750/3300
Wattage	20/25/30W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	5

Selectable Color · CRI 80° True Colors · Wet Location · Dimmable


Glawre'


6″X4′ Surface Mount Fixture

6″X4′

G-12064

GL/SM/6″X4′/40W/LED/3WS/5CCT







Lumens	2200/3300/4400
Wattage	20/30/40W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	Triac or 0-10V
Pack	4

Selectable Color · CRI 80° True Colors · Wet Location · Dimmable

Glawre'

1X1 Surface Mount Fixture


1X1

G-12020

GL/SM/1X1/20W/WS3/LED/5CCT







Lumens	1400/1800/2200
Wattage	12/16/20W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	4

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable

DLC LISTED PREMIUM · JA8 TITLE 24 · ETL

Glawre'

1X2 Surface Mount Fixture


1X2

G-12021

GL/SM/1X2/30W/LED/WS3/5CCT







Lumens	2100/2700/3300
Wattage	18/24/30W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	4

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable

DLC LISTED PREMIUM · JA8 TITLE 24 · ETL

Glawre'

1X4 Surface Mount Fixture


1X4

G-12022

GL/SM/1X4/50W/LED/WS3/5CCT







Lumens	3660/4720/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	2

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable

DLC LISTED PREMIUM · JA8 TITLE 24 · ETL

Glawre'

2X2 Surface Mount Fixture


2X2

G-12023

GL/SM/2X2/50W/LED/WS3/5CCT







Lumens	3660/4720/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	4

Selectable Color · CRI 80° True Colors · Wet Location · Dimmable

DLC LISTED PREMIUM · JA8 TITLE 24 · ETL

Glawre'

2X4 Surface Mount Fixture


2X4

G-12024

GL/SM/2X4/62W/LED/WS3/5CCT







Lumens	5000/6000/7500
Wattage	40/50/62W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	2

Selectable Color · CRI 80° True Colors · Wet Location · Dimmable

DLC LISTED PREMIUM · JA8 TITLE 24 · ETL

Star
4" Rectangular Flushed Slim


4"X1'

Cut Out: 4x12"



G-11141

S/RCTNGL/4X12/20W/SQ/LED/5CCT



Lumens	1600
Wattage	20W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL C LISTED US

Star
4" Rectangular Flushed Slim


4"X2'

Cut Out: 4x24"



G-11142

S/RCTNGL/4X24/40W/SQ/LED/5CCT



Lumens	3400
Wattage	40W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL C LISTED US

Star
4" Rectangular Flushed Slim


4"X3'

Cut Out: 4x36"



G-11143

S/RCTNGL/4X36/56W/SQ/LED/5CCT



Lumens	4800
Wattage	56W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL C LISTED US

Star
4" Rectangular Flushed Slim


4"X4'

Cut Out: 4x47"



G-11144

S/RCTNGL/4X48/80W/SQ/LED/5CCT



Lumens	6000
Wattage	80W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

5 Selectable Color · 90+ CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24 · ETL C LISTED US

Star
6" Rectangular Flushed Slim


6"X1'

Cut Out: 6x12"



G-11161

S/RCTNGL/6X12/24W/SQ/LED/5CCT



Lumens	1900
Wattage	24W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Star
6" Rectangular Flushed Slim


6"X2'

Cut Out: 6x24"



G-11162

S/RCTNGL/6X24/48W/SQ/LED/5CCT



Lumens	4000
Wattage	48W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Star
6" Rectangular Flushed Slim


6"X3'

Cut Out: 6x36"



G-11163

S/RCTNGL/6X36/72W/SQ/LED/5CCT



Lumens	5600
Wattage	72W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Star
6" Rectangular Flushed Slim


6"X4'

Cut Out: 6x47"



G-11164

S/RCTNGL/6X48/96W/SQ/LED/5CCT



Lumens	7800
Wattage	96W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	4

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24


Nebula
1ft Linkable Multi Select Linear Fixture

1ft

G-21201

1FT/LINK/LNR/6/12WS/5CCT





Lumens	600/1200
Wattage	6/12W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	18

Selectable Color · CRI 90+ True Colors · Damp Location · Dimmable


Nebula
2ft Linkable Multi Select Linear Fixture

2ft

G-21202

2FT/LINK/LNR/12/24WS/5CCT





Lumens	1200/2400
Wattage	12/24W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	18

Selectable Color · CRI 90+ True Colors · Damp Location · Dimmable


Nebula
3ft Linkable Multi Select Linear Fixture

3ft

G-21203

3FT/LINK/LNR/18/36WS/5CCT






Lumens	1800/3600
Wattage	18/36W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	12

Selectable Color · CRI 90+ True Colors · Damp Location · Dimmable

Nebula
4ft Linkable Multi Select Linear Fixture

G-21204

4FT/LINK/LNR/24/48WS/5CCT



Lumens	2400/4800
Wattage	24/48W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	12

Selectable Color · CRI 90+ True Colors · Damp Location · Dimmable


DLC LISTED PREMIUM · ETL LISTED US

Nebula
5ft Linkable Multi Select Linear Fixture

G-21205

5FT/LINK/LNR/30/60WS/5CCT





Lumens	3000/6000
Wattage	30/60W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	12

Selectable Color · CRI 90+ True Colors · Damp Location · Dimmable


DLC LISTED PREMIUM · ETL LISTED US

Nebula
6ft Linkable Multi Select Linear Fixture

G-21206

6FT/LINK/LNR/36/72WS/5CCT





Lumens	3600/7200
Wattage	36/72W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	6

Selectable Color · CRI 90+ True Colors · Damp Location · Dimmable

DLC LISTED PREMIUM · ETL LISTED US


Nebula
8ft Linkable Multi Select Linear Fixture

8ft

G-21208

8FT/LINK/LNR/48/96WS/5CCT





Lumens	4800/9600
Wattage	48/96W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	6

Selectable Color · CRI 90+ True Colors · Damp Location · Dimmable


Nebula
10ft Linkable Multi Select Linear Fixture

10ft

G-21210

10FT/LINK/LNR/60/120WS/5CCT





Lumens	6000/10000
Wattage	60/108W
Voltage	120/277V
CRI	90
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V Dimming
Pack	6

Selectable Color · CRI 90+ True Colors · Damp Location · Dimmable

Nebula Accesories

Nebula 2 ft Power Plug



G-21215

Nebula 2 ft Linkable Cord



G-21216

Nebula 2 ft Power Cord



G-21217

Nebula 60″ Pendant Kit



G-21218

Nebula Bridge Connector



G-21219



Orion
2ft Linear Fixture

2ft


G-22302

2FT/LNR/5WS/5CCT

G-22312-EM

2FT/LNR/5WS/5CCT/EM





Lumens	2900/2465/2030/1595/1160
Wattage	20W/17W/14W/11W/8W
Voltage	120/277V
CRI	80
Beam	120°
CCT	30, 35, 41, 50, 65k
Dim	0-10V Dimming
Pack	4

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable · Motion Sensor

DLC LISTED PREMIUM · c UL us LISTED

Orion
4ft Linear Fixture

4ft

G-22304

4FT/LNR/5WS/5CCT

G-22314-EM


4FT/LNR/5WS/5CCT/EM

G-22324-MS

4FT/LNR/5WS/5CCT/MS

New Item





Lumens	5800/5075/4350/3625/2900
Wattage	40W/35W/30W/25W/20W
Voltage	120/277V
CRI	80
Beam	120°
CCT	30, 35, 41, 50, 65k
Dim	0-10V Dimming
Pack	4

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable · Motion Sensor

DLC LISTED PREMIUM · c UL us LISTED

Orion
4ft High Lumen Linear Fixture New Item

4ft


G-22354

4FT/LNR/5WS/5CCT/HO

G-22374-MS

4FT/LNR/5WS/5CCT/HO/MS





Lumens	10800/9000/7200/5400/3600
Wattage	72W/60W/48W/36W/24W
Voltage	120/277V
CRI	80
Beam	120°
CCT	30, 35, 41, 50, 65k
Dim	0-10V Dimming
Pack	4

Selectable Color · CRI 80+ True Colors · Damp Location · Dimmable

DLC LISTED PREMIUM · cULus LISTED

Orion
8ft Linear Fixture

8ft


G-22308

8FT/LNR/5WS/5CCT

G-22318-EM

8FT/LNR/5WS/5CCT/EM





Lumens	11600/10150/8700/7250/5800
Wattage	80W/70W/60W/50W/40W
Voltage	120/277V
CRI	80
Beam	120°
CCT	30, 35, 41, 50, 65k
Dim	0-10V Dimming
Pack	4

Selectable Color · CRI 80+ True Colors · Damp Location · Dimmable · Motion Sensor


DLC LISTED PREMIUM · cULus LISTED

Orion Accesories



G-22290

ORION BILEVEL MOTION SENSOR



G-22291

ORION BRIDGE CONNECTOR



INCLUDED

Neptune
2x2 Butterfly Troffer Fixture

2x2




G-98424

F/2X2/50W/BRT/3WS/5CCT

G-98425-EM

F/2X2/50W/BRT/3WS/5CCT/EM



Lumens	3750/3900/5350
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	2

Selectable Color · CRI 80+ True Colors · Damp Location · Dimmable

Neptune
2x4 Butterfly Troffer Fixture

2x4




G-98426

F/2X4/72W/BRT/3WS/5CCT

G-98427-EM

F/2X4/72W/BRT/3WS/5CCT/EM



Lumens	5775/6850/7400
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	1

Selectable Color · CRI 80+ True Colors · Damp Location · Dimmable

Neptune
2x2 Bevel Troffer Fixture

2x2




G-98322

F/2X2/50W/BT/WS3/5CCT

G-98323-EM

F/2X2/50W/BT/WS3/5CCT/EM



Lumens	3335/4730/5671
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	2

Selectable Color · CRI 80+ True Colors · Damp Location · Dimmable

DLC LISTED PREMIUM · ETL LISTED c US

Neptune
2x4 Bevel Troffer Fixture

2x4




G-98324

F/2X4/72W/BT/WS3/5CCT

G-98325-EM

F/2X4/72W/BT/WS3/5CCT/EM




Lumens	5775/6780/7685
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

Selectable Color · CRI 80+ True Colors · Damp Location · Dimmable

DLC LISTED PREMIUM · ETL LISTED c US

Neptune
2x2 Focused Troffer Fixture

2x2




G-98226

F/2X2/50W/FT/WS3/5CCT

G-98227-EM

F/2X2/50W/FT/WS3/5CCT/EM



Lumens	3275/4275/5300
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	2

Selectable Color · CRI 80+ True Colors · Damp Location · Dimmable

Neptune
2x4 Focused Troffer Fixture

2x4




G-98228

F/2X4/70W/FT/WS3/5CCT

G-98229-EM

F/2X4/70W/FT/WS3/5CCT/EM



Lumens	5580/6950/7925
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	1

Selectable Color · CRI 80+ True Colors · Damp Location · Dimmable

Neptune
2x2 Backlit Vault Fixture

2x2




G-98240

F/2X2/50W/BL/VLT/WS3/5CCT

G-98241-EM

F/2X2/50W/BL/VLT/WS3/5CCT/EM




Sensor


Controller

Lumens	3450/4600/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED US

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

Neptune
2x4 Backlit Vault Fixture

2x4




G-98242

F/2X4/70W/BL/VLT/WS3/5CCT

G-98243-EM

F/2X4/70W/BL/VLT/WS3/5CCT/EM




Sensor


Controller

Lumens	5750/6900/8050
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED US

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

Neptune
2x2 Indirect Single Vault Fixture

2x2



G-98250


F/2X2/50W/IND/1-VLT/WS3/5CCT

G-98251-EM

F/2X2/50W/IND/1-VLT/WS3/5CCT/EM







Lumens	3450/4600/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

5 Selectable Color · 80+ CRI 80+ True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED c US

Neptune
2x4 Indirect Single Vault Fixture

2x4



G-98252


F/2X4/70W/IND/1-VLT/WS3/5CCT

G-98253-EM

F/2X4/70W/IND/1-VLT/WS3/5CCT/EM







Lumens	5750/6900/8050
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

5 Selectable Color · 80+ CRI 80+ True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED c US

Neptune
2x2 Indirect Double Vault Fixture

2x2



G-98260


F/2X2/50W/IND/2-VLT/WS3/5CCT

G-98261-EM

F/2X2/50W/IND/2-VLT/WS3/5CCT/EM







Lumens	3450/4600/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

5 Selectable Color · 80+ CRI 80+ True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED c US

Neptune
2x4 Indirect Double Vault Fixture

2x4



G-98262


F/2X4/70W/IND/2-VLT/WS3/5CCT

G-98263-EM

F/2X4/70W/IND/2-VLT/WS3/5CCT/EM







Lumens	5750/6900/8050
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

5 Selectable Color · 80+ CRI 80+ True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED c US

Neptune
2x2 Indirect Center Net Basket Fixture

2x2




G-98000

F/2X2/50W/ICNB/WS3/5CCT

G-98001-EM

F/2X2/50W/ICNB/WS3/5CCT/EM




Sensor


Controller

Lumens	3450/4600/5750
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED US

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

Neptune
2x4 Indirect Center Net Basket Fixture

2x4




G-98002

F/2X4/70W/ICNB/WS3/5CCT

G-98003-EM

F/2X4/70W/ICNB/WS3/5CCT/EM




Sensor


Controller

Lumens	5750/6900/8050
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED US

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

Neptune
2x2 Square Center Basket Fixture

2x2




G-98010

F/2X2/50W/SQ-CB/WS3/5CCT

G-98011-EM

F/2X2/50W/SQ-CB/WS3/5CCT/EM




Sensor


Controller

Lumens	3900/5200/6500
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	2

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED US

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

Neptune
2x4 Square Center Basket Fixture

2x4




G-98012

F/2X4/70W/SQ-CB/WS3/5CCT

G-98013-EM

F/2X4/70W/SQ-CB/WS3/5CCT/EM




Sensor


Controller

Lumens	6500/7800/9100
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	22
Pack	1

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable · Motion Sensor · App Compatible

DLC LISTED PREMIUM · ETL LISTED US

Accessories

Motion Sensor	G-98210 /G-98211
Remote Controller	G-98212

Neptune
2x2 Center Basket Fixture

2x2




G-98020

F/2X2/50W/CB/WS3/4CCT

G-98021 EM

F/2X2/50W/CB/WS3/4CCT/EM



Lumens	3775/5150/6130
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable

JA8 TITLE 24 · DLC LISTED PREMIUM · ETL LISTED

Neptune
2x4 Center Basket Fixture

2x4




G-98022

F/2X4/72W/CB/WS3/4CCT

G-98023-EM

F/2X4/72W/CB/WS3/4CCT/EM



Lumens	6220/7410/8580
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable

JA8 TITLE 24 · DLC LISTED PREMIUM · ETL LISTED

Neptune
2x2 Center Line Fixture

2x2




G-98028

F/2X2/50W/CL/WS3/5CCT

G-98029-EM

F/2X2/50W/CL/4CCT/WS3/EM



Lumens	3280/4330/5390
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50k
Dimmable	0-10V
Pack	1

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable

JA8 TITLE 24 · DLC LISTED PREMIUM · ETL US

Neptune
2x4 Center Line Fixture

2x4




G-98120

F/2X4/72W/CL/WS3/4CCT

G-98121-EM

F/2X4/72W/CL/4CCT/WS3/EM



Lumens	5910/6920/7560
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50k
Dimmable	0-10V
Pack	1

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable

JA8 TITLE 24 · DLC LISTED PREMIUM · ETL US

Neptune
2x2 Center Indirect Fixture

2x2




G-98126

F/2X2/50W/CI/WS3/4CCT

G-98127-EM

F/2X2/50W/CI/WS3/4CCT/EM



Lumens	3310/4535/5360
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50k
Dimmable	0-10V
Pack	1

4 Selectable Color · 80+ CRI 80+ True Colors · Wet Location · Dimmable

JA8 TITLE 24 · DLC LISTED PREMIUM · ETL LISTED

Neptune
2x4 Center Indirect Fixture

2x4




G-98128

F/2X4/72W/CI/WS3/4CCT

G-98129-EM

F/2X4/72W/CI/WS3/4CCT/EM



Lumens	5400/6615/7780
Wattage	50/60/72W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50k
Dimmable	0-10V
Pack	1

4 Selectable Color · 80+ CRI 80+ True Colors · Wet Location · Dimmable

JA8 TITLE 24 · DLC LISTED PREMIUM · ETL LISTED

Neptune
2x2 Regress Panel Fixture

2x2




G-98326

F/2X2/50W/RT/WS3/5CCT

G-98327-EM

F/2X2/50W/RT/WS3/5CCT/EM



Lumens	5300/4550/3275
Wattage	50/40/30W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	2

Selectable Color | CRI 80° True Colors | Damp Location | Dimmable

Neptune
2x4 Regress Panale Fixture

2x4




G-98328

F/2X4/70W/RT/WS3/5CCT

G-98329-EM

F/2X4/70W/RT/WS3/5CCT/EM



Lumens	7275/6500/5625
Wattage	70/60/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
UGR	14
Pack	1


Selectable Color | CRI 80° True Colors | Damp Location | Dimmable


1x4

Neptune
1x4 Backlit Flat Panel

G-11920

NP/BP/1X4/50W/WS3/5CCT






Lumens	3750/5000/6250
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable

JA8 TITLE 24 · DLC LISTED PREMIUM · ETL LISTED

2x2

Neptune
2x2 Backlit Flat Panel



G-11921

NP/BP/2X2/50W/WS3/5CCT

G-11928-EM New Item

NP/BP/2X2/50W/WS3/5CCT-EM



Lumens	3750/5000/6250
Wattage	30/40/50W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

Selectable Color · CRI 80+ True Colors · Wet Location · Dimmable

JA8 TITLE 24 · DLC LISTED PREMIUM · ETL LISTED

Neptune
2X4 Backlit Flat Panel

2X4


G-11922

NP/BP/2X4/70W/WS3/5CCT

G-11929-EM New Item

NP/BP/2X4/70W/WS3/5CCT-EM





Lumens	6250/7500/8750
Wattage	50/60/70W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	1

5 Selectable Color | 80+ CRI 80+ True Colors | Wet Location | Dimmable

DLC LISTED PREMIUM | JA8 TITLE 24 | ETL LISTED c US

Neptune
Surface Mount Kit 2X2, 2X4



G-98222

2X2/Surface/Kit

Size	24.68″ X 24.68″
Height	4.52″
Pack	6



G-98224

2X4/Surface/Kit

Size	24.68″ X 48.42″
Height	4.52″
Pack	6

Flange Kit 2X2, 2X4



G-48305

F/KIT/2X2 KIT

Height	1.50″
Pack	20



G-48307

F/KIT/2X4 KIT

Height	1.50″
Pack	20

Equator
1'X4' Frame Panel Fixture

1'X4'




G-12120

F/1X4/40W/FP/3WS/5CCT

G-12121-EM

F/1X4/40W/FP/3WS/5CCT/EM



Lumens	2600/3900/5200
Wattage	20/30/40W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	6

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable

DLC LISTED PREMIUM · ETL LISTED c US

Equator
2'X2' Frame Panel Fixture

2'X2'




G-12122

F/2X2/40W/FP/3WS/5CCT

G-12123-EM

F/2X2/40W/FP/3WS/5CCT/EM



Lumens	2600/3900/5200
Wattage	20/30/40W
Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	6

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable

DLC LISTED PREMIUM · ETL LISTED c US

Equator
2'X4' Frame Panel Fixture

2'X4'




G-12124 5200/6500/7800 LM - 40/50/60W

F/2X4/60W/FP/3WS/5CCT

G-12125-EM 3900/5200/6500 LM - 30/40/50W

F/2X4/50W/FP/3WS/5CCT/EM



Voltage	120/277V
CRI	80
Beam Angle	120°
CCT	30, 35, 41, 50, 65k
Dimmable	0-10V
Pack	6

Selectable Color · CRI 80° True Colors · Damp Location · Dimmable


DLC LISTED PREMIUM · ETL LISTED c US

Stellar
Mini White Puck Light New Item

Mini
Cut Out: 0.69″



G-02500	22k Amber
PUCK/MN/1W/24V/22K/WT	
G-02501	27k Soft White
PUCK/MN/1W/24V/27K/WT	
G-02502	30k Warm White
PUCK/MN/1W/24V/30K/WT	
G-02503	35k Neutral White
PUCK/MN/1W/24V/35K/WT	




Lumens	100
Wattage	1W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100


CRI 90° True Colors · Damp Location · Air Tight · IC Rated

Stellar
Mini Black Puck Light New Item

Mini
Cut Out: 0.69″



G-02510	22k Amber
PUCK/MN/1W/24V/22K/BK	
G-02511	27k Soft White
PUCK/MN/1W/24V/27K/BK	
G-02512	30k Warm White
PUCK/MN/1W/24V/30K/BK	
G-02513	35k Neutral White
PUCK/MN/1W/24V/35K/BK	




Lumens	100
Wattage	1W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100


CRI 90° True Colors · Damp Location · Air Tight · IC Rated

Stellar
Mini Brushed Brass Puck Light New Item

Mini
Cut Out: 0.69″



G-02540	22k Amber
PUCK/MN/1W/24V/22K/BB	
G-02541	27k Soft White
PUCK/MN/1W/24V/27K/BB	
G-02542	30k Warm White
PUCK/MN/1W/24V/30K/BB	
G-02543	35k Neutral White
PUCK/MN/1W/24V/35K/BB	




Lumens	100
Wattage	1W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100


CRI 90° True Colors · Damp Location · Air Tight · IC Rated

Stellar
1" White Puck Light New Item

1"
Cut Out: 0.98"



G-00100	22k Amber
	PUCK/1/2W/24V/22K/WT
G-00101	27k Soft White
	PUCK/1/2W/24V/27K/WT
G-00102	30k Warm White
	PUCK/1/2W/24V/30K/WT
G-00103	35k Neutral White
	PUCK/1/2W/24V/35K/WT




Lumens	175
Wattage	2W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100


CRI 90° True Colors · Damp Location · Air Tight · IC Rated

Stellar
1" Black Puck Light New Item

1"
Cut Out: 0.98"



G-00110	22k Amber
	PUCK/1/2W/24V/22K/BK
G-00111	27k Soft White
	PUCK/1/2W/24V/27K/BK
G-00112	30k Warm White
	PUCK/1/2W/24V/30K/BK
G-00113	35k Neutral White
	PUCK/1/2W/24V/35K/BK




Lumens	175
Wattage	2W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100


CRI 90° True Colors · Damp Location · Air Tight · IC Rated

Stellar
1" Brushed Brass Puck Light New Item

1"
Cut Out: 0.98"



G-00140	22k Amber
	PUCK/1/2W/24V/22K/BB
G-00141	27k Soft White
	PUCK/1/2W/24V/27K/BB
G-00142	30k Warm White
	PUCK/1/2W/24V/30K/BB
G-00143	35k Neutral White
	PUCK/1/2W/24V/35K/BB



Lumens	175
Wattage	2W
Voltage	24V
CRI	90
Beam Angle	36°
Pack	20/100

CRI 90° True Colors · Damp Location · Air Tight · IC Rated


Eclipse
Round Clip-In Steplight

Round
Cut Out: 2.36″

G-48200

ST/5W/RD/CLP/LED/5CCT/WH





Lumens	350
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	36°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Accessories

NC Plate	G-98819
Multi Light	G-95823 5W

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24


Eclipse
Oval Clip-In Steplight

Oval
Cut Out: 3.05″ X 1.85″

G-48210

ST/5W/OV/CLPLED/5CCT/WH





Lumens	350
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	36°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Accessories

NC Plate	G-98819
Multi Light	G-95823 5W

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24


Eclipse
Vertical Clip-In Steplight

Vertical
Cut Out: 2.50″ X 2.50″

G-48220

ST/5W/V/CLP/LED/5CCTWH





Lumens	200
Wattage	5W
Voltage	120V
CRI	90
Beam Angle	80°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Pack	18

Accessories

NC Plate	G-98819
Multi Light	G-95823 5W

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Dimmable · IC Rated

JA8 TITLE 24

Led Vertical Step Light



G-48535
ST/3W/V/LED/5CCT W
White



G-48537
ST/3W/V/LED/5CCT B
Black

SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens	125
Wattage	3W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18

Selectable Color | CRI 90° True Colors | Wet Location IP65 | Air Tight | Dimmable

JA8 TITLE 24

Led Horizontal Step Light



G-48536
ST/5W/H/LED/5CCT W
White



G-48538
ST/5W/H/LED/5CCT B
Black

SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens	250
Wattage	5W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18

Selectable Color | CRI 90° True Colors | Wet Location IP65 | Air Tight | Dimmable

JA8 TITLE 24

Led Universal Step Light



G-20022
ST/2W/V/H/LED/5CCT/W
White



SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens	125
Wattage	2W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18

Selectable Color | CRI 90° True Colors | Wet Location IP65 | Air Tight | Dimmable

JA8 TITLE 24

Led Universal Step Light



G-20019 30k Warm White

ST/2W/V/H/LED/30k B

G-20021 50k Super White

ST/2W/V/H/LED/50k B

Lumens	125
Wattage	2W
Voltage	120V
CRI	90
Dimmable	No
Pack	18

Selectable Color | CRI 90+ True Colors | Wet Location IP65 | Air Tight | Dimmable

JA8 TITLE 24

Vertical Trimless Step Light

G-48530


ST/TL/3W/V/LED/5CCT W

White

G-48531

ST/TL/3W/V/LED/5CCT B

Black



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	75
Wattage	3W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18

Selectable Color | CRI 90+ True Colors | Wet Location IP65 | Air Tight | Dimmable

JA8 TITLE 24

Horizontal Trimless Step Light

G-48532


ST/TL/3W/H/LED/5CCT W

White

G-48533

ST/TL/3W/H/LED/5CCT B

Black



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	110
Wattage	3W
Voltage	120V
CRI	90
Dimmable	Yes
Pack	18

Selectable Color | CRI 90+ True Colors | Wet Location IP65 | Air Tight | Dimmable

JA8 TITLE 24

Tape Light
1.5 Watt Cob New Item

1.5W
16.4 Ft



G-99450	27k Soft White	Lumens: 160 FT/ 530 M
T/COB/1.5W/27K		
G-99451	30k Warm White	Lumens: 180 FT/ 593 M
T/COB/1.5W/30K		
G-99452	35k Neutral White	Lumens: 180 FT/ 593 M
T/COB/1.5W/35K		
G-99453	41k Cool White	Lumens: 188 FT/ 620 M
T/COB/1.5W/41K		
G-99454	50k Super White	Lumens: 184 FT/ 605 M
T/COB/1.5W/50K		

Wattage	1.5W FT - 5W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25/100

CRI 90° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516 C/PTS/CONNECTOR	G-48517 C/STS/CONNECTOR	G-48518 C/6"/JUMPER/ CONNECTOR	G-48519 C/MULTI/CONNECT	G-48505 C/L/STS/CONNECTOR	G-48506 C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
1.5 Watt Cob New Item

1.5W
100 Ft



G-99455	27k Soft White	Lumens: 160 FT/ 530 M
T/COB/1.5W/27K 100FT		
G-99456	30k Warm White	Lumens: 180 FT/ 593 M
T/COB/1.5W/30K 100FT		
G-99457	35k Neutral White	Lumens: 180 FT/ 593 M
T/COB/1.5W/35K 100FT		
G-99458	41k Cool White	Lumens: 188 FT/ 620 M
T/COB/1.5W/41K 100FT		
G-99459	50k Super White	Lumens: 184 FT/ 605 M
T/COB/1.5W/50K 100FT		

Wattage	1.5W FT - 5W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25

CRI 90° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516 C/PTS/CONNECTOR	G-48517 C/STS/CONNECTOR	G-48518 C/6"/JUMPER/ CONNECTOR	G-48519 C/MULTI/CONNECT	G-48505 C/L/STS/CONNECTOR	G-48506 C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
3 Watt Cob

3W
16.4 Ft



G-99420	27k Soft White	Lumens: 285 FT/ 950 M
TP/COB/10W/27K		
G-99421	30k Warm White	Lumens: 300 FT/ 1000 M
TP/COB/10W/30K		
G-99422	35k Neutral White	Lumens: 315 FT/ 1050 M
TP/COB/10W/35K		
G-99423	41k Cool White	Lumens: 315 FT/ 1050 M
TP/COB/10W/41K		
G-99424	50k Super White	Lumens: 315 FT/ 1050 M
TP/COB/10W/50K		

Wattage	3W FT - 10W M
Voltage	24V
CRI	93
Beam Angle	120°
Dimmable	Yes
Pack	25/100

CRI 93° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516 C/PTS/CONNECTOR	G-48517 C/STS/CONNECTOR	G-48518 C/6"/JUMPER/ CONNECTOR	G-48519 C/MULTI/CONNECT	G-48505 C/L/STS/CONNECTOR	G-48506 C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
3 Watt Cob

3W
100 Ft



G-99425	27k Soft White	Lumens: 285 FT/ 950 M
T/COB/3W/27K 100FT		
G-99426	30k Warm White	Lumens: 300 FT/ 1000 M
T/COB/3W/30K 100FT		
G-99427	35k Neutral White	Lumens: 315 FT/ 1050 M
T/COB/3W/35K 100FT		
G-99428	41k Cool White	Lumens: 315 FT/ 1050 M
T/COB/3W/41K 100FT		
G-99429	50k Super White	Lumens: 315 FT/ 1050 M
T/COB/3W/50K 100FT		

Wattage	3W FT - 10W M
Voltage	24V
CRI	93
Beam Angle	120°
Dimmable	Yes
Pack	25

CRI 93° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516 C/PTS/CONNECTOR · G-48517 C/STS/CONNECTOR · G-48518 C/6"/JUMPER/ CONNECTOR · G-48519 C/MULTI/CONNECT · G-48505 C/L/STS/CONNECTOR · G-48506 C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
Long Voltage Run

3W
70 Ft



G-99440	27k Soft White	
TP/COB/LR/11W/27K		
G-99441	30k Warm White	
TP/COB/LR/11W/30K		
G-99442	35k Neutral White	
TP/COB/LR/11W/35K		
G-99443	41k Cool White	
TP/COB/LR/11W/41K		
G-99444	50k Super White	
TP/COB/LR/11W/50K		

Lumens	380 FT / 1250 M
Wattage	3.3 FT - 11 M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25

CRI 90° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516 C/PTS/CONNECTOR · G-48517 C/STS/CONNECTOR · G-48518 C/6"/JUMPER/ CONNECTOR · G-48519 C/MULTI/CONNECT · G-48505 C/L/STS/CONNECTOR · G-48506 C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
5.5 Watt Cob

5.5W
16.4 Ft



G-48485	27k Soft White	Lumens: 548 FT/ 1800 M
T/COB/18W/27K		
G-48486	30k Warm White	Lumens: 564 FT/ 1850 M
T/COB/18W/30K		
G-48487	35k Neutral White	Lumens: 579 FT/ 1900 M
T/COB/18W/35K		
G-48488	41k Cool White	Lumens: 594 FT/ 1950 M
T/COB/18W/41K		
G-48489	50k Super White	Lumens: 609 FT/ 2000 M
T/COB/18W/50K		

Wattage	5.5 FT / 18W M
Voltage	24V DC
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25/100

CRI 95° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516 C/PTS/CONNECTOR · G-48517 C/STS/CONNECTOR · G-48518 C/6"/JUMPER/ CONNECTOR · G-48519 C/MULTI/CONNECT · G-48505 C/L/STS/CONNECTOR · G-48506 C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
5.5 Watt Cob

5.5W
100 Ft



G-48490	27k Soft White	Lumens: 548FT/ 1800 M
T/COB/18W/27K 100FT		
G-48491	30k Warm White	Lumens: 564 FT/ 1850 M
T/COB/18W/30K 100FT		
G-48492	35k Neutral White	Lumens: 579 FT/ 1900 M
T/COB/18W/35K 100FT		
G-48493	41k Cool White	Lumens: 594 FT/ 1950 M
T/COB/18W/41K 100FT		
G-48494	50k Super White	Lumens: 609 FT/ 2000 M
T/COB/18W/50K 100FT		

Wattage	5.5 FT / 18W M
Voltage	24V DC
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25

CRI 95° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516 C/PTS/CONNECTOR · G-48517 C/STS/CONNECTOR · G-48518 C/6"/JUMPER/ CONNECTOR · G-48519 C/MULTI/CONNECT · G-48505 C/L/STS/CONNECTOR · G-48506 C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
5.5 Watt Sob New Item

5.5W
16.4 Ft



G-99460	27k Soft White	Lumens: 515 FT/ 1690 M
T/SOB/5.5W/27K		
G-99461	30k Warm White	Lumens: 595 FT/ 1950 M
T/SOB/5.5W/30K		
G-99462	35k Neutral White	Lumens: 597 FT/ 1960 M
T/SOB/5.5W/35K		
G-99463	41k Cool White	Lumens: 635 FT/ 2080 M
T/SOB/5.5W/41K		
G-99464	50k Super White	Lumens: 622 FT/ 2040 M
T/SOB/5.5W/50K		

Wattage	5.5 FT / 18W M
Voltage	24V
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25/100

CRI 95° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516 C/PTS/CONNECTOR · G-48517 C/STS/CONNECTOR · G-48518 C/6"/JUMPER/ CONNECTOR · G-48519 C/MULTI/CONNECT · G-48505 C/L/STS/CONNECTOR · G-48506 C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
5.5 Watt Sob New Item

5.5W
100 Ft



G-99465	27k Soft White	Lumens: 515 Ft / 1690 M
T/SOB/5.5W/27K 100FT		
G-99466	30k Warm White	Lumens: 595 Ft / 1950 M
T/SOB/5.5W/30K 100FT		
G-99467	35k Neutral White	Lumens: 597 Ft / 1960 M
T/SOB/5.5W/35K 100FT		
G-99468	41k Cool White	Lumens: 635 Ft / 2080 M
T/SOB/5.5W/41K 100FT		
G-99469	50k Super White	Lumens: 622 Ft / 2040 M
T/SOB/5.5W/50K 100FT		

Wattage	5.5 FT / 18W M
Voltage	24V
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25

CRI 95° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516 C/PTS/CONNECTOR · G-48517 C/STS/CONNECTOR · G-48518 C/6"/JUMPER/ CONNECTOR · G-48519 C/MULTI/CONNECT · G-48505 C/L/STS/CONNECTOR · G-48506 C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
5.5 Watt 2835

5.5W
16.4 Ft



G-48495	27k Soft White	Lumens: 883 Ft / 2900 M
T160/2835/18W/27K		
G-48496	30k Warm White	Lumens: 892 Ft / 2928 M
T160/2835/18W/30K		
G-48497	35k Neutral White	Lumens: 913 Ft / 2998 M
T160/2835/18W/35K		
G-48498	41k Cool White	Lumens: 919 Ft / 3016 M
T160/2835/18W/41K		
G-48499	50k Super White	Lumens: 925 Ft / 3038 M
T160/2835/18W/50K		

Wattage	5.48 FT / 18W M
Voltage	24V DC
CRI	94
Beam Angle	120°
Dimmable	Yes
Pack	25/100

CRI 94+ True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516	G-48517	G-48518	G-48519	G-48505	G-48506
C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/ CONNECTOR	C/MULTI/CONNECT	C/L/STS/CONNECTOR	C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
7.3 Watt 2835

7.3W
16.4 Ft



G-48500	27k Soft White	Lumens: 1179 Ft / 3871 M
T224/2835/24W/27K		
G-48501	30k Warm White	Lumens: 1183 Ft / 3884 M
T224/2835/24W/30K		
G-48502	35k Neutral White	Lumens: 1203 Ft / 3948 M
T224/2835/24W/35K		
G-48503	41k Cool White	Lumens: 1207 Ft / 3962 M
T224/2835/24W/41K		
G-48504	50k Super White	Lumens: 1220 Ft /4003 M
T224/2835/24W/50K		

Wattage	7.31 FT / 24W M
Voltage	24V DC
CRI	94
Beam Angle	120°
Dimmable	Yes
Pack	25/100

CRI 94+ True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-48516	G-48517	G-48518	G-48519	G-48505	G-48506
C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/ CONNECTOR	C/MULTI/CONNECT	C/L/STS/CONNECTOR	C/T/STS/CONNECTOR

c UL us LISTED

Tape Light
2.4W Flexible

New Item

2.4W
16.4 Ft



G-96230	27k Soft White	Lumens: 230 LM FT / 750M
T/S/COB/2.4W/27K		
G-96231	30k Warm White	Lumens: 245 LM FT / 800M
T/S/COB/2.4W/30K		
G-96232	35k Neutral White	Lumens: 260 LM FT / 850M
T/S/COB/2.4W/35K		
G-96233	41k Cool White	Lumens: 275 LM FT / 900M
T/S/COB/2.4W/41K		
G-96234	50k Super White	Lumens: 270 LM FT / 880M
T/S/COB/2.4W/50K		

Wattage	2.4 FT / 8W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25/100

CRI 90+ True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

Connectors



G-96235	G-96236	G-96237
5MM/C/MULTI/CONNECT	5MM/C/6"/JUMPER/CONNECTOR	5MM/C/PTS/CONNECTOR

c UL us LISTED

Tape Light
4.5 Watt 120V Wet Rated

4.5W

26 Ft



G-99620	27k Soft White	Lumens: 310 FT / 1030 M
	T/120V/4.5W/COB/IP67/27K	
G-99621	30k Warm White	Lumens: 330 FT/ 1100 M
	T/120V/4.5W/COB/IP67/30K	
G-99622	35k Neutral White	Lumens: 345 FT/ 1150 M
	T/120V/4.5W/COB/IP67/35K	
G-99623	41k Cool White	Lumens: 360 FT/ 1200 M
	T/120V/4.5W/COB/IP67/41K	
G-99624	50k Super White	Lumens: 365 FT/ 1214 M
	T/120V/4.5W/COB/IP67/50K	

Wattage	4.5 FT - 14.85 M
Voltage	120V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors



G-00020 120V 180° DIRECT CONNECTOR 5PK



G-00021 120V 90° DIRECT CONNECTOR 5PK



G-00022 120V 6" WIRE CONNECTOR 2PK



G-00023 120V 24" WIRE CONNECTOR 2PK

Starter



G-00024 120V 6" HARD-WIRE STARTER 2PK



G-00025 120V 24" HARD-WIRE STARTER 2PK



G-00026 120V 6" PLUG STARTER 1PK

Accesories



G-00028 120V MOUNTING CLIP 10PK



G-00029 120V END CAP 10PK + GLUE

CRI 90° True Colors · Wet Location IP67 · Double End Connector

c UL us LISTED

Tape Light
4.5 Watt 120V Wet Rated 100ft

4.5W

100 Ft



G-99625	27k Soft White	Lumens: 310 FT / 1030 M
	T/120V/4.5W/COB/IP67/27K 100 FT	
G-99626	30k Warm White	Lumens: 330 FT/ 1100 M
	T/120V/4.5W/COB/IP67/30K 100 FT	
G-99627	35k Neutral White	Lumens: 345 FT/ 1150 M
	T/120V/4.5W/COB/IP67/35K 100 FT	
G-99628	41k Cool White	Lumens: 360 FT/ 1200 M
	T/120V/4.5W/COB/IP67/41K 100 FT	
G-99629	50k Super White	Lumens: 365 FT/ 1214 M
	T/120V/4.5W/COB/IP67/50K 100 FT	

Wattage	4.5 FT - 14.85 M
Voltage	120V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	1

Connectors



G-00020 120V 180° DIRECT CONNECTOR 5PK



G-00021 120V 90° DIRECT CONNECTOR 5PK



G-00022 120V 6" WIRE CONNECTOR 2PK



G-00023 120V 24" WIRE CONNECTOR 2PK

Starter



G-00024 120V 6" HARD-WIRE STARTER 2PK



G-00025 120V 24" HARD-WIRE STARTER 2PK



G-00026 120V 6" PLUG STARTER 1PK

Accesories



G-00028 120V MOUNTING CLIP 10PK



G-00029 120V END CAP 10PK + GLUE

CRI 90° True Colors · Wet Location IP67 · Double End Connector

c UL us LISTED

Tape Light
5 Watt Cob Dim To Warm

5W

16.4 Ft

G-99525

T/COB/5W/DTW/30-18K



DIM TO WARM

3000K - 1800K

Lumens	435 FT / 1425 M
Wattage	5.2 FT / 17W M
Voltage	24V DC
CRI	94
Beam Angle	120°
Dimmable	DTW
Pack	25/100

Connectors



G-48516 C/PTS/CONNECTOR



G-48517 C/STS/CONNECTOR



G-48518 C/6"/JUMPER/ CONNECTOR



G-48519 C/MULTI/CONNECT



G-48505 C/L/STS/CONNECTOR



G-48506 C/T/STS/CONNECTOR

Dim to Warm · CRI 94° True Colors · Dimmable · Double End Connector · Indoor Use

c UL us LISTED

Tape Light
4.6 Watt Cob Tunable White

TUNABLE WHITE

16.4 Ft

G-48520

TP/COB/15W/TW



SELECTABLE COLOR TEMPERATURE

TUNABLE WHITE

Remote



G-99720	G-99721	G-99733
REMOTE CONTROLLER	CONTROLLER DEVICE	AMPLIFIER

Connectors



G-48522	G-48523	G-48524
C/PTS/CONN/CCT	C/STS/CONN/CCT	C/6"/STS/CONN/CCT

Lumens	425 FT / 1394 M
Wattage	4.6W FT / 15W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25/100

Tunable White · CRI 90° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

c UL us LISTED

Tape Light
6.4 Watt Cob RGBWW

RGBWW

16.4 Ft

G-48525

TP/COB/21W/RGBWW



RGBWW

RGB + TUNABLE WHITE

Remote



G-99722	G-99723	G-99733
REMOTE CONTROLLER	CONTROLLER DEVICE	AMPLIFIER

Connectors



G-49527	G-49528	G-49529
C/PTS/CONN/RGB	C/STS/CONN/RGB	C/6"/STS/CONN/RGB

Lumens	365 FT / 1200 M
Wattage	6.4W FT / 21W M
Voltage	24V DC
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25/100

RGBWW · CRI 90° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

c UL us LISTED

Tape Light
5.5 Watt Cob RGBWW

RGBWW

100 Ft

G-48526

TP/COB/18W/RGBWW/ 100FT



RGBWW

RGB + TUNABLE WHITE

Remote



G-99722	G-99723	G-99733
REMOTE CONTROLLER	CONTROLLER DEVICE	AMPLIFIER

Connectors



G-49527	G-49528	G-49529
C/PTS/CONN/RGB	C/STS/CONN/RGB	C/6"/STS/CONN/RGB

Lumens	365 FT / 1200 M
Wattage	5.5W FT / 18W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25

RGBWW · CRI 90° True Colors · Wet Location IP20 · Dimmable · Double End Connector · Indoor Use

c UL us LISTED

Tape Light
IP65 5.5 Watt Cob
New Item

5.5W
32.80 Ft



G-99650	27k Soft White	Lumens: 548 LM FT / 1800 M
T/IP65/COB/5.5W/27K		
G-99651	30k Warm White	Lumens: 565 LM FT / 1855 M
T/IP65/COB/5.5W/30K		
G-99652	35k Neutral White	Lumens: 651 LM FT / 2136 M
T/IP65/COB/5.5W/35K		
G-99653	41k Cool White	Lumens: 635 LM FT / 2083 M
T/IP65/COB/5.5W/41K		
G-99654	50k Super White	Lumens: 609 LM FT / 2000 M
T/IP65/COB/5.5W/50K		

Wattage	5.5 FT / 18W M
Voltage	24V
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors



G-99660	G-99662	G-99664	G-99666	G-99667
IP65/C/STS/CONN	IP65/C/4"/STS/CONN	IP65/C/6"/PTS/CONN	MOUNTING CLIP 10PK	END CAP 10PK + GLUE

CRI 95° True Colors · Wet Location IP65 · Dimmable · Double End Connector

c UL us LISTED

Tape Light
IP68 5.5 Watt Cob
New Item

5.5W
26.25 Ft



G-99680	27k Soft White	Lumens: 548 LM FT / 1800 M
T/IP68/COB/5.5W/27K		
G-99681	30k Warm White	Lumens: 565 LM FT / 1855 M
T/IP68/COB/5.5W/30K		
G-99682	35k Neutral White	Lumens: 651 LM FT / 2136 M
T/IP68/COB/5.5W/35K		
G-99683	41k Cool White	Lumens: 635 LM FT / 2083 M
T/IP68/COB/5.5W/41K		
G-99684	50k Super White	Lumens: 609LM FT / 2000 M
T/IP68/COB/5.5W/50K		

Wattage	5.5 FT / 18W M
Voltage	24V
CRI	95
Beam Angle	120°
Dimmable	Yes
Pack	25

Connectors



G-00020	G-00021	G-00022	G-00023
120V 180° DIRECT CONNECTOR 5PK	120V 90° DIRECT CONNECTOR 5PK	120V 6" WIRE CONNECTOR 2PK	120V 24" WIRE CONNECTOR 2PK

Starter



G-00024	G-00025	G-00026
120V 6" HARD-WIRE STARTER 2PK	120V 24" HARD-WIRE STARTER 2PK	120V 6" PLUG STARTER 1PK

Accesories



G-00028	G-00029
120V MOUNTING CLIP 10PK	120V END CAP 10PK + GLUE

CRI 95° True Colors · Wet Location IP68 · Dimmable · Double End Connector

c UL us LISTED

Tape Light
IP68 RGBWW
New Item

5.5W
26.25 Ft

G-99700

T/IP68/COB/5.5W/RGBWW

RGBWW

RGB + 2700K - 3000K - 3500K - 4100K - 5000K - 6500K



Lumens	365 FT / 1200 M
Wattage	5.5W FT / 18W M
Voltage	24V
CRI	90
Beam Angle	120°
Dimmable	Yes
Pack	25

Remote



G-99722	G-99723	G-99733
REMOTE CONTROLLER	CONTROLLER DEVICE	AMPLIFIER

Connectors



G-99670	G-99672	G-99674	G-00028	G-00029
IP68/C/STS/ CONN/RGBWW	IP68/C/6"/STS/ CONN/RGBWW	IP68/C/6"/PTS/ CONN/RGBWW	Mounting Clip 10PK	End Cap 10PK + Glue


RGBWW · CRI 90° True Colors · Wet Location IP68 · Dimmable · Double End Connector

c UL us LISTED

Accesories
Amplifier

G-99733

AMP/RGBWW/CCT/600W




Channel	5
Input Voltage	12-24V
Input Watt	600
Output Voltage	12-24V
Channel Output	120W
Out Put Wattage	600

Accesories
Tunable White Remote And Controller



G-99720

Color Temperature	27-65K
Color Saturation	Adjustable
Control Distance	100 FT
Dynamic Mode	Multi Select
RF Control	2.4
Grouping	4 Groups
Pack	200



G-99721

Input	12-24 Volts
Max Watt	(12V) - 188 Watt (24V) 244 Watt
Terminal Diameter	26 - 14 AWG
Compatible Wi-Fi Apps	Tuya / Smart Life
Rf Control	2.4

App Compatible

Accesories
RGBWW Remote And Controller



G-99722


Color Temperature	RBGWW
Color Saturation	Adjustable
Control Distance	100 FT
Dimmable	Yes
Dynamic Mode	Multi Select
RF Control	2.4
Grouping	4 Groups
Pack	200



G-99723

Input	12-24 Volts
Max Watt	(12V) - 188 Watt (24V) 244 Watt
Terminal Diameter	26 - 14 AWG
Compatible Wi-Fi Apps	Tuya / Smart Life
Rf Control	2.4

App Compatible




Tape Light Channels & Accesories


1/2" Aluminum Recessed Channel

1/2"
Pack: 10/90

G-96320
CH/R/OP/8







Accesories

Cover	Cover	Cover
		
G-96420	**G-96419**	**G-96428**
CH/PC/OPAL/Cover	CH/PC/BLACK/Cover	CH/PC/OPAL/U/Cover


1/2" Aluminum Surface Mount

1/2"
Pack: 10/60

G-96321
CH/SM/OP/8
Silver







G-96624
CH/SM/.5/OP/8/BK
Black



G-96427
CH/SM/.5/OP/8/WH
White



Accesories

Kit	Cover	Cover	Cover
			
G-96425	**G-96420**	**G-96419**	**G-96428**
1/2 CHNL KIT	CH/PC/OPAL/Cover	CH/PC/BLACK/Cover	CH/PC/OPAL/U/Cover


Tape Light Channels & Accesories


1/2" Deep Aluminum Surface Mount Channel

1/2"
Pack: 10/90

G-96330
CH/SM/.5x.5/OP/8







Accesories

Cover



G-96420
CH/PC/OPAL/Cover

Cover



G-96419
CH/PC/BLACK/Cover

Cover



G-96428
CH/PC/OPAL/U/Cover


3/4" Aluminum Surface Mount


New Item

8'
Pack: 40

G-96316
CH/SM/.75/OP/8









1" Aluminum Surface Mount

1"
Pack: 4/24

G-96426
CH/SM/1I/OP/8









Aluminum Surface Mount Flexible

1/2"
Pack: 10/90

G-96322
CH/SM/FLEX/OP/8







Tape Light Channels & Accesories

1/2" Aluminum Surface Mount Rounded Cover, Flat Channel

New Item


8'


Pack: 30

G-96315

CH/SM/.5/RD-OP/8







Aluminum Surface Mount Corner


1/2"


Pack: 10/60

G-96323

CH/SMC/OP/8








1/2" Aluminum Trimless Channel


1/2"


Pack: 2/12

G-96324

CH/TL/OP/8







Accesories

Inside Corner



G-96326

CH/TL/OP/90/IN

Cover



G-96420

CH/PC/OPAL/Cover

Cover



G-96419

CH/PC/BLACK/Cover

Cover



G-96428

CH/PC/OPAL/U/Cover

X Connector



G-96329

CH/TL/OP/X

T Corner



G-96328

CH/TL/OP/T

Outside Corner



G-96327

CH/TL/OP/90/OUT

L Corner



G-96325

CH/TL/OP/L

Connector 180°



G-96223

1/2"-1"/CH/TL/CONN/180°

Connector 90°



G-96224

1/2"-1"/CH/TL/CONN/90°

End Caps



G-99920


END CAPS


Tape Light Channels & Accesories


1" Aluminum Trimless Channel

1"
Pack: 2/12

G-96421
1"CH/TL/12'








Accesories


L Corner	Connector 180°	Connector 90°	End Caps
			
G-96423	**G-96223**	**G-96224**	**G-99921**
1"/CH/TL/L	1/2"-1"/CH/TL/CONN/180°	1/2"-1"/CH/TL/CONN/90°	END CAPS


2" Aluminum Trimless Channel

2"
Pack: 2/12

G-96422
2"CH/TL/12'








Accesories


L Corner	Connector 180°	Connector 90°	End Caps
			
G-96424	**G-96225**	**G-96226**	**G-99922**
2"/CH/TL/L	2"/CH/TL/CONN/180°	2"/CH/TL/CONN/90°	END CAPS


1/2" Aluminum Recessed Channel

1/2"
Pack: 2/18

G-96227
CH/.5/TLS/FLEX/8







Cover



G-95727
.5/COVER/TLS/FLEX/OP/50


G-95727	
Length	50'
Material	Silicon
Pack	5

Tape Light Channels & Accesories

1″ Aluminum Flexable Trimless Channel


1″


Pack: 2/18



G-96228

CH/1/TLS/FLEX/8





Cover



G-95728


1/COVER/TLS/FLEX/OP/50

G-95728	
Length	50′
Material	Silicon
Pack	5

1.5″ Aluminum Flexable Trimless Channel


1.5″


Pack: 2/18



G-96229

CH/1.5/TLS/FLEX/8





Cover



G-95729

1.5/COVER/TLS/FLEX/OP/50

G-95729	
Length	50′
Material	Silicon
Pack	5

Cover Roll

G-96420

CH/PC/OPAL/Cover

G-96419

CH/PC/BLACK/Cover



Length	165″
Pack	10

U Cover Square

G-96428

CH/PC/OPAL/U/Cover



Length	8′
Pack	60

Driver

5CCT Select Mini Eelectronic Driver 24V New Item

5CCT Driver



G-97604

96W/24V/ECV/MNI DRIVER 5CCT

Wattage	96W
Input Volts	120V
Dimmable	Triac
Pack	20

Damp Location Dimmable

Driver

Mini Electronic Driver 24V

Mini Driver`s



G-97608 8W New Item

8W/24V/ECV/MNI DRIVER

Wattage	8W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97615 15W New Item

15W/24V/ECV/MNI DRIVER

Wattage	15W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97600 40W

40W/24V/ECV/MNI DRIVER

Wattage	40W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97601 60W

60W/24V/ECV/MNI DRIVER

Wattage	60W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97602 75W

75W/24V/ECV/MNI DRIVER

Wattage	75W
Input Volts	120V
Dimmable	Triac
Pack	40

G-97603 96W

96W/24V/ECV/MNI DRIVER

Wattage	96W
Input Volts	120V
Dimmable	Triac
Pack	40

Damp Location Dimmable

Driver

Electronic Led Driver 24V (Multi Dimming)

Driver`s



G-97620 30W

30W/24V/ECV/Driver CL2

Wattage	30W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	20

G-97621 60W

60W/24V/ECV/Driver CL2

Wattage	60W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	20

G-97525 96W

96W/24V/ECV/Driver CL2

Wattage	96W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97622 100W

100W/24V/ECV/Driver

Wattage	100W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97612 120W New Item

120W/24V/ECV/Driver

Wattage	120W
Input Volts	120/277V
Dimmable	Triac / 0-10V
Pack	10

G-97623 150W

150W/24V/ECV/Driver

Wattage	150W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97624 200W

200W/24V/ECV/Driver

Wattage	200W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97625 250W New Item

250W/24V/ECV/Driver

Wattage	250W
Input Volts	100/277V
Dimmable	Triac / 0-10V
Pack	10

G-97626 300W

300W/24V/ECV/Driver

Wattage	300W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	10

G-97627 600W

600W/24V/ECV/Driver

Wattage	600W
Input Volts	100/277V
Dimmable	Multi Dimming
Pack	5

Wet Location IP66 Dimmable

c UL us LISTED

Driver

Class 2 Multi Circuit Electronic Driver 24V (Multi Dimming)

Class 2



G-97526 192W

192W/24V/ECV/Driver CL2

Wattage	192W
Input Volts	100/277V
Circuits	2
Dimmable	Multi Dimming
Pack	10

G-97527 288W

288W/24V/ECV/Driver CL2

Wattage	288W
Input Volts	100/277V
Circuits	3
Dimmable	Multi Dimming
Pack	10

G-97528 384W

384W/24V/ECV/Driver CL2

Wattage	384W
Input Volts	100/277V
Circuits	4
Dimmable	Multi Dimming
Pack	5

Wet Location IP66 Dimmable

c UL us LISTED

3″

Astrofit
3″ Interchangeable Retrofit Module New Item



G-21305

RT3/ML/8W/5CCT/GU10/120-277V

Lumens	700
Wattage	8W
Voltage	120/277V
CRI	90
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac at 120V
Base Type	GU10
Pack	18

Clear Lens			Reflector Lens		Frosted Lens	Diffuser	Lens Cover		
									
G-98922 L3/24-DEGREE	G-98923 L3/40-DEGREE	G-98924 L3/60-DEGREE	G-98925 L3/REFLECTOR/30°	G-98926 L3/REFLECTOR/60°	G-98920 L3/FROSTED/80°	G-21753 3/HEX/HC/DIFFUSER	G-98927 3/SOLITE LENS	G-98928 3/PRISMATIC LENS	G-98929 3/BEAMSPLIT LENS

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

3″

Astrofit
3″ Interchangeable Low Voltage Retrofit Module New Item



G-21300

RT3/ML/8W/5CCT/GU5.3/12V

Lumens	700
Wattage	8W
Voltage	12V
CRI	90
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	No
Base Type	GU5.3
Pack	18


Clear Lens			Reflector Lens		Frosted Lens	Diffuser	Lens Cover		
									
G-98922 L3/24-DEGREE	G-98923 L3/40-DEGREE	G-98924 L3/60-DEGREE	G-98925 L3/REFLECTOR/30°	G-98926 L3/REFLECTOR/60°	G-98920 L3/FROSTED/80°	G-21753 3/HEX/HC/DIFFUSER	G-98927 3/SOLITE LENS	G-98928 3/PRISMATIC LENS	G-98929 3/BEAMSPLIT LENS


Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · IC Rated

JA8 TITLE 24

Astrofit
3″ Interchangeable Retrofit Trims
New Item

3″



G-21310
T/RT3/R/WT
White


G-21320
T/RT3/SQ/WT
White


G-21311
T/RT3/R/BK
Black



G-21321
T/RT3/SQ/BK
Black



G-21312
T/RT3/R/BW
Two-tone



G-21322
T/RT3/SQ/BW
Two-tone



G-21313
T/RT3/R/BZ
Bronze



G-21323
T/RT3/SQ/BZ
Bronze


G-21314
T/RT3/R/BN
Brushed Nickel


G-21324
T/RT3/SQ/BN
Brushed Nickel


G-21315
T/RT3/R/BB
Brushed Brass


G-21325
T/RT3/SQ/BB
Brushed Brass



Fits into	Pack
3″ 3.5″ 3.7″ Cans	64

Astrofit
4″ Interchangeable Retrofit Module

4″



G-21400
M/R4/10W/LED/5CCT

Lumens	1000
Wattage	10W
Voltage	120V
CRI	90
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac
Base Type	E26
Pack	18

Clear Lens			Reflector Lens		Frosted Lens	Diffusser	Lens Cover		
									
G-11022 L4/24-DEGREE	G-11023 L4/40-DEGREE	G-11024 L4/60-DEGREE	G-11025 L4/REFLECTOR/30°	G-11026 L4/REFLECTOR/60°	G-11020 L4/FROSTED/80°	G-21440 4/HEX/HC/DIFFUSER	G-21427 4/SOLITE LENS	G-21428 4/PRISMETAC LENS	G-21429 4/BEAMSPLIT LENS

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24

Astrofit

4″ Interchangeable Low Voltage Retrofit Module

New Item

4″



G-21405

M/R4/10W/5CCT/GU5.3/12V

Lumens	1000
Wattage	10W
Voltage	12V
CRI	90
Beam Angle	40° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	No
Base Type	GU5.3
Pack	18

Clear Lens			Reflector Lens		Frosted Lens	Diffusser	Lens Cover		
									
G-11022 L4/24-DEGREE	G-11023 L4/40-DEGREE	G-11024 L4/60-DEGREE	G-11025 L4/REFLECTOR/30°	G-11026 L4/REFLECTOR/60°	G-11020 L4/FROSTED/80°	G-21440 4/HEX/HC/DIFFUSER	G-21427 4/SOLITE LENS	G-21428 4/PRISMETAC LENS	G-21429 4/BEAMSPLIT LENS

Selectable Color · CRI 90+ True Colors · Wet Location · Air Tight · Changing Lens · IC Rated

JA8 TITLE 24

Astrofit

4″ Interchangeable Retrofit Trims

4″



G-21410
T/RT4/R/WT
White



G-21420
T/RT4/SQ/WT
White



G-21411
T/RT4/R/BK
Black



G-21421
T/RT4/SQ/BK
Black




G-21412
T/RT4/R/BW
Two-tone




G-21422
T/RT4/SQ/BW
Two-tone




G-21413
T/RT4/R/BZ
Bronze



G-21423
T/RT4/SQ/BZ
Bronze



G-21414
T/RT4/R/BN
Brushed Nickel




G-21424
T/RT4/SQ/BN
Brushed Nickel



G-21415
T/RT4/R/BB
Brushed Brass



G-21425
T/RT4/SQ/BB
Brushed Brass



Fits into	Pack
4″ Can	24

Astrofit

6″ Interchangeable Retrofit Module

New Item

6″



G-21600

M/R6/18W/WS3/LED/5CCT

Lumens	1250/1500/1750
Wattage	12/15/18W
Voltage	120/277V
CRI	90
Beam Angle	60° (Default)
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Base Type	E26
Pack	18

Clear Lens			Frosted Lens	Diffusser	Lens Cover		
							
G-21630 L/RT6/15-DEGREE	G-21631 L/RT6/24-DEGREE	G-21632 L/RT6/40-DEGREE	G-22570 6/FROSTED LENS/50°	G-22579 6/HC/HEX/DIFFUSER	G-22580 6/PRISMATIC COVER	G-22581 6/SOLITE COVER	G-22582 6/BEAMSPLIT LENS

5 Selectable Color · 90° CRI 90° True Colors · Wet Location · Air Tight · Changing Lens · Dimmable · IC Rated

JA8 TITLE 24 · ETL LISTED

Astrofit

6″ Interchangeable Retrofit Trims

New Item

6″



G-21610
T/RT6/R/WT
White



G-21611
T/RT6/R/BK
White



G-21612
T/RT6/R/BW
Two-tone




G-21613
T/RT6/R/BZ
Bronze



G-21614
T/RT6/R/BN
Brushed Nickel




G-21615
T/RT6/R/BB
Brushed Brass



G-21616
T/RT6/R/CP
Brushed Copper



G-21617
T/RT6/R/HZ
Haze



Fits into	Pack
6″ Can	36

Space
3" Led Round Retrofit

3"



G-48330
R3.5/9W/R/LED/5CCT
GU10 Adapter

SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens	700
Wattage	9W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12

Selectable Color | CRI 90+ True Colors | Wet Location | Dimmable | GU10 Base

c UL us LISTED

Space
4" Led Round Retrofit

4"



G-48332
R4/10W/R/LED/5CCT

SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens	850
Wattage	10W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12

Selectable Color | CRI 90+ True Colors | Wet Location | Dimmable | E26 Base

c UL us LISTED

Space
4" Led Round Retrofit

4"



G-48331
R4/14W/R/LED/5CCT
High Lumens

SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Color Covers

Black	Brushed Nickel	Bronze
G-97720 T4/RF/RD/CV/BK	G-97722 T4/RF/RD/CV/BN	G-97721 T4/RF/RD/CV/BZ

Lumens	1400
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12

Selectable Color | CRI 90+ True Colors | Wet Location | Dimmable | E26 Base

c UL us LISTED

Space
4" HO Led Round Retrofit New Item

4"



G-48771
R4/HO/14W/RD/LED/5CCT

SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Color Covers

Black	Brushed Nickel	Bronze
G-97720 T4/RF/RD/CV/BK	G-97722 T4/RF/RD/CV/BN	G-97721 T4/RF/RD/CV/BZ

Lumens	1700
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Dimmable | E26 Base

c UL us LISTED

Space

5" And 6" Led Round Retrofit

5" & 6"



G-48339

R5-6/14W/R/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Color Covers

Black	Brushed Nickel	Bronze
G-97728 T6/RF/RD/CV/BK	G-97820 T6/RF/RD/CV/BN	G-97729 T6/RF/RD/CV/BZ

Lumens	1350
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	6

Selectable Color | CRI 90+ True Colors | Wet Location | Dimmable | E26 Base

c UL us LISTED

Space

6" HO Led Round Retrofit

6"



G-48773

R6/HO/27W/RD/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	2100/2550/3100
Wattage	17/21/27W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	6

Selectable Color | CRI 90+ True Colors | Wet Location | Air Tight | Dimmable | E26 Base

c UL us LISTED

Space

3" Led Square Retrofit

3"



G-48329

R3.5/9W/SQ/LED/5CCT

GU10 Adapter

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	700
Wattage	9W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12

Selectable Color | CRI 90+ True Colors | Wet Location | Dimmable | GU10 Base

c UL us LISTED

Space

4" Led Square Retrofit

4"



G-48334

R4/14W/SQ/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Color Covers

Black	Brushed Nickel	Bronze
G-97724 T4/RF/SQ/CV/BK	G-97726 T4/RF/SQ/CV/BN	G-97725 T4/RF/SQ/CV/BZ

Lumens	1200
Wattage	14W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	12


Selectable Color | CRI 90+ True Colors | Wet Location | Dimmable | E26 Base

c UL us LISTED

Space

4" HO Led Square Retrofit

4"



G-48774

R4/HO/14W/SQ/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	1700
Wattage	14W
Voltage	120/277V
CRI	90
Beam Angle	100°
CCT	27, 30, 35, 41, 50k
Dimmable	Triac or 0-10V
Pack	12

Color Covers

Black	Brushed Nickel	Bronze
G-97724 T4/RF/SQ/CV/BK	G-97726 T4/RF/SQ/CV/BN	G-97725 T4/RF/SQ/CV/BZ

Selectable Color · CRI 90° True Colors · Wet Location · Air Tight · Dimmable · E26 Base

c UL us LISTED

Space

5" Led Square Retrofit

5"



G-19960 30k Warm White

R5/16W/SQ/LED/30k

Lumens	1200
Wattage	16W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	6

CRI 90° True Colors · Wet Location · Dimmable · E26 Base

c UL us LISTED

Space

6" Led Square Retrofit

6"



G-48336

R6/15W/SQ/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	1350
Wattage	15W
Voltage	120V
CRI	90
Beam Angle	100°
Dimmable	Yes
Pack	6

Selectable Color · CRI 90° True Colors · Wet Location · Dimmable · E26 Base

c UL us LISTED

Tube Series
T5 2 ft LED HO Bypass 4CCT

2ft

G-10890

F12/T5/BP/35-65k/4CCT/2FT



SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens	1800
Wattage	12W
Voltage	120/277V
CRI	82
Beam Angle	320°
Dimmable	No
Pack	25

4 Selectable Color · Damp Location · Bypass Ballast · Bypass Ballast · Shatter Proof · Miniature Bi-Pin

DLC LISTED PREMIUM · c UL us LISTED

Tube Sereies
T5 3 ft LED HO Bypass 4CCT

3ft

G-10891

F18/T5/BP/35-65k/4CCT/3FT



SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens	2300
Wattage	18W
Voltage	120/277V
CRI	82
Beam Angle	320°
Dimmable	No
Pack	25

4 Selectable Color · Damp Location · Bypass Ballast · Bypass Ballast · Shatter Proof · Miniature Bi-Pin

DLC LISTED PREMIUM · c UL us LISTED

Tube Sereies
T5 4 ft LED HO Bypass 4CCT

4ft

G-10892

F24/T5/BP/35-65k/4CCT/4FT



SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens	3500
Wattage	24W
Voltage	120/277V
CRI	82
Beam Angle	320°
Dimmable	No
Pack	25

4 Selectable Color · Damp Location · Bypass Ballast · Bypass Ballast · Shatter Proof · Miniature Bi-Pin

DLC LISTED PREMIUM · c UL us LISTED

Tube Series
T8 2 ft LED Universal Frosted 5CCT

2ft

G-20048

F9/T8/F/30,35,41,50,65k



SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1000
Wattage	9W
Voltage	120/347V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	30

4 Selectable Color · Damp Location · Bypass Ballast · Bypass Ballast · Direct Replacement · Shatter Proof · G13 Base

DLC LISTED PREMIUM · c UL us LISTED

Tube Sereies
T8 2 ft LED Universal Clear

2ft



G-83457 41k Cool White

F9T8/841/C/LED

G-83458 50k Super White

F9T8/850/C/LED

G-83459 65k Daylight

F9T8/865/C/LED

Lumens	1000
Wattage	9W
Voltage	120/277V
CRI	82
Beam Angle	320°
Dimmable	No
Pack	30

Damp Location · Bypass Ballast · Bypass Ballast · Direct Replacement · G13 Base

DLC LISTED PREMIUM · c UL us LISTED

Tube Sereies
T8 3 ft LED Universal Frosted 5CCT

3ft

G-20050

F12/T8/F/30,35,41,50,65k



SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1500
Wattage	12W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	30

5 Selectable Color · Damp Location · Bypass Ballast · Bypass Ballast · Direct Replacement · Shatter Proof · G13 Base

DLC LISTED PREMIUM · c UL us LISTED

Tube Sereies
T8 4 ft LED Universal Frosted 5CCT

4ft

G-20052

F18/T8/F/30,35,41,50,65k/5CCT



SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K


Lumens	2400
Wattage	18W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	30

5 Selectable Color · Damp Location · Bypass Ballast · Bypass Ballast · Direct Replacement · Shatter Proof · G13 Base

DLC LISTED PREMIUM · c UL us LISTED

Tube Series
T8 4 ft LED Universal Clear 3CCT

4ft



G-20051

F18/T8/C/41,50,65k/3CCT

SELECTABLE COLOR TEMPERATURE

4100K - 5000K - 6500K

Lumens	2400
Wattage	18W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	30

3 Selectable Color · Damp Location · Bypass Ballast · Bypass Ballast · Direct Replacement · G13 Base

Tube Series
T8 4 ft EM LED Frosted 5CCT

4ft





G-20084

F12/T8/F/30,35,41,50,65k/5CCT + EM

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1700
Wattage	12W
Voltage	120/277V
CRI	80
Beam Angle	320°
CCT	30, 35, 41, 50, 65K
Dimmable	No
Pack	15

5 Selectable Color · Damp Location · Bypass Ballast · Bypass Ballast · Shatter Proof · G13 Base

Tube Sereies
T8 5 ft LED Bypass

5ft



G-83494 41k Cool White

F25/T8/841/F/LED

G-83495 50k Super White

F25/T8/850/F/LED

Lumens	3000
Wattage	25W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

Damp Location · Bypass Ballast · Shatter Proof · G13 Base

Tube Sereies
T8 6 ft LED Bypass FA8 PIN

6ft



G-83499 41k Cool White

F30T8/841/F/LED

G-83500 50k Super White

F30T8/850/F/LED

G-83501 65k Daylight

F30T8/865/F/LED

Lumens	4000
Wattage	26W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

Damp Location · Bypass Ballast · Shatter Proof · Single Pin

Tube Sereies
T8 6 ft LED Bypass G13 PIN

6ft



G-19993 41k Cool White
F30T8/841/F/LED

G-19994 50k Super White
F30T8/850/F/LED

G-19996 65k Daylight
F30T8/865/F/LED

Lumens	4000
Wattage	26W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

Damp Location · Bypass Ballast · Bypass Ballast · Shatter Proof · G13 Base

DLC LISTED PREMIUM · cULus LISTED

Tube Series
T8 6 ft LED Bypass HO R17 PIN

6ft



G-19984 41k Cool White
F30/T8/841/F/HO/LED

G-19985 50k Super White
F30/T8/850/F/HO/LED

G-19986 65k Daylight
F30/T8/865/F/HO/LED


Lumens	4000
Wattage	26W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

Damp Location · Bypass Ballast · Shatter Proof · Ho R17 Base

DLC LISTED PREMIUM · cULus LISTED

Tube Sereies
T8 8 ft Bypass FA8 PIN 5CCT

8ft



G-20053
F42/T8/F/30,35,41,50,65K/5CCT

SELECTABLE COLOR TEMPERATURE
3000K - 3500K - 4100K - 5000K - 6500K

Lumens	5500
Wattage	42W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

Selectable Color · Damp Location · Bypass Ballast · Shatter Proof · Single Pin

DLC LISTED PREMIUM · cULus LISTED

Tube Sereies
T8 8 ft Bypass FA8 PIN 5CCT

8ft



G-20054
F42/T8/C/30,35,41,50,65K/5CCT

SELECTABLE COLOR TEMPERATURE
3000K - 3500K - 4100K - 5000K - 6500K

Lumens	5500
Wattage	42W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

Selectable Color · Damp Location · Bypass Ballast · Single Pin

DLC LISTED PREMIUM · cULus LISTED

Tube Sereies
T8 8 ft Bypass HO R17 PIN

8ft



G-19774 41k Cool White
F42/T8/841/F/HO/LED

G-19775 50k Super White
F42/T8/850/F/HO/LED

G-19776 65k Daylight
F42/T8/865/F/HO/LED

Lumens	5500
Wattage	42W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	10

Damp Location · Bypass Ballast · Shatter Proof · Ho R17 Base

DLC LISTED PREMIUM · cULus LISTED

Tube Sereies
T8 8 ft Bypass HO R17 PIN 5CCT

8ft

G-19777
F42/T8/F/HO/LED/5CCT



SELECTABLE COLOR TEMPERATURE
3000K - 3500K - 4100K - 5000K - 6500K


Lumens	5500
Wattage	42W
Voltage	120/277V
CRI	85
Beam Angle	320°
CCT	30, 35, 41, 50, 65K
Dimmable	No
Pack	10

5 Selectable Color · Damp Location · Bypass Ballast · Shatter Proof · Ho R17 Base

DLC LISTED PREMIUM · cULus LISTED

Tube Series
U Bend Universal 3CCT

U6



G-20056
FB15/T8/F/LED/3CCT A+B

SELECTABLE COLOR TEMPERATURE
3500K - 4100K - 5000K


Lumens	2200
Wattage	15W
Voltage	120/277V
CRI	90
Beam Angle	320°
Dimmable	No
Pack	12

3 Selectable Color · Damp Location · Bypass Ballast · Bypass Ballast · Direct Replacement · Shatter Proof · G13 Base

DLC LISTED PREMIUM · cULus LISTED

Tube Sereies
FB31 LED U-Bend Universal A+B

U1



G-20112 41k Cool White
FB13T8/840/F/LED U1

G-20113 50k Super White
FB13T8/850/F/LED U1

Lumens	2000
Wattage	13W
Voltage	120/277V
CRI	85
Beam Angle	320°
Dimmable	No
Pack	24

Damp Location · Bypass Ballast · Bypass Ballast · Direct Replacement · Shatter Proof · G13 Base

DLC LISTED PREMIUM · cULus LISTED

A Series
A19 6W LED Bulb 5CCT Dimmable

A19



G-10880

A19/6/LED/D/5CCT

40W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	450
Wattage	6W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50

Selectable Color | Damp Location | Dimmable | Enclosed Luminaires | E26 Base

c UL us LISTED

A Series
A19 9W LED Bulb 5CCT Dimmable

A19



G-10881

A19/9/LED/D/5CCT

60W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	800
Wattage	9W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50

Selectable Color | Damp Location | Dimmable | Enclosed Luminaires | E26 Base

c UL us LISTED

A Series
A19 12W LED Bulb 5CCT Dimmable

A19



G-10882

A19/12/LED/D/5CCT

75W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1100
Wattage	12W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50

Selectable Color | Damp Location | Dimmable | Enclosed Luminaires | E26 Base

c UL us LISTED

A Series

A19 15W LED Bulb 5CCT Dimmable

A19



G-10883

A19/15/LED/D/5CCT

100W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1500
Wattage	15W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50

Selectable Color · Damp Location · Dimmable · Enclosed Luminaires · E26 Base

c UL us LISTED

A Series

A21 22W LED Bulb Dimmable

A21



150W EQ.

G-19864 30k Warm White

A21/22W/LED/D/30k

G-19863 35k Neutral White

A21/22W/LED/D/35k

G-19865 41k Cool White

A21/22W/LED/D/41k

G-19866 50k Super White

A21/22W/LED/D/50k

Lumens	2600
Wattage	22W
Voltage	120V
CRI	80
Beam Angle	260°
Dimmable	Yes
Pack	20

Damp Location · Dimmable · E26 Base

c UL us LISTED

A Series

A23 27W LED Bulb Dimmable

A23



225W EQ.

G-20205 30k Warm White

A23/27W/LED/D/30k

G-20206 35k Neutral White

A23/27W/LED/D/35k

G-20207 41k Cool White

A23/27W/LED/D/41k

G-20208 50k Super White

A23/27W/LED/D/50k

Lumens	4000
Wattage	27W
Voltage	120V
CRI	80
Beam Angle	260°
Dimmable	Yes
Pack	20

Damp Location · Dimmable · E26 Base

c UL us LISTED

A Series

A19 14W 3-Way LED Bulb

A19



G-19930 27k Soft White

A19/14W/LED/D/27k/3w

Lumens	500/1000/1600
Wattage	14W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	No
Pack	20/40

Damp Location · Enclosed Luminaires · E26 Base

c UL us LISTED

A Series

A21 19W 3-Way LED Bulb

A21



G-19934 27k Soft White

A21/19W/LED/D/27k/3w

Lumens	700/1300/2250
Wattage	19W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	No
Pack	20

Damp Location · E26 Base

c UL us LISTED

A Series

A19 GU24 9W LED Bulb 5CCT Dimmable

A19



G-10886

A19/9/LED/GU24/5CCT

60W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	800
Wattage	9W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50

Selectable Color · Damp Location · Dimmable · Enclosed Luminaires · GU24 Base

c UL us LISTED

A Series
A19 GU24 12W LED Bulb 5CCT Dimmable

A19



G-10887

A19/12/LED/GU24/5CCT

75W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1100
Wattage	12W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50

Selectable Color · Damp Location · Dimmable · Enclosed Luminaires · GU24 Base

c UL us LISTED

MR Series
A19 GU24 15W LED Bulb 5CCT Dimmable

A19



G-10888

A19/15/LED/GU24/5CCT

100W EQ.

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens	1500
Wattage	15W
Voltage	120V
CRI	80
Beam Angle	220°
Dimmable	Yes
Pack	25/50

Selectable Color · Damp Location · Dimmable · Enclosed Luminaires · GU24 Base

c UL us LISTED

MR Series
LED MR16 75W

MR16



GU5.3 Base

G-19792

27k Soft White

8MR16/LED/A40/27k 12V

Lumens	700
Wattage	8W
Voltage	12V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · GU5.3 Base

c UL us LISTED

MR Series
LED MR16 GU10 75W

MR16



G-83481 27k Soft White
8GU10/LED/A40/27k

G-19797 30k Warm White
8GU10/LED/A40/30k

Lumens	650/700
Wattage	8W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · GU10 Base

c UL us LISTED

MR Series
MR11 LED Bulb

MR11



G-83374 27k Soft White
3MR11/LED/A42/27K 12V

Lumens	300
Wattage	3W
Voltage	12V
CRI	80
Beam Angle	40°
Dimmable	No
Pack	10/100

Damp Location · GU4 Base

c UL us LISTED

MR Series
MR16 LED Bulb

MR16



G-19893 27k Soft White
7MR16/LED/A40/27k 12V

G-19894 30k Warm White
7MR16/LED/A40/30k 12V

G-19895 35k Neutral White
7MR16/LED/A40/35k 12V

G-19896 41k Cool White
7MR16/LED/A40/41k 12V

G-19897 50k Super White
7MR16/LED/A40/50k 12V

Lumens	530
Wattage	7W
Voltage	12V
CRI	90
Beam Angle	40°
Dimmable	Yes
Pack	10/100

CRI 90+ True Colors · Damp Location · Dimmable · Enclosed Luminaires · GU5.3 Base

c UL us LISTED

MR Series
MR16 GU10 LED Bulb

MR16



G-19898	27k Soft White
	7GU10/LED/A40/27k
G-19899	30k Warm White
	7GU10/LED/A40/30k
G-19900	35k Neutral White
	7GU10/LED/A40/35k
G-19901	41k Cool White
	7GU10/LED/A40/41k
G-19902	50k Super White
	7GU10/LED/A40/50k

Lumens	530
Wattage	7W
Voltage	120V
CRI	90
Beam Angle	40°
Dimmable	Yes
Pack	10/100

CRI 90+ True Colors · Damp Location · Dimmable · GU10 Base

c UL us LISTED

PAR Series
PAR 16 LED Bulb

PAR 16



G-83367	27k Soft White
	7PAR16SN/A35/27k

Lumens	530
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E26 Base

c UL us LISTED

PAR Series
PAR 16 LED Bulb

PAR 16



G-83465	27k Soft White
	7PAR16LN/A35/27k

Lumens	530
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E26 Base

c UL us LISTED

PAR Series

PAR 20 LED Bulb

PAR 20



G-83328 — 30k Warm White

PAR20/7/LED/30K

G-83331 — 50k Super White

PAR20/7/LED/50K

Lumens	550
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/20

Wet Location · Dimmable · E26 Base

c UL us LISTED

PAR Series

PAR 30 LED Bulb

PAR 30



G-83334 — 30k Warm White

PAR30L/9/LED/30K

G-83337 — 50k Super White

PAR30L/9/LED/50K

Lumens	850
Wattage	9W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/20

Wet Location · Dimmable · E26 Base

c UL us LISTED

PAR Series

PAR 38 LED Bulb

PAR 38



G-83340 — 30k Warm White

PAR38/14/LED/30K

G-83343 — 50k Super White

PAR38/14/LED/50K

Lumens	1200
Wattage	14W
Voltage	120V
CRI	80
Beam Angle	40°
Dimmable	Yes
Pack	10/20

Wet Location · Dimmable · E26 Base

c UL us LISTED

BR Series
BR20 5CCT LED Bulb

BR20



G-83385

BR20/7/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	550
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	125°
Dimmable	Yes
Pack	20

Selectable Color | Damp Location | Dimmable | E26 Base

c UL us LISTED

BR Series
BR30 5CCT LED Bulb

BR30



G-83391

BR30/10/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	900
Wattage	10W
Voltage	120V
CRI	80
Beam Angle	125°
Dimmable	Yes
Pack	20

Selectable Color | Damp Location | Dimmable | E26 Base

c UL us LISTED

BR Series
BR40 5CCT LED Bulb

BR40



G-83400

BR40/13/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	1500
Wattage	13W
Voltage	120V
CRI	80
Beam Angle	125°
CCT	30, 35, 41, 50, 65k
Dimmable	Yes
Pack	20

Selectable Color | Damp Location | Dimmable | E26 Base

c UL us LISTED

Miniature Series
G4 LED Bulb

G4



G-83413 27k Soft White

G4/3/LED/D/27K 12V

G-83421 50k Super White

G4/3/LED/D/50K 12V

Lumens	300
Wattage	3W
Voltage	12V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300

Wet Location · Dimmable · G4 Base

c UL us LISTED

Miniature Series
G4 LED Bulb

G4



G-83412 27k Soft White

G4/2/LED/D/F/27K 12V

Lumens	200
Wattage	2W
Voltage	12V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · G4 Base

c UL us LISTED

Miniature Series
G4 LED Bulb

G4



G-19908 27k Soft White

G4/5/LED/D/27K 12V

Lumens	500
Wattage	5W
Voltage	12V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · G4 Base

c UL us LISTED

Miniature Series
GY6.35 LED Bulb

GY6.35



G-83415 27k Soft White

GY6.35/2/LED/D/27 12V

Lumens	200
Wattage	2W
Voltage	12V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · GY6.35 Base

c UL us LISTED

Miniature Series
G9 2W LED Bulb

G9



G-83417 27k Soft White

G9/2/LED/D/27K

G-83425 50k Super White

G9/2/LED/D/50K

Lumens	200
Wattage	2W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · G9 Base

c UL us LISTED

Miniature Series
G9 2W LED Bulb

G9



G-83416 27k Soft White

G9/2/F/LED/D/27K

Lumens	200
Wattage	2W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · G9 Base

c UL us LISTED

Miniature Series
G9 3.5W LED Bulb

G9



G-83419 27k Soft White
G9/3.5/LED/D/27K

G-83427 50k Super White
G9/3.5/LED/D/50K

Lumens	400
Wattage	3.5W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · G9 Base

c UL us LISTED

Miniature Series
G9 3.5W LED Bulb

G9



G-83418 27k Soft White
G9/3.5/LED/D/F/27K

Lumens	400
Wattage	3.5W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · G9 Base

c UL us LISTED

Miniature Series
G9 5W LED Bulb

G9



G-19964 27k Soft White
G9/5/LED/D/27K

Lumens	525
Wattage	5W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · G9 Base

c UL us LISTED

Miniature Series
G9 7.5W LED Bulb

G9



G-83515	30k Warm White
G9/7.5/LED/D/30k	
G-83518	35k Neutral White
G9/7.5/LED/D/35k	
G-83516	41k Cool White
G9/7.5/LED/D/41K	
G-83517	50k Super White
G9/7.5/LED/D/50k	

Lumens	750
Wattage	7.5W
Voltage	120V
CRI	80
Beam Angle	300°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · G9 Base

c UL us LISTED

Miniature Series
G9 6W LED Bulb

G9



G-20197	30k Warm White
G9/6/LED/30k	
G-20198	41k Cool White
G9/6/LED/41k	
G-20199	50k Super White
G9/6/LED/50k	

Lumens	900
Wattage	6W
Voltage	120V
CRI	80
Beam Angle	360°
Dimmable	No
Pack	20/300

Damp Location · G9 Base

c UL us LISTED

Miniature Series
G9 10W LED Bulb

G9



G-95921	30k Warm White
G9/10/LED/30k	
G-95922	35k Neutral White
G9/10/LED/35k	
G-95923	41k Cool White
G9/10/LED/41k	
G-95924	50k Super White
G9/10/LED/50k	

Lumens	1150
Wattage	10W
Voltage	120V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · G9 Base

c UL us LISTED

Miniature Series
T6 LED Bulb

T6



G-19868 27k Soft White

T6/4.5/LED/D/27K

Lumens	500
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

Miniature Series
T6 LED Bulb

T6



G-19914 30k Warm White

T6/7.5/LED/D/30K

Lumens	750
Wattage	7.5W
Voltage	120V
CRI	85
Beam Angle	300°
Dimmable	Yes
Pack	20/300

Damp Location · Dimmable · E12 Base

c UL us LISTED

Candelabra Series
2W Candelabra LED Bulb

C32



G-83507 30k Warm White

B10/2/LED/D/30K

Lumens	200
Wattage	2W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

Candelabra Series
3.5W Candelabra LED Bulb

C32



G-83372	27k Soft White
C32/3.5/LED/D/27k	
G-83509	30k Warm White
C32/3.5/LED/D/30k	
G-20200	35k Neutral White
C32/3.5/LED/D/35k	
G-19790	41k Cool White
C32/3.5/LED/D/41k	
G-83373	50k Super White
C32/3.5/LED/D/50k	

Lumens	400
Wattage	3.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

Candelabra Series
5W Candelabra LED Bulb

C32



G-83370	27k Soft White
C32/5/LED/D/27k	
G-83510	30k Warm White
C32/5/LED/D/30k	
G-20202	35k Neutral White
C32/5/LED/D/35k	
G-19791	41k Cool White
C32/5/LED/D/41k	
G-83371	50k Super White
C32/5/LED/D/50k	

Lumens	600
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

Candelabra Series
7W Candelabra LED Bulb

C32



G-20142	27k Soft White
C32/7/LED/D/27k	
G-20143	30k Warm White
C32/7/LED/D/30k	
G-20144	35k Neutral White
C32/7/LED/D/35k	
G-20145	41k Cool White
C32/7/LED/D/41k	
G-20146	50k Super White
C32/7/LED/D/50k	

Lumens	800
Wattage	7W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

Candelabra Series
8W Candelabra LED Bulb

C32



G-95925	27k Soft White
C32/8/LED/D/27K	
G-95926	30k Warm White
C32/8/LED/D/30K	
G-95927	35k Neutral White
C32/8/LED/D/35K	
G-95928	41k Cool White
C32/8/LED/D/41K	
G-95929	50k Super White
C32/8/LED/D/50K	

Lumens	1050
Wattage	8W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

Candelabra Series
3.5W Candelabra Flame Tip LED

CA32



G-83380	27k Soft White
CA32/3.5/LED/D/27k	

Lumens	400
Wattage	3.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

Candelabra Series
5W Candelabra Flame Tip LED

CA32



G-83382	27k Soft White
CA32/5/LED/D/27k	
G-83514	30k Warm White
CA32/5/LED/D/30k	

Lumens	600
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

Candelabra Series
5W Candelabra LED Bulb

C32



G-83428 27k Soft White

C32/5/F/LED/D/27K

Lumens	600
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location | Dimmable | E12 Base

c UL us LISTED

Candelabra Series
5W Candelabra LED Bulb

C32



G-83429 27k Soft White

C32/5/LED/D/27K E26

Lumens	600
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location | Dimmable | E26 Base

c UL us LISTED

Decorative Series
A19 Clear 5CCT

A19

G-19910

A19/8/CL/LED/5CCT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	800
Wattage	8W
Voltage	120V
CRI	80
Beam Angle	290°
Dimmable	Yes
Pack	10/50

Damp Location | Dimmable | E26 Base

c UL us LISTED

Decorative Series
A21 Clear LED

A21



Damp Location · Dimmable · E26 Base

G-20011 30k Warm White

A21/15/LED/D/CL/30K

Lumens	1600
Wattage	15W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/20

c UL us LISTED

Decorative Series
A19 5CCT Clear LED

A19



G-19912

A19/12/LED/D/CL/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Selectable Color · Damp Location · Dimmable · E26 Base

Lumens	1500
Wattage	12W
Voltage	120V
CRI	80
Beam Angle	290°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	25/50

c UL us LISTED

Decorative Series
A23 Clear LED

A23



Damp Location · Dimmable · E26 Base

G-20012 30k Warm White

A23/21/LED/D/CL/30K

Lumens	2900
Wattage	21W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/40

c UL us LISTED

Decorative Series
A15 Clear LED

A15



Clear

Damp Location · Dimmable · E26 Base

G-19754 30k Warm White

A15/5/LED/D/30K

G-19755 50k Super White

A15/5/LED/D/50K

Lumens	500
Wattage	5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50

c UL us LISTED

Decorative Series
A15 Frosted LED

A15



G-19768 30k Warm White

A15/5/LED/D/F/30k


Lumens	500
Wattage	5W
Voltage	120V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	10/50

Damp Location · Dimmable · E26 Base

c UL us LISTED

Decorative Series
T10 LED Bulb

T10



G-19750 30k Warm White

T10/4.5/LED/D/30K

G-19751 41k Cool White

T10/4.5/LED/D/41K

G-19752 50k Super White

T10/4.5/LED/D/50K

Lumens	500
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50

Damp Location · Dimmable · E26 Base

c UL us LISTED

Decorative Series
T10 LED Bulb

T10



G-19753 30k Warm White

T10/4.5/LED/F/D/30K

Lumens	500
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50

Damp Location · Dimmable · E26 Base

c UL us LISTED

Decorative Series
T10 12 Inch LED Bulb

T10



G-19842 30k Warm White
T10/6.5/LED/D/30K 12″

G-19843 41k Cool White
T10/6.5/LED/D/41K 12″

G-19844 50k Super White
T10/6.5/LED/D/50K 12″

Lumens	850
Wattage	6.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50

Damp Location | Dimmable | E26 Base

c UL us LISTED

Decorative Series
ST21 4W LED Bulb

ST21



G-83472 27k Soft White
ST21/4W/LED/D/CL/27K

G-83473 50k Super White
ST21/4W/LED/D/CL/50K

Lumens	400
Wattage	4W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50

Damp Location | Dimmable | E26 Base

c UL us LISTED

Decorative Series
ST21 7W LED Bulb

ST21



G-83474 27k Soft White
ST21/7W/LED/D/CL/27K

Lumens	850
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	360°
Dimmable	Yes
Pack	10/50

Damp Location | Dimmable | E26 Base

c UL us LISTED

G Series
G16 LED Bulb



G-83411 27k Soft White
G16/3.5/LED/D/27K

G-19801 50k Super White
G16/3.5/LED/D/50K

Lumens	350
Wattage	3.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

G Series
G16 LED Bulb

G16



G-83476 27k Soft White
G16/4.5/LED/D/27K

G-19779 50k Super White
G16/4.5/LED/D/50K

Lumens	600
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E12 Base

c UL us LISTED

G Series
G16 LED Bulb E26 Base

G16



G-20027 27k Soft White
G16/3.5/LED/D/27K E26

Lumens	400
Wattage	3.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E26 Base

c UL us LISTED

G Series
G16 LED Bulb E26 Base

G16



G-20031 27k Soft White

G16/4.5/LED/D/27K E26

Lumens	600
Wattage	4.5W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/100

Damp Location · Dimmable · E26 Base

c UL us LISTED

G Series
G16 5CCT LED Bulb

G16



G-20035

G16/4.5/LED/F/5CCT

Frosted

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens	600
Wattage	4.5W
Voltage	120V
CRI	90
Beam Angle	360°
CCT	27, 30, 35, 41, 50k
Dimmable	Yes
Pack	10/100

Selectable Color · Damp Location · Dimmable · E12 Base

c UL us LISTED

G Series
G25 LED Frosted

G25



G-83376 30k Warm White

G25/7/LED/30K

G-83378 50k Super White

G25/7/LED/50K

Lumens	500
Wattage	7W
Voltage	120V
CRI	80
Beam Angle	330°
Dimmable	Yes
Pack	25/50

Damp Location · Dimmable · E26 Base

c UL us LISTED

G Series
G25 LED Clear

G25



G-83468	30k Warm White

G25/7/LED/D/CL/30K

Lumens	850
Wattage	7W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/20

Damp Location · Dimmable · E26 Base

c UL us LISTED

G Series
G30 LED Clear

G30



G-20128	30k Warm White

G30/15W/LED/C/D/30K

G-20130	41k Cool White

G30/15W/LED/C/D/41K

G-20131	50k Super White

G30/15W/LED/C/D/50K

Lumens	1600
Wattage	15W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/20

Damp Location · Dimmable · E26 Base

c UL us LISTED

G Series
G30 LED Frosted

G30



G-20132	30k Warm White

G30/15W/LED/F/D/30K

G-20133	41k Cool White

G30/15W/LED/F/D/41K

G-20135	50k Super White

G30/15W/LED/F/D/50K

Lumens	1600
Wattage	15W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/20

Damp Location · Dimmable · E26 Base

c UL us LISTED

Decorative Series

G25 LED Half Mirror

G25



G-20139 27k Soft White

G25/7/LED/D/C/HM/27K

Lumens	750
Wattage	7W
Voltage	120V
CRI	85
Beam Angle	330°
Dimmable	Yes
Pack	10/20

Damp Location · Dimmable · E26 Base

c UL us LISTED

Decorative Series

A19 LED Half Mirror

A19



G-20136 27k Soft White

A19/7/LED/D/C/HM/27K

Lumens	750
Wattage	7W
Voltage	120V
CRI	85
Beam Angle	360°
Dimmable	Yes
Pack	10/50

Damp Location · Dimmable · E26 Base

c UL us LISTED

ALPHABETICAL INDEX

G-00020	209,211
G-00021	209,211
G-00022	209,211
G-00023	209,211
G-00024	209,211
G-00025	209,211
G-00026	209,211
G-00028	209,211
G-00029	209,211
G-00100	201
G-00101	201
G-00102	201
G-00103	201
G-00110	201
G-00111	201
G-00112	201
G-00113	201
G-00140	201
G-00141	201
G-00142	201
G-00143	201
G-00820	100
G-00821	101
G-00822	101
G-00823	102
G-00824	102
G-00920	100
G-00921	101
G-00922	101
G-00923	102
G-00924	102
G-01020	100
G-01021	103
G-01022	103
G-01023	104
G-01024	104
G-01120	100
G-01121	103
G-01122	103
G-01123	104
G-01124	104
G-01220	100
G-01221	105
G-01222	105
G-01223	106
G-01224	106
G-01320	100
G-01321	105
G-01322	105
G-01323	106
G-01324	106
G-02227	143
G-02320	144
G-02500	200
G-02501	200
G-02502	200
G-02503	200
G-02510	200
G-02511	200
G-02512	200
G-02513	200
G-02540	200
G-02541	200
G-02542	200
G-02543	200
G-05020	121
G-05021	121
G-05022	121
G-05023	121
G-05024	121
G-05025	121
G-05026	121
G-05228	121,127
G-05229	122,127
G-05250	122
G-05251	123
G-05252	124
G-05253	124
G-05260	122
G-05261	123
G-05262	124
G-05263	124
G-05270	122
G-05271	123
G-05272	124
G-05273	124
G-05280	122
G-05281	123
G-05282	124
G-05283	124
G-05290	122
G-05291	123
G-05292	124
G-05293	124
G-05320	122
G-05321	123
G-05322	124
G-05323	124
G-05324	123
G-05325	123
G-05420	122
G-05421	123
G-05422	124
G-05423	124
G-05820	121
G-05821	121
G-05822	121
G-10010	44
G-10011	45
G-10020	44
G-10025	45
G-10120	46
G-10121	46
G-10122	46
G-10123	46
G-10124	46
G-10125	46
G-10140	47
G-10141	47
G-10150	47
G-10151	47
G-10220	46
G-10221	46
G-10222	46
G-10223	46
G-10224	46
G-10225	46
G-10320	50,51
G-10321	50
G-10322	50
G-10323	50
G-10324	50
G-10420	50
G-10421	50
G-10422	50
G-10423	50
G-10424	50
G-10520	48
G-10521	48
G-10540	48
G-10541	48
G-10620	48
G-10621	48
G-10640	48
G-10641	48
G-10880	232
G-10881	232
G-10882	232
G-10883	233
G-10886	234
G-10887	235
G-10888	235
G-10890	227
G-10891	227
G-10892	227
G-10900	12,14
G-10901	12
G-10902	12
G-10903	12
G-10904	12
G-10906	12
G-10907	12
G-10908	12
G-10909	12
G-10910	12
G-10913	21,22
G-10914	21
G-10915	21
G-10916	21
G-10917	21
G-10918	17,18
G-10919	17,18
G-10920	17,18
G-10922	21
G-10923	21
G-10924	21
G-10925	21
G-10927	33,34
G-10928	33
G-10929	33
G-10930	33
G-10931	33
G-10933	33
G-10934	33
G-10935	33
G-10936	33
G-10937	33
G-10938	10
G-10942	10
G-10943	10
G-10950	10
G-10951	10
G-10952	10
G-10953	10
G-11027	45
G-11028	45
G-11100	7
G-11102	7
G-11103	7
G-11104	7
G-11105	4
G-11110	4
G-11118	4
G-11120	4
G-11121	5
G-11122	5
G-11123	5
G-11124	5
G-11125	5
G-11127	4
G-11130	4
G-11135	4
G-11140	4
G-11141	178
G-11142	178
G-11143	178
G-11144	178
G-11150	4
G-11161	179
G-11162	179
G-11163	179
G-11164	179
G-11220	5
G-11221	5
G-11222	5
G-11223	5
G-11224	5
G-11320	5
G-11321	5
G-11322	5
G-11323	5
G-11324	5
G-11420	6
G-11421	6
G-11422	6
G-11423	6
G-11424	6
G-11520	6
G-11521	6
G-11522	6
G-11523	6
G-11524	6
G-11620	6
G-11621	6
G-11622	6
G-11623	6
G-11624	6
G-11722	4
G-11723	4
G-11724	4
G-11820	4
G-11822	4
G-11920	197
G-11921	197
G-11922	198
G-11928-EM	197
G-11929-EM	198
G-12000	171
G-12020	176
G-12021	176
G-12022	176
G-12023	177
G-12024	177
G-12042	174
G-12043	174
G-12044	174
G-12062	175
G-12063	175
G-12064	175
G-12080	171
G-12120	199
G-12121-EM	199
G-12122	199
G-12123-EM	199
G-12124	199
G-12125-EM	199
G-12160	171
G-12200	172
G-12208	171
G-12209	171
G-12210	171
G-12212	171
G-12216	171
G-12220	172
G-12224	172
G-12240	172
G-12500	117
G-12501	117
G-12502	117
G-12503	117
G-12504	117
G-12505	117
G-12506	117
G-12510	118
G-12511	118
G-12512	118
G-12513	118
G-12514	118
G-12515	118
G-12516	118
G-12520	119
G-12521	119
G-12522	119
G-12523	119
G-12524	119
G-12525	119
G-12526	119
G-12530	120
G-12531	120
G-12532	120
G-12533	120
G-12534	120
G-12535	120
G-12536	120
G-12540	120
G-12541	120
G-12542	120
G-12543	120
G-12544	120
G-12545	120
G-12546	120
G-12550	119
G-12551	119
G-12590	117
G-12591	117
G-12592	117
G-12593	117
G-12594	117
G-13050	169
G-13051	169
G-13052	169
G-13053	169
G-13054	169
G-13055	169
G-13056	169
G-13057	169
G-13058	169
G-13059	169
G-13060	169
G-13061	169
G-13070	169
G-13071	169
G-13072	169
G-13073	169
G-13074	169
G-13075	169
G-13076	169
G-13077	169
G-13078	169
G-13079	169
G-13080	169
G-13081	169
G-13090	169
G-13091	169
G-13092	169
G-13093	169
G-13094	169
G-13095	169
G-13096	169
G-13097	169
G-13098	169
G-13099	169
G-13100	169
G-13101	169
G-13120	170
G-13121	170
G-13122	170
G-13123	170
G-13124	170
G-13125	170
G-13126	170
G-13127	170
G-13128	170
G-13129	170
G-13130	170
G-13131	170
G-13140	170
G-13141	170
G-13142	170
G-13143	170
G-13144	170
G-13145	170
G-13146	170
G-13147	170
G-13148	170
G-13149	170
G-13150	170
G-13151	170
G-15005	8
G-15010	9
G-15011	9
G-15012	9
G-15013	9
G-15014	9
G-15015	9
G-15020	9
G-15021	9
G-15022	9
G-15023	9
G-15024	9
G-15025	9
G-15030	9
G-15031	9
G-15040	9
G-15041	9
G-15091	8
G-15093	8
G-15097	8
G-15098	8
G-15099	8
G-19750	249
G-19751	249
G-19752	249
G-19753	249
G-19754	248
G-19755	248
G-19768	249
G-19774	231
G-19775	231
G-19776	231
G-19777	231
G-19779	251
G-19790	245
G-19791	245
G-19792	235
G-19797	236
G-19801	251
G-19822	163
G-19823	163
G-19833	69
G-19834	69
G-19835	69
G-19836	69
G-19837	69
G-19839	69
G-19842	250
G-19843	250
G-19844	250
G-19845	70
G-19846	70
G-19847	70
G-19848	70
G-19849	70
G-19851	71
G-19855	71
G-19856	71
G-19863	233
G-19864	233
G-19865	233
G-19866	233

ALPHABETICAL INDEX

G-19868	244	G-20131	253	G-21135	114	G-21650	27	G-22034	136,158	G-22573	53
G-19893	236	G-20132	253	G-21153	114	G-21651	27	G-22041	137,158	G-22600	56
G-19894	236	G-20133	253	G-21155	114	G-21700	40	G-22042	137,158	G-22605	56
G-19895	236	G-20135	253	G-21170	112	G-21701	40	G-22043	137,158	G-22610	57
G-19896	236	G-20136	254	G-21171	112	G-21702	40	G-22044	137,158	G-22611	57
G-19897	236	G-20139	254	G-21173	113	G-21703	40	G-22050	138,159	G-22612	57
G-19898	237	G-20142	245	G-21176	113	G-21704	40	G-22051	138,159	G-22613	57
G-19899	237	G-20143	245	G-21190	112	G-21710	13	G-22052	138,159	G-22614	57
G-19900	237	G-20144	245	G-21191	112	G-21711	13	G-22053	138,159	G-22615	57
G-19901	237	G-20145	245	G-21193	113	G-21712	13	G-22054	138,159	G-22616	57
G-19902	237	G-20146	245	G-21196	113	G-21713	13	G-22060	138,159	G-22617	57
G-19908	240	G-20195	59	G-21201	180	G-21714	13	G-22061	138,159	G-22620	57
G-19910	247	G-20196	59	G-21202	180	G-21720	20	G-22062	138,159	G-22621	57
G-19912	248	G-20197	243	G-21203	180	G-21721	20	G-22063	138,159	G-22623	57
G-19914	244	G-20198	243	G-21204	181	G-21722	20	G-22064	138,159	G-22624	57
G-19930	234	G-20199	243	G-21205	181	G-21723	20	G-22080	160	G-22625	57
G-19931	173	G-20200	245	G-21206	181	G-21724	20	G-22081	160	G-22626	57
G-19932	173	G-20202	245	G-21208	182	G-21730	32	G-22082	160	G-22627	57
G-19933	173	G-20205	233	G-21210	182	G-21731	32	G-22083	160	G-22630	58
G-19934	234	G-20206	233	G-21215	182	G-21732	32	G-22084	160	G-22631	58
G-19960	226	G-20207	233	G-21216	182	G-21733	32	G-22120	136	G-22640	58
G-19964	242	G-20208	233	G-21217	182	G-21734	32	G-22130	136	G-22641	58
G-19968	168	G-20210	163	G-21218	182	G-21740	49	G-22150	138	G-22650	57
G-19969	164	G-20211	163	G-21219	182	G-21741	49	G-22160	138	G-22651	57
G-19974	164	G-20213	18	G-21250	30	G-21742	49	G-22200	37	G-22660	58
G-19976	165	G-20215	17	G-21251	30	G-21743	49	G-22210	11	G-22661	58
G-19982	165	G-20216	59	G-21300	220	G-21744	49	G-22220	18	G-22670	56
G-19984	230	G-20217	147	G-21305	220	G-21800	40	G-22230	27	G-22676	56
G-19985	230	G-20218	59	G-21310	221	G-21801	40	G-22240	46	G-22677	56
G-19986	230	G-20219	141	G-21311	221	G-21802	40	G-22241	137	G-22678	56
G-19993	230	G-20220	141	G-21312	221	G-21803	40	G-22290	184	G-22679	56
G-19994	230	G-20221	142	G-21313	221	G-21804	40	G-22291	184	G-22680	56
G-19996	230	G-20222	142	G-21314	221	G-21810	13	G-22302	183	G-22681	56
G-19997	78	G-20223	143	G-21315	221	G-21811	13	G-22304	183	G-22682	56
G-19998	78	G-20224	144	G-21320	221	G-21812	13	G-22308	184	G-22730	29
G-19999	71	G-20225	147	G-21321	221	G-21813	13	G-22312-EM	183	G-22731	29
G-20000	71	G-20226	148	G-21322	221	G-21814	13	G-22314-EM	183	G-22801	16
G-20001	72	G-20227	148	G-21323	221	G-21820	21	G-22318-EM	184	G-22802	16
G-20004	73	G-20228	149	G-21324	221	G-21821	21	G-22324-MS	183	G-22803	16
G-20005	72	G-20229	149	G-21325	221	G-21822	21	G-22354	184	G-22804	16
G-20006	72	G-20242	138	G-21330	30	G-21823	21	G-22374-MS	184	G-22811	16
G-20007	73	G-20243	138	G-21331	30	G-21824	21	G-22500	53	G-22812	16
G-20008	73	G-20244	137	G-21335	30	G-21830	33	G-22505	53	G-22813	16
G-20011	248	G-20245	138	G-21336	30	G-21831	33	G-22510	54	G-22814	16
G-20012	248	G-20246	138	G-21400	221	G-21832	33	G-22511	54	G-23030	28
G-20019	204	G-20247	163	G-21405	222	G-21833	33	G-22512	54	G-23031	28
G-20021	204	G-20248	163	G-21410	222	G-21834	33	G-22513	54	G-23130	28
G-20022	203	G-20251	157	G-21411	222	G-21840	49	G-22514	54	G-23131	28
G-20027	251	G-20253	157	G-21412	222	G-21841	49	G-22515	54	G-23300	87
G-20031	252	G-20441	137	G-21413	222	G-21842	49	G-22516	54	G-23302	87
G-20035	252	G-20452	133	G-21414	222	G-21843	49	G-22517	54	G-23303	88
G-20048	228	G-20453	133	G-21415	222	G-21844	49	G-22520	54	G-23304	88
G-20050	228	G-20454	133	G-21420	222	G-21870	27	G-22521	54	G-23310	87
G-20051	229	G-20463	134	G-21421	222	G-21871	27	G-22522	54	G-23312	87
G-20052	228	G-20464	134	G-21422	222	G-21872	27	G-22523	54	G-23313	88
G-20053	230	G-20700	38	G-21423	222	G-21873	27	G-22524	54	G-23314	88
G-20054	230	G-20701	38	G-21424	222	G-21874	27	G-22525	54	G-23322	89
G-20056	231	G-20710	11	G-21425	222	G-21930	32	G-22526	54	G-23323	89
G-20080	73	G-20711	11	G-21520	19	G-21931	32	G-22527	54	G-23324	90
G-20083	74	G-20720	20	G-21521	19	G-21932	32	G-22530	55	G-23332	89
G-20084	229	G-20721	20	G-21530	28	G-21933	32	G-22531	55	G-23333	89
G-20087	73	G-20730	28	G-21531	28	G-21934	32	G-22532	55	G-23334	90
G-20088	74	G-20731	28	G-21540	46	G-21935	32	G-22533	55	G-23340	90
G-20089	75	G-20740	47	G-21541	46	G-21953	27	G-22534	55	G-23342	91
G-20090	76	G-20741	47	G-21600	223	G-21970	32	G-22535	55	G-23343	91
G-20091	78	G-21050	115	G-21610	223	G-21971	32	G-22540	55	G-23344	92
G-20092	79	G-21051	115	G-21611	223	G-22020	136	G-22541	55	G-23350	90
G-20093	80	G-21052	116	G-21612	223	G-22021	136	G-22542	55	G-23352	91
G-20094	80	G-21055	116	G-21613	223	G-22022	136	G-22543	55	G-23353	91
G-20095	80	G-21062	166	G-21614	223	G-22023	136	G-22544	55	G-23354	92
G-20096	80	G-21064	115	G-21615	223	G-22024	136	G-22550	54	G-23362	92
G-20112	231	G-21065	115	G-21616	223	G-22030	136,158	G-22551	54	G-23363	93
G-20113	231	G-21066	116	G-21617	223	G-22031	136,158	G-22560	55	G-23364	93
G-20128	253	G-21069	116	G-21640	27	G-22032	136,158	G-22561	55	G-23372	92
G-20130	253	G-21133	114	G-21641	27	G-22033	136,158	G-22572	53	G-23373	93

ALPHABETICAL INDEX

G-23374	93
G-23500	36
G-23501	36
G-23502	37
G-23505	36
G-23510	37
G-23511	37
G-23512	37
G-23513	37
G-23514	37
G-23515	37
G-23516	37
G-23520	37
G-23521	37
G-23522	37
G-23523	37
G-23524	37
G-23525	37
G-23526	37
G-23530	41,42
G-23531	41
G-23532	41
G-23533	41
G-23534	41
G-23535	41
G-23540	41,43
G-23541	41
G-23542	41
G-23543	41
G-23544	41
G-23550	39
G-23551	39
G-23560	39
G-23561	39
G-23570	38
G-23571	38
G-23590	38
G-23591	38
G-23600	38
G-23601	38
G-23610	39
G-23611	39
G-23620	39
G-23621	39
G-23630	36
G-23632	36
G-23633	36
G-23634	36
G-23636	36
G-23637	36
G-23639	36
G-23640	36
G-23641	36
G-23642	36
G-23643	36
G-23720	141
G-23721	141
G-23722	141
G-23723	141
G-23724	141
G-23725	141
G-23730	141,153
G-23731	141,153
G-23732	141,153
G-23733	141,153
G-23734	141,153
G-23735	141,153
G-23740	142,153
G-23741	142,153
G-23742	142,153
G-23743	142,153
G-23744	142,153
G-23745	142,153
G-23750	142,154
G-23751	142,154
G-23752	142,154
G-23753	142,154
G-23754	142,154
G-23755	142,154
G-23760	143,154
G-23761	143,154
G-23762	143,154
G-23763	143,154
G-23764	143,154
G-23765	143,154
G-23790	37
G-23791	11
G-23792	18
G-23793	27
G-23794	46
G-23795	54
G-23796	57
G-24020	60
G-24120	60
G-24520	70
G-24521	70
G-24920	74
G-24921	74
G-25000	125
G-25001	125
G-25050	118,125
G-25051	117,125
G-25060	126
G-25061	126
G-25070	126
G-25071	126
G-25080	126
G-25081	126
G-25120	75
G-25121	75
G-25240	135
G-25260	135
G-26000	77
G-26001	77
G-27312	24
G-27318	24
G-27327	24
G-27330	24
G-27335	24
G-28315	24
G-28318	24
G-28327	24
G-28328	24
G-28330	24
G-28335	24
G-29630	31
G-29631	31
G-29700	40
G-29701	40
G-29710	12
G-29711	12
G-29720	20
G-29721	20
G-29730	31
G-29731	31
G-29740	49
G-29741	49
G-29830	29
G-29831	29
G-29930	29
G-29931	29
G-30000	125
G-30001	125
G-30060	128
G-30061	128
G-30070	128
G-30071	128
G-30080	128
G-30081	128
G-30330	26
G-32500	107
G-32501	107
G-32502	108
G-32503	108
G-32504	109
G-32510	107
G-32511	107
G-32512	108
G-32513	108
G-32514	109
G-32520	109
G-32521	110
G-32522	110
G-32523	111
G-32524	111
G-32530	109
G-32531	110
G-32532	110
G-32533	111
G-32534	111
G-33000	129
G-33001	129
G-33050	129
G-33051	129
G-33060	130
G-33061	130
G-33070	130
G-33071	130
G-33080	130
G-33081	130
G-37000	131
G-37001	131
G-37050	131
G-37051	131
G-37060	132
G-37061	132
G-37070	132
G-37071	132
G-37080	132
G-37081	132
G-48170	10
G-48171	10
G-48172	10
G-48190	11
G-48191	11
G-48200	202
G-48210	202
G-48220	202
G-48240	17
G-48241	17
G-48242	17
G-48250	19
G-48251	19
G-48260	19
G-48261	19
G-48302	4
G-48305	198
G-48307	198
G-48314	81
G-48315	81
G-48316	82
G-48317	82
G-48318	165
G-48328	163
G-48329	225
G-48330	224
G-48331	224
G-48332	224
G-48334	225
G-48336	226
G-48337	136
G-48338	136
G-48339	225
G-48340	17
G-48341	18
G-48342	18
G-48343	18
G-48344	18
G-48345	18
G-48346	18
G-48347	18
G-48348	18
G-48349	18
G-48354	18
G-48355	18
G-48356	18
G-48357	72
G-48358	72
G-48359	72
G-48360	75
G-48361	75
G-48362	75
G-48363	76
G-48364	76
G-48365	76
G-48366	78
G-48367	79
G-48368	75
G-48369	76
G-48370	141,153
G-48371	141,153
G-48372	141,153
G-48373	142,153
G-48374	142,153
G-48375	142,153
G-48376	142,154
G-48377	142,154
G-48378	142,154
G-48379	143,154
G-48380	143,154
G-48381	143,154
G-48382	141,153
G-48383	142,153
G-48384	142,154
G-48385	147,155
G-48386	147,155
G-48387	147,155
G-48388	148,155
G-48389	148,155
G-48390	148,155
G-48391	148,156
G-48392	148,156
G-48393	148,156
G-48394	149,156
G-48395	149,156
G-48396	149,156
G-48397	147,155
G-48398	148,155
G-48399	148,156
G-48403	60
G-48404	62
G-48405	62
G-48408	143,154
G-48409	149,156
G-48410	162
G-48411	162
G-48428	59
G-48429	59
G-48431	61
G-48440	83
G-48441	83
G-48442	83
G-48443	84
G-48444	83
G-48445	84
G-48448	165
G-48449	166
G-48460	137,158
G-48461	137
G-48464	82
G-48465	82
G-48468	10
G-48470	10
G-48471	11
G-48472	11
G-48473	11
G-48474	11
G-48475	11
G-48476	11
G-48477	11
G-48478	11
G-48479	11
G-48480	11
G-48481	11
G-48482	11
G-48485	206
G-48486	206
G-48487	206
G-48488	206
G-48489	206
G-48490	207
G-48491	207
G-48492	207
G-48493	207
G-48494	207
G-48495	208
G-48496	208
G-48497	208
G-48498	208
G-48499	208
G-48500	208
G-48501	208
G-48502	208
G-48503	208
G-48504	208
G-48508	136
G-48509	136
G-48520	210
G-48522	210
G-48523	210
G-48524	210
G-48525	210
G-48526	210
G-48530	204
G-48531	204
G-48532	204
G-48533	204
G-48535	203
G-48536	203
G-48537	203
G-48538	203
G-48771	224
G-48773	225
G-48774	226
G-49527	210
G-49528	210
G-49529	210
G-83328	238
G-83331	238
G-83334	238
G-83337	238
G-83340	238
G-83343	238
G-83367	237
G-83370	245
G-83371	245
G-83372	245
G-83373	245
G-83374	236
G-83376	252
G-83378	252
G-83380	246
G-83382	246
G-83385	239
G-83391	239
G-83400	239
G-83411	251
G-83412	240
G-83413	240
G-83415	241
G-83416	241
G-83417	241
G-83418	242
G-83419	242
G-83421	240
G-83425	241
G-83427	242
G-83428	247
G-83429	247
G-83457	228
G-83458	228
G-83459	228
G-83465	237
G-83468	253
G-83472	250
G-83473	250
G-83474	250
G-83476	251
G-83481	236
G-83494	229
G-83495	229
G-83499	229
G-83500	229
G-83501	229
G-83507	244
G-83509	245
G-83510	245
G-83514	246
G-83515	243
G-83516	243
G-83517	243
G-83518	243
G-90000	42
G-90002	42
G-90003	42
G-90004	42
G-90100	14
G-90102	14
G-90103	14
G-90104	14
G-90200	22
G-90202	22
G-90203	22
G-90204	22
G-90300	34
G-90302	34
G-90303	34
G-90304	34
G-90400	51
G-90402	51
G-90403	51
G-90404	51
G-91000	43
G-91002	43
G-91003	43
G-91004	43
G-91100	15
G-91101	15
G-91102	15
G-91103	15
G-91104	15
G-91200	23
G-91201	21,23
G-91202	23
G-91203	23
G-91204	23
G-91300	35
G-91301	35
G-91302	35
G-91303	35

ALPHABETICAL INDEX

G-91304	35
G-91400	52
G-91401	52
G-91402	52
G-91403	52
G-91404	52
G-95521	163
G-95525	162
G-95528	162
G-95620	63
G-95621	63
G-95622	64
G-95623	65
G-95624	65
G-95625	66
G-95626	61
G-95720	63
G-95721	63
G-95722	64
G-95723	65
G-95724	65
G-95725	66
G-95726	61
G-95727	216
G-95728	217
G-95729	217
G-95820	62
G-95821	62
G-95823	160
G-95824	160
G-95825	160
G-95826	160
G-95827	160
G-95921	243
G-95922	243
G-95923	243
G-95924	243
G-95925	246
G-95926	246
G-95927	246
G-95928	246
G-95929	246
G-96012	25
G-96013	26
G-96020	27
G-96021	27
G-96022	25
G-96023	25
G-96024	26
G-96025	27
G-96026	27
G-96027	27
G-96028	27
G-96029	27
G-96120	27
G-96121	27
G-96122	27
G-96123	27
G-96124	27
G-96125	27
G-96126	27
G-96127	29
G-96128	29
G-96225	216
G-96226	216
G-96227	216
G-96228	217
G-96229	217
G-96230	208
G-96231	208
G-96232	208
G-96233	208
G-96234	208
G-96235	208
G-96236	208
G-96237	208
G-96315	215
G-96316	214
G-96320	213
G-96321	213
G-96322	214
G-96323	215
G-96324	215
G-96325	215
G-96326	215
G-96327	215
G-96328	215
G-96329	215
G-96330	214
G-96421	216
G-96422	216
G-96423	216
G-96424	216
G-96425	213
G-96426	214
G-96427	213
G-96428	217
G-96521	145
G-96523	145
G-96620	151
G-96621	151
G-96622	152
G-96624	213
G-96625	152
G-96626	152
G-96720	139
G-96721	139
G-96722	140
G-96821	140
G-96822	140
G-96921	153
G-96922	153
G-96923	154
G-96924	154
G-97021	155
G-97022	155
G-97023	156
G-97024	156
G-97124	82
G-97125	82
G-97126	64
G-97127	64
G-97128	84
G-97129	84
G-97220	66
G-97221	66
G-97320	76
G-97321	76
G-97325	77
G-97326	77
G-97420	79
G-97421	79
G-97425	79,85
G-97426	79,85
G-97525	219
G-97526	219
G-97527	219
G-97528	219
G-97600	218
G-97601	218
G-97602	218
G-97603	218
G-97604	218
G-97608	218
G-97612	219
G-97615	218
G-97620	219
G-97621	219
G-97622	219
G-97623	219
G-97624	219
G-97625	219
G-97626	219
G-97627	219
G-97720	224
G-97721	224
G-97722	224
G-97724	225,226
G-97725	225,226
G-97726	225,226
G-97728	224,225
G-97729	224,225
G-97812	150
G-97814	150
G-97820	224,225
G-97822	146
G-97824	146
G-97920	141
G-97921	141
G-97922	141
G-97923	141
G-97925	147
G-97926	147
G-97927	147
G-97928	147
G-98000	191
G-98001-EM	191
G-98002	191
G-98003-EM	191
G-98010	192
G-98011-EM	192
G-98012	192
G-98013-EM	192
G-98020	193
G-98021	193
G-98022	193
G-98023-EM	193
G-98028	194
G-98029-EM	194
G-98120	194
G-98121-EM	194
G-98126	195
G-98127-EM	195
G-98128	195
G-98129-EM	195
G-98222	198
G-98224	198
G-98226	187
G-98227-EM	187
G-98228	187
G-98229-EM	187
G-98240	188
G-98241-EM	188
G-98242	188
G-98243-EM	188
G-98250	189
G-98251-EM	189
G-98252	189
G-98253-EM	189
G-98260	190
G-98261-EM	190
G-98262	190
G-98263-EM	190
G-98322	186
G-98323-EM	186
G-98324	186
G-98325-EM	186
G-98326	196
G-98327-EM	196
G-98328	196
G-98329-EM	196
G-98410	161
G-98411	161
G-98412	161
G-98413	161
G-98420	161
G-98421	161
G-98422	161
G-98423	161
G-98424	185
G-98425-EM	185
G-98426	185
G-98427-EM	185
G-98521	158
G-98522	158
G-98523	159
G-98524	159
G-98526	160
G-98628	163
G-98629	163
G-98720	94
G-98721	94
G-98722	94
G-98723	95
G-98724	95
G-98725	94
G-98726	94
G-98727	94
G-98728	95
G-98729	95
G-98741	96
G-98742	96
G-98743	97
G-98744	97
G-98751	96
G-98752	96
G-98753	97
G-98754	97
G-98761	98
G-98762	98
G-98763	99
G-98764	99
G-98771	98
G-98772	98
G-98773	99
G-98774	99
G-98800	164
G-98810	164
G-98811	168
G-98812	168
G-98813	168
G-98814	167
G-98815	168
G-98816	168
G-98817	167
G-98818	167
G-98819	167
G-98821	166
G-98822	166
G-98823	166
G-98824	167
G-98930	30
G-98931	31
G-98932	31
G-99022	85
G-99023	86
G-99024	86
G-99122	85
G-99123	86
G-99124	86
G-99221	67
G-99222	67
G-99223	68
G-99224	68
G-99321	67
G-99322	67
G-99323	68
G-99324	68
G-99420	205
G-99421	205
G-99422	205
G-99423	205
G-99424	205
G-99425	206
G-99426	206
G-99427	206
G-99428	206
G-99429	206
G-99440	206
G-99441	206
G-99442	206
G-99443	206
G-99444	206
G-99450	205
G-99451	205
G-99452	205
G-99453	205
G-99454	205
G-99455	205
G-99456	205
G-99457	205
G-99458	205
G-99459	205
G-99460	207
G-99461	207
G-99462	207
G-99463	207
G-99464	207
G-99465	207
G-99466	207
G-99467	207
G-99468	207
G-99469	207
G-99525	209
G-99620	209
G-99621	209
G-99622	209
G-99623	209
G-99624	209
G-99625	209
G-99626	209
G-99627	209
G-99628	209
G-99629	209
G-99650	211
G-99651	211
G-99652	211
G-99653	211
G-99654	211
G-99660	211
G-99662	211
G-99664	211
G-99666	211
G-99667	211
G-99670	211
G-99672	211
G-99674	211
G-99680	211
G-99681	211
G-99682	211
G-99683	211
G-99684	211
G-99700	211
G-99719	26
G-99720	212
G-99721	212
G-99722	212
G-99723	212
G-99733	212
G-99920	215
G-99921	216
G-99922	216

Goodlite

CONTACT INFO

369 Essex Rd
Tinton Falls NJ 07753

sales@gllite.com
www.gllite.com

718 697 7502
718 697 7503
718 697 7502


Goodlite